



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

1 of 22

Edit#	Description	Force
1	There is missing data (blank field) or invalid characters exist in the data for this data item	N
2	Geocode/Zip Code combination not valid for Current Address	N
3	Invalid character(s) exist(s) in Patient Name	N
4	This case is not reportable (ICD-O-2 reporting criteria)	N
5	Geocode Current requires County Residence Current equal 88	N
6	Geocode not valid	N
7	Zip Code Current not valid for Florida	N
8	Zip Code Current/County Residence Current combination not valid	N
9	Place of Birth not valid	N
10	Site not valid	N
11	Sex not valid with Site	N
12	ICD-O-2 Morphology not valid	N
13	ICD-O-2 Morphology not valid with Site or not reportable to FCDS	Y
14	Abstractor code not valid	N
15	ICD-O-2 Morph equal 9711 and Grade not equal 6	N
16	Social Security number not valid	N
17	ICD-O-2 Behavior requires Dx Confirmation = 1 or 4	Y
18	County Residence Current is between 11-77 & Geocode Current is not equal to 035 (Florida)	N
19	County Residence Current out of range (11-77, 88 or 90) or not numeric	N
20	Sex is out of range (1 through 4 or 9)	N
21	Race 1 not valid	N
22	Hispanic Origin is out of range (0 through 7 or 9)	N
23	Marital Status is out of range (1 through 5 or 9)	N
24	Tobacco Use is out of range (0 through 9)	N
25	Laterality of Primary Site is out or range (0-5 or 9)	N
26	County of Diagnosis is out of range (11 through 77, 88, 90 or 99)	N
27	Diagnostic Confirmation is out of range 1, 2, 3, 4-9	N
28	Dx Confirmation must equal 1-5 when the ICD-O-2 Morphology is between 9590-9717. Dx Confirmation must equal 1-5 or 8 when the ICD-O-2 Morphology is between 9720-9941	Y
29	Stage @ Dx 1977 not equal 7 or FCDS Stage 1977 not equal 7 or 9 as required when ICD-O-2 Morph between 9800 - 9941 or 9732	N
30	Morph ICD-O-2 is 8077, Stage at Dx 1977 not equal 0, FCDS Stage 1977 not equal 0 or 9 or ICD-O-2 behavior not equal 2	N
31	ICD-O-2 Morph 9731 but Stage @ Dx 1977 not equal 1 or FCDS Stage 1977 not equal 1 or 9	Y
32	Patient has multiple primaries and Dx Confirmation is not equal to 1, 2, 4 or 5 on all Sequences	Y
34	DX Confirmation must equal to 1, 2 or 4 when Surgery of primary site does not equal 00 or 99	Y
35	ICD-O-2 Morph requires Grade = 4	N
36	ICD-O-2 Behavior is out of range	N
37	Reporting Source is out of range (1-8)	N
38	Site equals C80.9 but either Stage @ DX 1977 not equal 9 or FCDS Stage 1977 not equal 9	N
39	Grade is out of range (1-9)	N
40	Sequence greater than zero with Ill-Defined primary site, Ill-Defined Lymphoma, or Ill-Defined Leukemia	Y
41	Grade not equal 9 when Dx Confirmation greater than 4 and Site is not C71.*	N
42	FCDS Stage 1977 is out of range (0 - 5, 7 or 9)	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

2 of 22

Edit#	Description	Force
43	Stage @ Dx 1977 & FCDS Stage 1977 not equal 0 as required when Seq equals 00 & ICD-O-2 Behavior = 2	Y
44	Stage @ Dx 1977 not equal 0 or FCDS Stage 1977 not equal 0 or 9 as required when Sequence greater than 00 and ICD-O-2 Behavior equals 2	Y
45	Stage @ Dx 1977 is out of range (0-5, 7 or 9)	N
46	Stage @ Dx 1977 and FCDS Stage 1977 not greater than 0 as required when ICD-O-2 Behavior equals 3	Y
47	Stage @ Dx 1977 and/or FCDS Stage 1977 not equal 1,5,7 or 9 as required when site=C77.*, C02.4, C09.9, C11.1, C14.2, C37.9 or C42.2 when ICD-O-2 Morph between 9590 and 9714 or equal to 9723	N
48	This Site requires a Laterality code of 1, 2, 3, 4, 5, or 9.	N
49	Grade is between 5 and 7 and ICD-O-2 Morph not in the range of 9590 and 9723 or 9800 and 9941	N
50	ICD-O-2 Morph equal 9702, 9705, 9706, 9707, 9713 and 9827 and Grade not equal 5	N
51	Stage @ Dx 1977 and/or FCDS Stage 1977 must not equal 0 when Dx Confirmation not equal 1, 2 or 4	N
52	Site equals C50.* and Morphology equals 8521	N
53	ICD-O-2 Morph cannot equal 8240 with Site = C18.1 with FCDS Stage 1977 less than 2	N
54	Surgery Primary Site is out of range for this Site	N
55	Radiation Rx is out of range (0, 1, 2, 3, 4, 5, 7, 8, 9)	N
56	Chemotherapy Rx is out of range (00, 01, 02, 03, 82, 85, 86, 87, 88, 99)	N
57	Hormone RX is out of range (00, 01, 82, 85, 86, 87, 88, 99)	N
58	Immunotherapy (BRM) is out of range (00, 01, 82, 85, 86, 87, 88, 99)	N
59	Other Rx is out of range (0 through 3 or 6 through 9)	N
60	WARNING: Other Rx is greater than 0 or less than 9	N
61	Birthdate not valid	N
62	Date First Contact not valid	N
63	Sequence Number equals 00 and Date First Contact is earlier than 1981	N
64	Diagnosis Date not valid	N
65	Date Last Contact not valid	N
66	Geocode Current requires County Residence Current equal 90	N
67	Date of Birth is greater than Date First Contact	N
68	Date of Birth is not less than or equal to Diagnosis Date	N
69	Date of Birth is not less than or equal to Date Last Contact	N
70	Date of Birth is not less than or equal to Abstract Date	N
71	Date of Birth is questionable	Y
72	Date First Contact is not less than or equal to Date Last Contact	N
73	This Site requires a Laterality code of 0	N
74	Diagnosis Date must be less than or equal to Date First Contact plus 30 days	N
75	Diagnosis Date must be less than or equal to Date Last Contact	N
76	Diagnosis Date must be less than or equal to Abstract Date	N
77	Invalid characters in Current Address	N
78	Abstract Date must be greater than or equal to 01-JAN-1981	N
79	Diagnosis Date is greater than Date First Contact but County of Dx is not equal to hospital county	N
81	Invalid Site and Morphology for patient over age 5 based on ICD-O-2	Y
82	Invalid Site for patient under age 15	Y
83	Invalid Site & Morphology for patient under age 15 or over age 45 based on ICD-O-2	Y
84	Regional Nodes Examined and/or Regional Nodes Positive not valid	N
85	Class of Case is out of range (00, 10-14, 20-22, 30-38, 40-43, 49, or 99)	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

3 of 22

Edit#	Description	Force
86	Patient under the age 30 cannot have Morphology 9732, 9823, 9863, 9868 or 9890 based on ICD-O-2	Y
87	Patient under the age 40 cannot have Site C61.9 with Morphology 8140 based on ICD-O-2.	Y
88	Patient Age questionable with Tobacco Use	Y
89	Patient Age questionable with Marital Status	Y
90	Cannot have Sequence 02 and Sequence 00 in the same batch	N
91	Demographic information on Sequence in pending file does not match that in master file	Y
92	Sequence 02 being processed without a Sequence 01 in pending file or 00 or 01 in master file	N
93	Sequences 01 and 02 exist in pending file but demographic information does not match	N
94	Sequence already exists for this Accession Number in the master file	N
95	There are required Sequence(s) missing for this Accession Number	N
97	If Regional Nodes Positive equals 01 through 97 then Stage @ Dx 1977 must equal 3,4,5 or 7	N
98	If Regional Nodes Examined equal 00 then Regional Nodes Positive must equal 98	N
99	Sequence Number not numeric	N
100	Site and/or ICD-O-2 Morph require Size of Tumor equal 999, Number of Nodes Examined equal 99, and Number of Nodes Positive equal 99	N
101	If Primary Site = C589, C70.0-C72.9, or C751-C753, then Regional Nodes Examined and Regional Nodes Positive must equal 99	N
102	Facility Code not valid	N
103	Accession number exists in master file while attempting to process a Sequence 00	N
104	A Sequence 01 exists in the pending file without a Sequence 02	N
105	A Sequence 00 or 01 exists in the master file while processing a Sequence 01	N
106	Probable duplicate detected in master file	Y
107	Abstract Date not valid	N
108	Invalid Site for patient under age 20 based on ICD-O-2	Y
109	Invalid Site and Morphology for patient under age 20 based on ICD-O-2	Y
110	Nodes coded incorrectly	N
111	Invalid Site for patient under age 30	Y
112	Invalid Morphology for patient over age 14 based on ICD-O-2	Y
113	If Surgery Primary Site = 00 and Scope Reg LN Surg = 0 and Surg Oth/Reg/Dist = 0 then Surg Date must equal 00000000	N
114	If Radiation Rx equal 0 or 7 Rx Date must equal 00000000	N
115	ICD-O-2 Morph requires Grade = 1	N
116	ICD-O-2 Morph requires Grade = 2	N
117	ICD-O-2 Morph requires Grade = 3	N
118	ICD-O-2 Morph not acceptable with ICD-O-2 Behavior code = 2	N
119	If RX Summ--Chemo = 00, 82, or 85-87 (chemo not given) then RX Date--Chemo must be blank and RX Date--Chemo Flag field must = 11 (no chemo).	N
120	If RX Summ--Hormone = 00, 82, or 85-87 (Hormone not given) then RX Date--Hormone must be blank and RX Date--Hormone Flag field must = 11 (no Hormone).	N
121	If RX Summ--BRM = 00, 82, or 85-87 (BRM not given) then RX Date--BRM must be blank and RX Date--BRM Flag field must = 11 (no BRM).	N
122	If RX Summ--Other = 0 or 7 (no other treatment), then RX Date--Other Flag must = 11 (no other treatment).	N
123	Surgery Date must equal 99999999	N
124	If RX Summ- Radiation = 8, then RX Date- Radiation must = 88888888 or 99999999. If RX Summ- Radiation = 9, then RX Date- Radiation must = 99999999.	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

4 of 22

Edit#	Description	Force
125	If RX Summ--Chemo = 88 (recommended, but unknown if given), then RX Date--Chemo must be blank and the corresponding RX Date--Chemo Flag must = 10 (no information whatsoever can be inferred), 11 (no chemo), 12 (given, but date is unknown), or 15 (planned,	N
126	If RX Summ--Hormone = 88 (recommended, but unknown if given), then RX Date--Hormone must be blank and the corresponding RX Date--Hormone Flag must = 10 (no information whatsoever can be inferred), 11 (no Hormone), 12 (given, but date is unknown), or 15 (p	N
127	If RX Summ--BRM = 88 (recommended, but unknown if given), then RX Date--BRM must be blank and the corresponding RX Date--BRM Flag must = 10 (no information whatsoever can be inferred), 11 (no BRM), 12 (given, but date is unknown), or 15 (planned, not yet	N
128	If RX Summ--Other = 8 (recommended) the RX Summ--Other Flag must = 10, 11, or 12. If RX Summ--Other = 9 (unknown if given), then RX Date--Other Flag must = 10.	N
129	Surgery Rx Date not valid	N
130	Radiation Rx Date not valid	N
131	Chemotherapy Rx Date not valid	N
132	Hormone Rx Date not valid	N
133	Immunotherapy (BRM) Rx Date not valid	N
134	Other Rx Date not valid	N
135	Surgery Rx Date must be less than 240 days after Diagnosis Date	Y
136	Radiation Rx Date must be less than 240 days after Diagnosis Date	Y
137	Chemotherapy Rx Date must be less than 240 days after Diagnosis Date	Y
138	Hormone Rx Date must be less than 240 days after Diagnosis Date	Y
139	Immunotherapy (BRM) Rx Date must be less than 240 days after Diagnosis Date	Y
140	Other Rx Date must be less than 240 days after Diagnosis Date	Y
141	Primary Payor at DX not valid	N
142	Vital Status is out of range (0 or 1)	N
143	Cancer Status is out of range (1, 2 or 9)	N
144	ICD-O-2 Behavior must not = 2 when Site = C26.9,C39.9,C55.9,C57.9,C63.9,C68.9,C72.9,C75.9,C76.* or C80.9	Y
145	Stage @ Dx 1977 and FCDS Stage 1977 cannot = 1 when Site=C06.9, C18.9, C26.*, C39.*, C40.9, C41.9, C47.9, C49.9, C55.9, C57.9, C63.9,C76.* or C80.9	N
146	Rx Date is greater than Date Last Contact	N
147	Invalid character(s) exist(s) in Maiden Name	N
148	Tumor Size not valid	N
149	Class of Case equal 38 (autopsy only) or 49 (DCO) and Vital Status not equal 0 (dead)	N
150	Class of Case equal 5 and all Rx not equal 00 or 0	N
151	ICD-O-3 Morph equal 8020 for undifferentiated or anaplastic carcinoma, NOS	N
152	Stage @ Dx 1977 must = 7 and FCDS Stage 1977 must = 7 or 9	N
153	If Primary Site C342 (lung, middle lobe), Laterality cannot = 2 (left) or, if year of Date of Diagnosis > 2006 and is not blank, Laterality cannot = 4 (bilateral).	N
154	Morphology usually benign or borderline - based on ICD-O-2 - check behavior	Y
155	Dx Confirmation is equal 1 but no surgery is coded	Y
156	Tumor Size not numeric	N
157	Sequence 02 exists in workfile but Sequence 01 failed edits	N
158	Cervix insitu and CIN III are not reportable	N
159	This case no longer reportable - Vulva,Vagina,Prostate insitu diagnosed between 1/1/97 and 12/31/00	N
160	Breast,Prostate - Surgery Rx Date must be less than 365 days after Diagnosis Date	Y
161	Breast,Prostate - Radiation Rx Date must be less than 365 days after Diagnosis Date	Y
162	Breast,Prostate - Chemotherapy Rx Date must be less than 365 days after Diagnosis Date	Y



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

5 of 22

Edit#	Description	Force
163	Breast,Prostate - Hormone Rx Date must be less than 365 days after Diagnosis Date	Y
164	Breast, Prostate- Immunotherapy (BRM) Rx Date must be less than 365 days after Diagnosis Date	Y
165	Breast,Prostate - Other Rx Date must be less than 365 days after Diagnosis Date	Y
166	Class of Case equal 0,1 or 2 and Stage @ Dx 1977 not equal FCDS Stage 1977	N
170	Report Source equal 7, Hospital Does Not equal 7799, Deathcert Does Not Exist in Morthist	N
171	Invalid characters in Address at Diagnosis	N
172	Geocode at Dx Not Valid	N
173	Geocode/Zip Code combination not valid for Address @ Dx	N
174	County Residence @ Dx Out of Range (11-77 or 88, 90, 99)	N
175	County of Residence @ Dx is between 11-77 and Geocode @ Dx is not equal 035 (Florida)	N
176	Geocode @ Dx requires County Residence @ Dx equal 88 (if United States or US Possession) or 99 (if Unknown)	N
177	Geocode @ Dx requires County Residence @ Dx equal 90	N
178	County Residence at Dx is not numeric	N
179	Zip Code @ Dx/County Residence @ Dx combination not valid	N
180	Zip Code @ Dx not valid for Florida	N
181	Race 2 not valid	N
182	Race 3 not valid	N
183	Race 4 not valid	N
184	Race 5 not valid	N
185	Race 1 cannot be code 88	N
186	Cannot have the same Race code in multiple Race fields	N
187	Invalid characters in City at Diagnosis	N
188	ICD-O-3 Morphology not valid	N
189	Morphology usually benign or borderline - based on ICD-O-3 - check behavior	Y
190	ICD-O-3 Morphology not valid with Site or not reportable to FCDS	Y
191	County of Residence @ Dx equals 99 when Geocode @ Dx equal 999	N
192	Dx Confirmation must equal 1-5 when the ICD-O-3 Morphology is between 9590-9729. Dx Confirmation must equal 1-5 or 8 when the ICD-O-3 Morphology is between 9731-9989	Y
193	Stage @ Dx 2000 not equal 7 or FCDS Stage 2000 not equal 7 or 9 as required when ICD-O-3 Morph between 9732, 9733, 9742, 9750-9769, 9800-9989	N
194	ICD-O-3 Morph is 8077 but Stage at DX 2000 not equal 0 or FCDS Stage 2000 not equal 0 or 9 or ICD-O-3 Behavior not equal 2	Y
195	ICD-O-3 Morph is 9731 but Stage @ Dx 2000 not equal 1 or FCDS Stage 2000 not equal 1 or 9	Y
196	Site equals C80.9 but Stage @ Dx 2000 or FCDS Stage 2000 not equal 9	N
197	FCDS Stage 2000 is out of range (0 - 5, 7 or 9)	N
198	Stage at Dx 2000 is out of range (0-5, 7 or 9)	N
199	Stage @ Dx 2000 and FCDS Stage 2000 not equal 0 as required when Seq equals 00 and ICD-O-3 Behavior equals 2	N
200	Stage @ Dx 2000 not equal 0 or FCDS Stage 2000 not equal 0 or 9 as required when Sequence greater than 00 and ICD-O-3 Behavior equals 2	N
201	Stage @ Dx 2000 and FCDS Stage 2000 not greater than 0 as required when ICD-O-3 Behavior equals 3	N
202	Stage @ Dx 2000 and/or FCDS Stage 2000 not equal 1,5,7 or 9 as required when Site is C77.*, C02.4, C09.9, C11.1, C14.2, C37.9 or C42.2 when ICD-O-3 Morph is between 9590 and 9729	N
203	Grade is between 5 and 7 and ICD-O-3 Morph not within range of 9590 and 9989	N
204	ICD-O-3 Morph equals 9679,9684,9689,9699,9728,9833, or 9836 and Grade not equal 6	N
205	ICD-O-3 Morph equals 9702,9705,9708,9709,9717,9718,9729,9827,9831,9834 or 9837 and Grade not equal 5	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

6 of 22

Edit#	Description	Force
206	Stage @ Dx 2000 and/or FCDS Stage 2000 must not equal 0 when Dx Confirmation not equal to 1, 2 or 4	N
207	ICD-O-3 morphology cannot equal 8521/3 when site = C50.*. Verify morphology code	Y
208	ICD-O-3 Morph cannot equal 8240 when Site equals C18.1 and FCDS Stage 2000 is less than 2	N
209	ICD-O-3 Morph requires Grade = 4 -- Implied Grade 4 when Morph = 8020, 8021, 9062, 9082, 9401, 9451, 9505, 9512	Y
210	ICD-O-3 Morph requires Grade = 1 -- Implied grade 1 when Morph = 8331, 8851, or 9511	Y
211	ICD-O-3 Morph requires Grade = 2 -- Implied grade 2 when Morph = 9083, 9667	Y
212	ICD-O-3 Morphology requires Grade = 3 -- Implied Grade 3 when Morph = 8631 or 8634	N
213	ICD-O-3 Morph not acceptable with ICD-O-3 Behavior code = 2	Y
214	ICD-O-3 Behavior must not = 2 when Site = C26.9,C39.9,C55.9,C57.9,C63.9,C68.9,C72.9,C75.9, C76.*, or C80.9	Y
215	Stage @ Dx 2000 and FCDS Stage 2000 cannot = 1 when Site = C06.9,C18.9,C26.*,C39.*,C40.9,C41.9,C47.9,C49.9,C55.9,C57.9,C63.9, C76.* or C80.9	Y
216	ICD-O-3 Morph must = 8020 for undifferentiated or anaplastic carcinoma, NOS	N
217	Stage @ Dx 2000 must be 7 and FCDS Stage 2000 must be 7 or 9 when Primary Site = C42.1	N
218	Class of Case equals 0, 1 or 2 and Stage @ Dx 2000 does not equal FCDS Stage 2000	Y
219	ICD-O-3 Behavior 2 requires Dx Confirmation 1, 2, or 4	Y
220	ICD-O-3 Behavior is out of range	N
221	This case is not reportable (ICD-O-3 reportable criteria)	N
222	Cervix in situ and CIN III are not reportable	N
223	This case not reportable	N
224	Invalid Site & Morphology for patient under age 15 or over age 45 based on ICD-O-3	Y
225	Invalid site for patient under age 20 based on ICD-O-3	Y
226	Invalid site and Morphology for patient under age 20 based on ICD-O-3	Y
227	Patient under the age 30 cannot have Morphology 9732, 9823, 9863, 9875, 9876, 9945, 9946 based on ICD-O-3	Y
228	Patient under the age 40 cannot have Site C61.9 with Morphology 8140 based on ICD-O-3.	Y
229	Invalid Site and Morphology for patient over age 5 based on ICD-O-3	Y
230	Invalid Morphology for patient over age 14 based on ICD-O-3	Y
231	If Regional Nodes Positive equal 01 through 97 then Stage at Dx 2000 must equal 3,4,5, 7, or 9	N
232	Site and/or ICD-O-3 Morph require Size of Tumor equal 999, Number of Nodes Examined equal 99 and Number of Nodes Positive equal 99	N
233	Surgery of primary site equals 20-90, but Dx method is not equal to 1, 2, or 4	Y
234	Scope of Regional LN Surg not equal to 9 with Receipt Date < 7/1/01	N
235	Surg Oth Reg Dis not equal to 9 with Receipt Date < 7/1/01	N
236	Primary Site code does not appear in Appendix F - Site Specific Surgery Codes	N
237	Invalid Surgery of Primary Site code for this primary site	N
238	Invalid Scope of Regional Lymph Node Surgery for this Primary Site	N
239	Invalid Surg Oth Reg Dist Code for this Primary Site	N
240	Invalid Code - Reason No Surgery of Primary Site	N
241	Invalid Code - Reason No Surg Not = 9 for Receipt Date < 7/1/01	N
242	Rx Summ - Reg LN Exam/Removed Invalid - must equal 00-90, 95-99	N
243	Invalid Code - Rx Summ Reg LN Exam/Removed not = 99 when Receipt Data < 7/1/01	N
244	Rx Summ - Reg LN Exam/Removed not valid for this Scope of Regional Lymph Node Surgery	N
245	Sequence Greater than Zero with Ill-Defined Primary Site (C76.* or C80.9) or Ill-Defined Lymphoma or Ill-Defined Leukemia	Y
246	Sequence 00 and Sequence 01 cannot exist within the same batch being processed	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

7 of 22

Edit#	Description	Force
247	Invalid characters in Accession Number	N
248	Invalid length for Accession Number	N
249	Invalid Characters exist in City Current	N
250	If a race code = 99, all race codes must = 99	N
251	When Reason No Surgery equal 0, the Surg Primary Site must not equal 00, 98, or 99	N
252	If Surg Prim Site equal 00 or 98, then Reason No Surgery must equal 1-8. If Surg Prim Site equal 99, then Reason No Surgery must equal 9	N
253	Scope Reg LN Node Surgery must equal 9 for for All Leukemia, (C421), Myelodysplastic syndrome, other C42*, Multiple Myeloma, Lymph node Primary Lymphoma, Unknown Primary (C80.9), Ill defined Site (C76*) and Brain & CNS Primaries (C70.0-C72.9, C75.1-C75.3)	N
254	Surgery Primary Site must = 00, Scope Reg LN Surg must = 9 and Reg LN Removed must = 99 for all Unknown Primaries (C80.9) and all Ill-Defined Sites (C76.*)	N
255	Regional LN Removed must = 99 for all Lymphoma cases (Site = C77.* and Morphology between 9590 and 9729)	N
256	Check Grade - Cannot have Grade = 5, 6, 7 or 8 with this Histology	Y
257	Check Laterality - Laterality Must Equal 1, 2 or 3. Laterality cannot = 9 or 4 when Stage = 0 (In Situ)	Y
258	Data must be submitted in NAACCR Version V11.3 record layout	N
259	RX Summ--Scope Reg LN Sur must = 9 for this site/histology combination	N
260	1. If year of Date of Diagnosis is < 2010 and Histologic Type ICD-O-3 = [9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989], then RX Summ--Surg Prim Site must = 98. 2. If year of Date of Diagnosis is 2010 or later and Histologic Type ICD-O	N
261	Transplnt/Endocr Rx equal 30 or 40 and Site does not equal C50*. or C61.9	N
262	If RX Summ - Surg Prim Site equal 98 and RX Summ - Surg Oth/Dis equal 0, then Surgery Date must equal 00000000. If RX Summ - Surg Oth/Dis equal 9, then Surgery Date must equal 99999999	N
263	ICD-0-3 Morph equal 9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989 but Surgery Oth/Dis is not equal to 0, 1 or 9	N
264	Transplnt/Endocr Surg is out of range (00, 10, 11, 12, 20, 30, 40, 82, 85, 86, 87, 88, 99)	N
265	If Transplnt/Endocr Surg equal 00, 82, 85, 86, 87, then Rx Date must equal 00000000	N
266	If Transplnt/Endocr Surg equal 88 or 99 then Rx Date must equal 99999999	N
267	Transplnt/Endocr Rx Date not valid	N
268	Breast, Prostate - Transplnt/Endocr Surg Rx Date must be less than 365 days after Diagnosis Date	Y
269	Transplnt/Endocr Surg RX Date must be less than 240 days after Diagnosis	Y
270	If Transplnt/Endocr equal 10, 11, 12, 20, 30, 40 then Rx Date must be less or equal to the Date of Last Contact	N
271	Invalid characters in Current Telephone number	N
272	Invalid length for Current Telephone Number	N
273	Abstractor Code is invalid	N
274	Class of Case is equal to 38 and Report Source not equal 6	N
275	Report Source equal 6 and Class of Case is not equal to 38	N
276	Abstractor Code Expiration Date is less than today	N
277	If Primary Site = C670-C679 (bladder) and RX Summ--Surg Prim Site = 16 (BCG), then RX Summ--BRM must = 01	N
278	If Reason for No Surgery = 5 (surgery of the primary site was not performed because the patient died prior to planned or recommended surgery), then Vital Status cannot = 1 (alive)	N
279	If RX Summ--BRM = 85 (immunotherapy was not administered because the patient died prior to planned or recommended therapy), then Vital Status cannot = 1 (alive)	N
280	If RX Summ--Chemo = 85 (chemotherapy was not administered because the patient died prior to planned or recommended therapy), then Vital Status cannot = 1 (alive)	N
281	If RX Summ--Hormone = 85 (hormone therapy was not administered because the patient died prior to planned or recommended therapy), then Vital Status cannot = 1 (alive)	N
282	If RX Summ--Transplnt/Endocr = 85 (hematologic transplant and/or endocrine surgery/radiation was not administered because the patient died prior to planned or recommended therapy), then Vital Status cannot = 1 (alive)	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

8 of 22

Edit#	Description	Force
283	If Sequence Number = 00-35, then Behavior Code must = 2 or 3; If tumor is benign or of uncertain behavior (0 or 1), Sequence Number must = 60-88	N
285	If Reg Nodes Exam=00, Reg Nodes Pos must=98; If Reg Nodes Exam=01-90, Reg Nodes Pos must=97 or 99 or be less than or = Reg Nodes Exam; If Reg Nodes Exam=96-98, Reg Nodes Pos must=00-90, 95, 97, or 99; If Reg Nodes Exam=99, then Reg Node Pos must=99.	N
286	CS Extension must be a three-digit number	N
287	If CS Extension is 950, CS Lymph Nodes cannot = 000 and CS Mets at DX cannot be 00	N
288	If CS schema is not KaposiSarcoma, MelanomaSkin, Conjunctiva, MelanomaConjunctiva, MelanomaChoroid, MelanomaIris, MelanomaCiliaryBody, or LymphomaOcularAdnexa: If CS Extension = 950, then CS Tumor Size must = 000.	N
289	If CS extension = 00 or 05, then behavior must=2	N
290	If site = C669, then CS Extension cannot = 60	N
291	Thyroid schema:If CS Extension = 100, then CS Site-Specific Factor 1 must = 001 and If CS Extension = 200, then CS Site-Specific Factor 1 must = 002	N
292	CS Lymph Nodes must be a three-digit number	N
293	If primary site = C000-C148 or C300-C329 and CS Lymph Nodes is not = 00 or 99, then CS Site-Specific Factor 1 must not = 000	N
294	Breast schema: If CS Lymph Nodes = 000, then both CS Site-Specific Factor 4 and CS Site-Specific Factor 5 must not = 987	N
295	CS Mets at DX must be a valid two-digit number	N
296	CS Mets Eval must be a valid code for this schema	N
297	CS Reg Nodes Eval must be a valid CS Reg Nodes Eval code (0-6,8,9)	N
298	CS Site-Specific Factor 1 must be a valid three-digit number	N
299	CS Site-Specific Factor 2 must be a valid three-digit number	N
300	CS Site-Specific Factor 3 must be a valid three-digit number	N
301	CS Site-Specific Factor 4 must be a valid three-digit number	N
302	CS Site-Specific Factor 5 must be a valid three-digit number	N
303	CS Site-Specific Factor 6 must be a valid three-digit number	N
304	Retinoblastoma schema: If enucleation performed, (Surg Prim Site = 40 or 41), then CS SSF 1 must not = 970	N
305	Prostate schema: If no prostatectomy was performed (RX Summ Surg Prim Site not = 30, 50, 70, 80, or 90), then CS SSF 3 must = 960, 970, or 980.	N
306	Testis schema: If RX Summ--Surg Prim Site is not = 40, then CS Site-Specific Factor 4 must = 000.	N
307	CS Tumor Size must be a valid three-digit number	N
308	If schema is MelanomaConjunctiva:If CS Tumor Size = 000 then, CS Site-Specific Factor 1 must = 000 and vice versa.	N
309	CS Tumor Size/Ext Eval code must be valid for this schema	N
310	If C739 and Morph ICD-O-3 = 8020 or 8021 (anaplastic), then Behavior ICD-O-3 must not = 2	N
311	For cases coded using the Colon or Rectum schemas:If CS Tumor Size = 998, then Histologic Type ICD-O-3 must = 8220 or 8221.If Histologic Type ICD-O-3 = 8220 or 8221, then CS Tumor Size must = 998	N
312	If primary site = C720-C725,C728,C729,C379,C740,C741,C749,C750,C754,CC755,C758 or C759, then CS Site Specific Factor 1 must not = 010, 020, 030, 040	N
313	Unlikely combinations of Age and Morphology Type	Y
314	Sequence number is out of range (00-59, 60-88)	N
315	Derived AJCC M must be a valid two-digit the following Storage Codes are valid 00, 10-13, 19, 88, 99	N
316	Derived AJCC M Descriptor must be a valid value (C,P,A,Y, N)	N
317	Derived AJCC N must be a valid two-digit Storage Code. The following Storage Codes are valid: 00-04, 09-13, 18-23, 29, 30-33, 39, 88, 99	N
318	Derived AJCC N Descriptor must be a valid value (C, P, A, Y, N).	N
319	Derived AJCC Stage Group must be a valid two-digit Storage Code. The following Storage Codes are valid: 00-02, 10-24, 30-43, 50-63, 70-74, 88, 90, 99	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

9 of 22

Edit#	Description	Force
320	Derived AJCC T must be a valid two-digit Storage Code. The following Storage Codes are valid: 00, 01, 05-07, 10-23, 29-33, 39-44, 49, 88, 99	N
321	Derived -AJCC T Descriptor must be a valid value (C, P, A,Y, N)	N
322	Derived AJCC - Flag must be a valid value (1, 2)	N
323	Derived SS1977 - Flag Must be a valid value (1,2)	N
324	Derived SS2000 - Flag Must be a valid value (1, 2)	N
325	Derived CS stage not equal to 7 when ICD-O-2 morph is 9800-9941 or 9732	N
326	Derived ICD-O-2 morph is 8077, CS stage not equal to 0 or behavior not equal to 2	N
327	Derived ICD-O-2 morph 9731 but CS Stage not equal to 1	N
328	Derived- Site equals C80.9 but Derived CS stage not equal to 9	N
329	Derived CS Stage not equal to 0 when ICD-O-2 behavior = 2	N
330	Derived CS Stage is out of range (0-5, 7 or 9) (ICD-O-2)	N
331	Derived CS Stage not greater than 0 when ICD-O-2 behavior =3	N
332	Derived CS Stage not equal to 1, 5, 7 or 9 when site = C77*, C02.4, C09.9, C11.1, C14.2, C37.9 or C42.2 and ICD-O-2 morph 9590-9714 or 9723	N
333	Derived CS Stage not equal 0 when DX confirmation 5-9	N
334	Derived - If site is C18.1 and ICD-O-2 morph is equal to 8240 then CS stage cannot equal 0 or 1	N
335	Derived - If regional nodes positive = 01-97 then CS Stage must = 3,4,5 or 7	N
336	Derived CS stage cannot = 1 when site = C06.9, C18.9, C26.*, C39.*, C40.9, C41.9, C47.9, C49.9, C55.9, C57.9, C63.9, C76.* or C80.9	N
337	Derived CS stage must equal 7 when site = C42.1	N
338	Derived CS stage must equal 7when ICD-O-3 morph equals 9732, 9733, 9742, 9750-9758, 9760-9762, 9764-9769, 9800-9801, 9805, 9820, 9823, 9920, 9930-9931, 9940, 9945-9946, 9948, 9950, 9960-9964, 9970, 9975, 9980, 9982-9987, 9989	N
339	Derived - ICD-O-3 morph equals 8077 but CS stage not equal 0 or behavior not equal 2	N
340	Derived ICD-O-3 morph is 9731 but CS stage not equal to 1	N
341	Derived Site equals C80.9 but CS stage not equal to 9	N
342	Derived CS stage is out of range (0-5, 7 or 9) (ICD-O-3)	N
343	Derived CS stage not equal to 0 when ICD-O-3 behavior = 2	N
344	Derived CS Stage not greater than 0 when ICD-O-3 behavior =3	N
345	Derived CS Stage not equal to 1, 5, 7 or 9 when site = C77*, C02.4, C09.9, C11.1, C14.2, C37.9 or C42.2 and ICD-O-3 morph 9590-9729	N
346	Derived CS stage must equal 0 when Dx confirmation = 5-9	N
347	Derived If site is C18.1 and ICD-O-3 morph is equal to 8240 then Derived CS stage cannot equal 0 or 1	N
348	Derived CS stage cannot equal 1 when site = C06.9, C18.9, C26.*, C39.*, C40.9, C41.9, C47.9, C49.9, C55.9, C57.9, C63.9, C76.* or C80.9	N
349	Derived CS Stage must equal 7 when site = C42.1	N
350	Derived If regional nodes positive = 01-97 then Derived CS stage must equal 3, 4, 5, or 7	N
351	Derived Laterality must equal 1, 2, or 3 when Derived CS stage = 0 (ICD-O-2)	N
352	Derived Laterality must equal 1, 2, or 3 when Derived CS stage = 0 (ICD-O-3)	N
353	Site and Morph combination not valid in the CS Validation Table	N
354	Grade must not =9 when site is C61.9 and SSF5=011-015, 021-025, 031-035, 041-045, 051-055 or SSF6=002-010	N
355	If Primary Site = C62.0, C62.1, C62.9 and CS Lymph Nodes is 10-80, Regional Nodes Positive or Regional Nodes Examined must not equal 99	N
356	For cases coded using the IIIDefinedOther schema:If Primary Site = C809, then CS Tumor Size must = 999.	N
357	Histologic Type ICDO3/Behavior Code ICDO-3 not valid with Primary Site	Y



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

10 of 22

Edit#	Description	Force
358	If CS Lymph Nodes = 000, 130, 140, 150, CS Site-Specific Factor 3 must = 000	N
359	WARNING: Please verify this case is reportable. Check Sect. I of the FCDS DAM for reportability guidelines	N
360	A sequence 61 exists in the pending file without a sequence 62	N
361	Sequence 62 being processed without a sequence 61 in the pending file or 60 or 61 in the master file	N
362	Sequence 60 and sequence 61 cannot exist within the same batch being processed	N
363	Sequences 61 and 62 exist in pending file but demographic information does not match	N
364	A sequence 60 or 61 exists in the master file while processing a sequence 61	N
365	Accession numbers exist in master file while attempting to process a sequence 60	N
366	HemeRetic schema:The CS Extension values of 100 and 999 (unknown) are allowed only for Histologic Type ICD-O-3 codes 9731, 9734, 9740, 9750, 9751, 9755-9758, and 9930	N
367	ICD-O-2 Morphology not valid with behavior	Y
368	This case is not reportable. Behavior is = 0 or 1, date of dx is less than 1/1/2004 or date of dx is unknown and date of admission is less than 1/1/2004, and no other sequence exists in master file	N
369	This case is not reportable. Behavior=1, date of dx is less than 1/1/2001 or date of dx is unknown and date of admission is less than 1/1/2001, and no other sequence exists in master file	N
370	Sequence 62 exists in workfile, but sequence 61 failed edits	N
371	If primary site=C70.0-C72.9, C75.1-C75.3 and behavior= 0 or 1, then CS extension must = 05	N
372	If primary site = C67.0-C67.9 and behavior = 2, then CS extension must = 01-06 or 10	N
373	If Primary Site = C500-C509 and CS Extension = 00, 05, or 07, then behavior must = 2	N
374	If CS Lymph Nodes = 10-80 or Regional Nodes Positive=1-97, then behavior must = 3 and CS extension must not be less than 10.	N
375	Breast schema: If CS Lymph Nodes not = 000, then both CS Site-Specific Factor 4 and CS Site-Specific Factor 5 must = 987.	N
376	Breast schema: If CS Site-Specific Factor 3 = 001-097, then CS Lymph Nodes must not = 000, 740, or 770.	N
377	Patient has multiple primaries and Dx Confirmation is not equal to 1, 2, 4 or 5 on all Sequences	Y
378	Patient has multiple sequences with an Ill-Defined primary site, Ill-Defined lymphoma, or Ill-defined Leukemia	Y
379	Patient has multiple sequences with an Ill-Defined Primary, Ill-Defined Lymphoma, or Ill-Defined Leukemia	Y
380	Cannot have sequence 62 and sequence 60 in pending file	N
381	ICD-O-2 case being submitted and ICD-O-3 case exists with a previous sequence number. Cases must be submitted with diagnosis dates in sequential order.	Y
382	ICD-O-2 case being submitted and ICD-O-3 case exists with a previous sequence number. Cases must be submitted with diagnosis dates in sequential order.	N
383	If CS schema is not IllDefinedOther or one of the Mucosal Melanoma of Head and Neck schemas:If CS Tumor Size = 000, then CS Extension must = 950.	N
384	If Primary Site = C180-C189, C199, C209 and if CS Extension =00 or 05, then Behavior Code must = 2	N
385	If Primary Site = C659, C669, C680, C681, C688, C689 and if CS Extension = 00 - 05, then Behavior must = 2	N
386	If Dx Geocode equals 999, then Dx County must equal 88, 90, or 99.	N
387	The Primary Site and Morphology combination is designated biologically impossible.	Y
388	Diagnosis Date must be less than or equal to the Receipt Date.	N
389	Date of Last Contact must be less than or equal to the Receipt Date.	N
390	If Regional Nodes Positive = 01-97, then CS Lymph Nodes cannot = 000	N
391	If Regional Nodes Examined = 99, then RX Summ-Scope Reg LN Surgery must = 9	N
392	If RX Summ-Surg Prim Site = 10-90 AND RX Summ-Radiation = 1-6, then RX Summ-Surg/Rad Seq MUST =2-6, or 9	N
393	If RX Summ-Scope Reg LN Surgery = 1-8 AND RX Summ-Radiation = 1-6, then RX Summ-Surg/Rad Seq MUST =2-6,or 9	N
394	If RX Summ-Surg Oth Reg/Dis = 1-8 AND RX Summ-Radiation = 1-6, then RX Summ-Surg/Rad Seq MUST =2-6, or 9	N
395	If RX Summ--Surg Prim Site = 00, RX Summ--Scope Reg LN Sur = 0, and RX Summ--Surg Oth Reg/Dis = 0 or RX Summ-Radiation = 0, then RX Summ--Surg/Rad Seq MUST = 0	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

11 of 22

Edit#	Description	Force
396	If RX Summ--Surg Prim Site = 10-90 AND Rad--Regional RX Modality = 20-98, then RX Summ--Surg/Rad Seq MUST = 2-6, or 9	N
397	If RX Summ--Scope Reg LN Surgery = 1-8 AND Rad--Regional RX Modality = 20-98, then RX Summ--Surg/Rad Seq MUST = 2-6, or 9	N
398	If RX Summ--Surg Oth Reg/Dis = 1-8, AND Rad--Regional RX Modality = 20-98, then RX Summ--Surg/Rad Seq MUST = 2-6, or 9	N
399	If RX Summ--Surg Prim Site = 00, RX Summ--Scope Reg LN Sur = 0, RX Summ--Surg Oth Reg/Dis = 0 OR Rad--Regional RX Modality = 00, then RX Summ--Surg/Rad Seq MUST = 0	N
400	If RX Summ--Surg Prim Site = 98, RX Summ--Scope Reg LN Sur = 9, and RX Summ--Surg Oth Reg/Dis = 0 or Rad--Regional RX Modality = 00, then RX Summ--Surg/Rad Seq MUST = 0	N
401	If Reporting Source is 6 (autopsy only), then RX Summ--Surg/Rad Seq must = 0	N
402	RX Summ--Surg/Rad Seq MUST = 0,2-6, or 9	N
403	If Reporting Source is 6 (autopsy only), then Rad--Regional RX Modality must = 00	N
404	Rad--Regional RX Modality is not a valid code	N
405	If RX Summ-Radiation = 1-5, then Rad--Regional RX Modality must not = 00	N
406	If RX Summ-Radiation = 9, then Rad--Regional RX Modality must be = 99	N
407	If RX Summ-Radiation =0,7, or 8, then Rad--Regional RX Modality must be = 00	N
408	If Date of Diagnosis is 2003 or greater, then Rad--Regional RX Modality CANNOT = 80 or 85	N
410	If Reporting Source is 6 (autopsy only), then RX Summ--Systemic Sur Seq must = 0	N
411	RX Summ-Systemic Sur Seq MUST = 0,2-6, or 9	N
412	If RX Summ-Surg Prim Site = 10-90 and RX Summ-BRM = 01, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
413	If RX Summ--Scope Reg LN Surgery = 1-8 and RX Summ-BRM = 01, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
414	If RX Summ--Surg Oth Reg/Dis = 1-8 and RX Summ-BRM = 01, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
415	If RX Summ--Surg Prim Site = 10-90 and RX Summ-Chemo = 01-03, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
416	If RX Summ--Scope Reg LN Surgery = 1-8 and RX Summ-Chemo = 01-03, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
417	If RX Summ--Surg Oth Reg/Dis = 1-8 and RX Summ-Chemo = 01-03, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
418	If RX Summ--Surg Prim Site = 10-90 and RX Summ-Hormone = 01, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
419	If RX Summ--Scope Reg LN Surgery = 1-8 and RX Summ-Hormone = 01, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
420	If RX Summ--Surg Oth Reg/Dis = 1-8 and RX Summ-Hormone = 01, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
421	If RX Summ--Surg Prim Site = 10-90 and RX Summ--Transplnt/Endocr = 10-40, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
422	If RX Summ--Scope Reg LN Surgery = 1-8 and RX Summ-Transplnt/Endocr = 10-40, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
423	If RX Summ--Surg Oth Reg/Dis = 1-8 and RX Summ-Transplnt/Endocr = 10-40, then RX Summ--Systemic Sur Seq MUST = 2-6, or 9	N
424	If Surg Prim Site, Scope Reg LN Surg and Surg Oth Reg/Dis ALL = 0 OR BRM, Chemo, Hormone, and Transplnt/Endocr ALL = 00, 82-88, then RX Summ--Systemic Sur Seq MUST = 0	N
425	If Surg Prim Site = 98, Scope Reg LN Surgery = 9 and Surg Oth Reg/Dis = 0 OR BRM, Chemo, Hormone, and Transplnt/Endocr ALL = 00, 82-88, then RX Summ--Systemic Sur Seq MUST = 0	N
426	Invalid character(s) exist(s) in NAME-ALIAS	N
427	Invalid character(s) exist(s) in ADDR AT DX--SUPPLEMENTL	N
428	If RX Summ-Radiation = 1-5, then RX Text--Rad (BEAM) OR RX Text--Radiation Oth MUST NOT Be Blank	N
429	If RX Summ-Chemo =01,02, or 03, then RX TEXT-CHEMO MUST NOT Be Blank	N
430	If RX Summ-Hormone = 01, then RX TEXT-HORMONE MUST NOT Be Blank	N
431	If RX Summ-BRM = 01, then RX Text-BRM MUST NOT Be Blank	N
432	If RX Summ-Other =1-3, or 6, then RX TEXT-OTHER MUST NOT Be Blank	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

12 of 22

Edit#	Description	Force
433	Laterality cannot = 9 for this CS Extension	N
434	Laterality cannot = 4 for this CS Extension	N
435	Bladder schema: If RX Summ--Surg Prim Site = 10-27, then the CS Tumor Size/Ext Eval must not = 3, 5, 6, or 8.	N
436	If Primary Site = C500-C509 and SSF6 = 010, then Behavior must = 2	N
437	Breast schema: If Behavior = 2, CS Site-Specific 6 must = 010 or 987	N
438	If Morphology = 9421 (Pilocytic/Juvenile astrocytoma), then Behavior must = 3	N
439	If Surgery of Primary Site is between 10 and 90 then RX Text - SURGERY MUST NOT Be Blank	N
440	If Primary Site = C18.0-C18.9 and CS Extension = 10, then behavior must = 3	N
441	Breast schema: If Reg LN Examined = 00 (No nodes were examined), then CS SSF 3 must = 098 (No axillary nodes examined)	N
442	If Primary Site = C50.0-C50.9 and behavior = 2, then CS Mets at DX must = 00	N
443	Prostate schema: If RX Summ--Surg Prim Site = 22, then CS Tumor Size/Ext Eval must = 1 or 2. If RX Summ--Surg Prim Site = 19-26, then CS Tumor Size/Ext Eval must = 0, 1, or 2.	N
444	If Class of Case equals 3, then the Date of Diagnosis must be less than the Date of First Contact	N
445	Papillary carcinoma of the thyroid (C73.9) must be coded to papillary adenocarcinoma, NOS (8260)	N
446	If Primary Site = C670-C679 and if Histology = 8120 and Behavior = 2, then CS Extension must = 06, or if Histology = 8130 and Behavior = 2, then CS Extension must = 01 or 03	N
447	If CS Extension = 000, then CS Lymph Nodes must = 000 and CS Mets at DX must = 00	N
448	Breast schema: If CS Lymph Nodes = 050, then Regional Nodes Positive must = 00 (all nodes examined negative) and CS Site-Specific Factor 3 must = 000	N
449	If Histologic Type ICD-O-3 = 8077 then Behavior ICD-O-3 must = 2.	N
450	The zip code, county, and/or city name spelling combination is not valid according to the United States Postal Service (USPS).	N
451	If Site = Breast and CS Extension = 000, CS Lymph Nodes must = 000 or 050 and CS Mets at DX must = 00	N
452	If Morphology = 9510 - 9513 (Retinoblastoma), then the Primary Site should be either C69.2 or C69.9	N
453	Acinar (adeno) carcinoma (8550) of the Prostate (C61.9) must be coded to adenocarcinoma, NOS (8140)	N
454	If Morphology equals 8960 (Wilms Tumor/nephroblastoma, NOS), then the Primary Site should be C649	N
455	If CS Tumor Size/Ext Eval, CS Reg Nodes Eval, or CS Mets Eval = 8, then Class of Case must = 38	N
456	If CS Tumor Size/Ext Eval, CS Reg Nodes Eval, or CS Mets Eval = 8, then Type of Reporting Source must = 6	N
457	Conflict among CS Eval items and Vital Status	N
458	If Primary Site = C180-C189 or C199 or C209 and if Morphology = 8210, 8261, or 8263, and if Behavior Code = 2, then CS Extension must = 05	N
459	Transitional cell carcinoma (8120-8131) found in the upper urinary system usually arises in the renal pelvis (C659) and not in the kidney parenchyma (C649). Check Site/Histology combination.	Y
460	If Class of Case = 0, 1, or 2, then the Date of Diagnosis must be a valid date	N
461	If Type of Reporting Source = 6 (autopsy only), then RX Summ-Radiation must = 0, RX Summ-BRM must = 00, RX Summ-Chemo must = 00, RX Summ-Hormone must = 00, RX Summ-Other must = 0, and RX Summ-Transplnt/Endocr = 00	N
462	If Type of Reporting Source is 6 (autopsy only), then RX Summ--Surg Prim Site must = 00 or 98	N
463	If Primary Sites = C700-C729 or C809 or Morphology = 9590-9989, and if Type of Reporting Source is 6 (autopsy only), then RX Summ--Scope Reg LN Sur and RX Summ--Surg Oth Reg/Dis must = 0 or 9	N
464	If Type of Reporting Source is 6 (autopsy only), then RX Summ--Scope Reg LN Sur and RX Summ--Surg Oth Reg/Dis must = 0	N
465	If Type of Reporting Source is 6 (autopsy only), Reason for No Surgery must = 9	N
466	If Type of Reporting Source is 6 (autopsy only), then RX Summ--Systemic/Sur Seq must = 0	N
467	The format of the Address Current is not a valid USPS address	N
468	The format of the Address at DX is not a valid USPS address	N
469	Address Current cannot be UNKNOWN if the patient is a resident of the United States	N
470	WARNING: Verify Address at DX. It should not be UNKNOWN if Class of Case is 00-22.	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

13 of 22

Edit#	Description	Force
471	Supplemental Address CANNOT equal the Address Current	N
472	Supplemental Address CANNOT equal the Address at DX	N
473	The format of the Supplemental Address is not valid	N
474	Lymphoma schema:If CS Extension = 100, then Primary Site must = C770-C775, C779, C024, C090-C099, C111, C142, C172, C181 or C379	N
475	Lymphoma schema:If CS Extension = 110, then Primary Site must NOT equal C379, C422, C770-C775, C779.	N
476	Lymphoma schema:If CS Extension = 120, then Primary Site must = C422	N
477	Lymphoma schema:If Primary Site = C778, then CS Extension must be greater or = 200	N
478	Lymphoma schema:If Primary Site = C422, then CS Extension must = 120, 220, 230, 320, 330, 800, or 999.	N
479	Dx Confirmation must equal 1-5 or 8 when the ICD-O-3 Morphology is between 9731-9989	N
480	Dx Confirmation must equal 1-5 or 8 when the ICD-O-2 Morphology is between 9720-9941	N
481	Breast schema: If CS Lymph Nodes = 710, 730, 740, 770, or 780, then CS Site-Specific Factor 3 must not be 001-097	N
482	If Site = Bladder and CS Extension = 010, 030, or 060, CS Lymph Nodes must = 000 and CS Mets at DX must = 00	N
483	WARNING: The format of the PO Box address in Address Current is not valid. A single letter (A-Z) or a series of number(s) must follow the PO Box	N
484	WARNING: The format of the PO Box address in Address at DX is not valid. A single letter (A-Z) or a series of number(s) must follow the PO Box	N
485	WARNING: The word 'AND' appears in the Address Current field. This is not a correct format for an address	N
486	WARNING: The word 'AND' appears in the Address at DX field. This is not a correct format for an address	N
487	If RX Date--Surgery is not blank, RX Text--Surgery must not be blank.	N
488	If Class of case = 5 and site = C751, C752, C753, then Summ- Scope Reg LN Surg must = 0 or 9.	N
489	If Site = Placenta and CS Extension = 000, then CS Mets at DX must = 00	N
490	If Primary Site = C711-C715 (supratentorial), then CS Extension must not = 110, 120, 200, or 510 (infratentorial tumors).	N
491	If Primary Site = C716-C717 (infratentorial), then CS Extension must not = 100 or 500 (supratentorial tumors).	N
492	If Primary Site = C440-C448 and Histology = 9700-9701, then CS Extension must not = 30.	N
493	Prostate schema:- If CS Extension is coded 130 or 140, then RX Summ--Surg Prim Site must not = 00 or 99.- If year of Diagnosis is 2010 or higher OR CS Version Input Original is 020100 or higher: If CS Extension is coded 100, then RX Summ--Surg Prim Site	N
494	Prostate schema:If CS Extension = 130 or 140, then CS Tumor Size/Ext Eval must NOT = 0.	N
495	If Primary Site = C619 and CS Tumor Size/Ext Eval = 2, then CS Extension must = 41-70.	N
496	If Primary Site = C440-C449, C510-C512, C518-C519, C600-C602, C608-C609, C632, Histology = 8720-8790 and if CS Lymph Nodes = 00, 13, 14, 15, then CS Site-Specific Factor 3 must = 000.	N
497	If Primary Site = C440-C449, C510-C512, C518-C519, C600-C602, C608-C609, C632, Histology = 8720-8790 and if CS Lymph Nodes = 10, 12, 17, 18, 20, 22, 80 and CS Site-Specific Factor 3 = 001, then CS Reg Nodes Eval must not = 0.	N
498	If Primary Site = C440-C449, C510-C512, C518-C519, C600-C602, C608-C609, C632, Histology = 8720-8790 and if If CS Lymph Nodes = 10, 12, 17, 18, 20, 22, 80 and CS Site-Specific Factor 3 = 002, then CS Nodes Eval must not = 8.	N
499	If Primary Site = C440-C449, C510-C512, C518-C519, C600-C602, C608-C609, C632, Histology = 8720-8790 and if If CS Lymph Nodes = 99, then CS Site-Specific Factor 3 must = 999.	N
500	Lung schema: If Laterality = 4, then CS Mets at DX must = 23, 25, 26, 37, 40, 42, 43, 50, 51, 52, 53, 70, or 75	N
501	Breast schema:If CS Lymph Nodes Eval = 0, 1, 5, or 9, then CS Lymph Nodes must = 000, 255, 260, 290, 510, 600, 740, 750, 760, 770, 780, 790, 800, and 999.	N
502	Breast schema:If CS Lymph Nodes Eval = 2, 3, 6, or 8, then CS Lymph Nodes must not = 290 or 510.	N
503	If CS Lymph Nodes Eval = 3, 5, or 6, then RX Summ--Scope Reg LN Sur must not = 0 (No regional lymph nodes removed) and Regional Nodes Examined must not = 00 (No nodes were examined).	N
504	If Primary Site = C500-C509 and if Histology ICD-O-3 is coded as inflammatory carcinoma (8530), then CS Extension must = 710, 715, 725, 730, or 750	N
505	Prostate schema: If CS Site-Specific Factor 1 = 988, then CS Site-Specific Factor 2 must =988; If CS Site-Specific Factor 2 = 988, then CS Site-Specific Factor 1 must = 988	N
506	Prostate schema: If CS Site-Specific Factor 3 = 960, 970 or 980, then CS Site-Specific Factor 4 must = 150, 250, 350, 450, or 550.	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

14 of 22

Edit#	Description	Force
507	Prostate schema: If CS Tumor Size/Ext Eval = 4, 5, or 6, then CS Site- Specific Factor 3 must not = 960, 970, 980, or 985.	N
508	Prostate schema: If CS Tumor Size/Ext Eval = 0, 1, 2, or 9, then CS Site-Specific Factor 3 must not = 000-950.	N
509	Head and Neck schemas: If CS Lymph Nodes = 000, then CS Site-Specific Factor 2 must = 987 or 988	N
510	Head and Neck schemas: If CS Lymph Nodes not = 000, then CS Site-Specific Factor 2 must not = 987	N
511	Head and Neck schemas: If CS Lymph Nodes = 999, then CS Site-Specific Factors 1, 3, 4, 5, and 6 must all = 999 and CS Site-Specific Factors 2, 7, 8, and 9 must = 988 or 999	N
512	If Primary Site = C300-C329 and CS Lymph Nodes is not equal 99, then SSF1-6 must not all = 999.	N
513	If Primary Site = C500-C509 and CS Site-Specific Factor 6 = 020, 030, 040, or 050, then CS Tumor Size must not = 999.	N
514	If Primary Site = C500-C509 and CS Site-Specific Factor 6 = 060, then CS Tumor Size must = 999.	N
515	If Primary Site = C670-C679 and RX Summ--Surg Prim Site = 10-27, then the CS Tumor Size/Ext Eval must not = 3, 5, 6, or 8.	N
516	Birth Date cannot be more than 7 months after Date of Diagnosis (case was diagnosed in utero).	Y
517	If CS Mets Eval = 2, 3 or 6, then CS Mets at DX cannot = 00.	N
518	Class of case equal 49 (DCO) and Type of Reporting Source not equal to 7 (DCO)	N
519	Report Source equal 7 (DCO) and Class of Case is not equal to 49 (DCO)	N
520	If Class of Case equal 38 (autopsy only), then Date of Diagnosis and Date of Last Contact must be the same date.	N
521	Date of 1st Contact Flag must = 12 or blank	N
522	If Date of 1st Contact is blank, corresponding flag must = 12, indicating unknown date	N
523	If Date of 1st Contact is present, corresponding date flag must be blank	N
524	Date of Birth Flag must = 12 or blank	N
525	If Date of Birth is blank, corresponding flag must = 12, indicating unknown date	N
526	If Date of Birth is present, corresponding date flag must be blank	N
527	Date of Diagnosis Flag must = 12 or blank	N
528	If Date of Diagnosis is blank, corresponding flag must = 12, indicating unknown date	N
529	If Date of Diagnosis is present, corresponding date flag must be blank	N
530	Date of Last Contact Flag must = 12 or blank	N
531	If Date of Last Contact is blank, corresponding flag must = 12, indicating unknown date	N
532	If Date of Last Contact is present, corresponding date flag must be blank	N
533	RX Date--Surgery must = 10, 11, 12, or blank	N
534	If RX Date--Surgery is blank, corresponding flag must = 10, 11, or 12	N
535	If RX Date--Surgery is present, corresponding date flag must be blank	N
536	RX Date--Radiation must = 10-12, 15, or blank	N
537	If RX Date--Radiation is blank, corresponding flag must = 10-12, or 15	N
538	If RX Date--Radiation is present, corresponding date flag must be blank	N
539	RX Date--Other must = 10, 11, 12, or blank	N
540	If RX Date--Other is blank, corresponding flag must = 10, 11, or 12	N
541	If RX Date--Other is present, corresponding date flag must be blank	N
542	RX Date--Chemo must = 10-12, 15, or blank	N
543	If RX Date--Chemo is blank, corresponding flag must = 10-12, or 15	N
544	If RX Date--Chemo is present, corresponding date flag must be blank	N
545	RX Date--Hormone must = 10-12, 15, or blank	N
546	If RX Date--Hormone is blank, corresponding flag must = 10-12, or 15	N
547	If RX Date--Hormone is present, corresponding date flag must be blank	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

15 of 22

<u>Edit#</u>	<u>Description</u>	<u>Force</u>
548	RX Date--BRM must = 10-12, 15, or blank	N
549	If RX Date--BRM is blank, corresponding flag must = 10-12, or 15	N
550	If RX Date--BRM is present, corresponding date flag must be blank	N
551	Age at Diagnois is not valid	Y
552	Conflict among schema, "stated as" CS Extension and CS Tumor Size	N
553	If Prostate and 8, CS Extension must = 999	N
554	CS Schema is invalid	N
555	Schema discriminator missing or invalid	N
556	CS Mets Eval must be a valid CS Reg Nodes Eval code (0-6,8,9)	N
557	CS Tumor Size/Ext Eva must be a valid CS Tumor Size/Ext Eva code (0-6,8,9)	N
558	CS Extension is invalid for this schema	N
559	CS Lymph Nodes is invalid for this schema	N
560	CS Lymph Nodes Eval is invalid for this schema	N
561	CS Mets at DX is invalid for this schema	N
562	CS Tumor Size is invalid for this schema	N
563	CS Tumor Size/Ext Eval is invalid for this schema	N
571	CS Site-Specific Factor 1 must be a three-digit number or blank	N
572	CS Site-Specific Factor 2 must be a three-digit number or blank	N
573	CS Site-Specific Factor 3 must be a three-digit number or blank	N
574	CS Site-Specific Factor 4 must be a three-digit number or blank	N
575	CS Site-Specific Factor 5 must be a three-digit number or blank	N
576	CS Site-Specific Factor 6 must be a three-digit number or blank	N
577	CS Site-Specific Factor 7 must be a three-digit number or blank	N
578	CS Site-Specific Factor 8 must be a three-digit number or blank	N
579	CS Site-Specific Factor 9 must be a three-digit number or blank	N
580	CS Site-Specific Factor10 must be a three-digit number or blank	N
581	CS Site-Specific Factor11 must be a three-digit number or blank	N
582	CS Site-Specific Factor12 must be a three-digit number or blank	N
583	CS Site-Specific Factor13 must be a three-digit number or blank	N
584	CS Site-Specific Factor14 must be a three-digit number or blank	N
585	CS Site-Specific Factor15 must be a three-digit number or blank	N
586	CS Site-Specific Factor16 must be a three-digit number or blank	N
587	CS Site-Specific Factor17 must be a three-digit number or blank	N
588	CS Site-Specific Factor18 must be a three-digit number or blank	N
589	CS Site-Specific Factor19 must be a three-digit number or blank	N
590	CS Site-Specific Factor20 must be a three-digit number or blank	N
591	CS Site-Specific Factor21 must be a three-digit number or blank	N
592	CS Site-Specific Factor22 must be a three-digit number or blank	N
593	CS Site-Specific Factor23 must be a three-digit number or blank	N
594	CS Site-Specific Factor24 must be a three-digit number or blank	N
595	CS Site-Specific Factor25 must be a three-digit number or blank	N
601	CS Site-Specific Factor 1 is invalid for this schema	N
602	CS Site-Specific Factor 2 is invalid for this schema	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

16 of 22

Edit#	Description	Force
603	CS Site-Specific Factor 3 is invalid for this schema	N
604	CS Site-Specific Factor 4 is invalid for this schema	N
605	CS Site-Specific Factor 5 is invalid for this schema	N
606	CS Site-Specific Factor 6 is invalid for this schema	N
607	CS Site-Specific Factor 7 is invalid for this schema	N
608	CS Site-Specific Factor 8 is invalid for this schema	N
609	CS Site-Specific Factor 9 is invalid for this schema	N
610	CS Site-Specific Factor10 is invalid for this schema	N
611	CS Site-Specific Factor11 is invalid for this schema	N
612	CS Site-Specific Factor12 is invalid for this schema	N
613	CS Site-Specific Factor13 is invalid for this schema	N
614	CS Site-Specific Factor14 is invalid for this schema	N
615	CS Site-Specific Factor15 is invalid for this schema	N
616	CS Site-Specific Factor16 is invalid for this schema	N
617	CS Site-Specific Factor17 is invalid for this schema	N
618	CS Site-Specific Factor18 is invalid for this schema	N
619	CS Site-Specific Factor19 is invalid for this schema	N
620	CS Site-Specific Factor20 is invalid for this schema	N
621	CS Site-Specific Factor21 is invalid for this schema	N
622	CS Site-Specific Factor22 is invalid for this schema	N
623	CS Site-Specific Factor23 is invalid for this schema	N
624	CS Site-Specific Factor24 is invalid for this schema	N
625	CS Site-Specific Factor25 is invalid for this schema	N
626	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 1	N
627	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 1 must be 988 for this schema	N
628	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 1 must not be blank for this schema	N
629	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 1 must not be blank or 988 for this schema	N
630	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 1 must not be blank or 988 for this schema	N
631	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 1 must not be blank	N
632	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 1 must not be blank or 988	N
633	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 2	N
634	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 2 must be 988 for this schema	N
635	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 2 must not be blank for this schema	N
636	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 2 must not be blank or 988 for this schema	N
637	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 2 must not be blank or 988 for this schema	N
638	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 2 must not be blank	N
639	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 2 must not be blank or 988	N
640	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 3	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

17 of 22

Edit#	Description	Force
641	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 3 must be 988 for this schema	N
642	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 3 must not be blank or 988 for this schema	N
643	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 3 must not be blank or 988 for this schema	N
644	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 3 must not be blank	N
645	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 3 must not be blank or 988	N
646	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 4	N
647	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 4 must be 988 for this schema	N
648	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 4 must not be blank or 988 for this schema	N
649	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 4 must not be blank or 988 for this schema	N
650	If DX Year is 2004-2009, CS Site-Specific Factor 4 must not be blank or 988 for this schema	N
651	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 4 must not be blank	N
652	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 4 must not be blank or 988	N
653	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 5	N
654	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 5 must be 988 for this schema	N
655	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 5 must not be blank or 988 for this schema	N
656	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 5 must not be blank or 988 for this schema	N
657	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 5 must not be blank	N
658	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 5 must not be blank or 988	N
659	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 6	N
660	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 6 must be 988 for this schema	N
661	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000, CS Site-Specific Factor 6 must not be blank or 988 for this schema	N
662	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 6 must not be blank or 988 for this schema	N
663	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 6 must not be blank	N
664	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 6 must not be blank or 988	N
665	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 7	N
666	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 7 must be 988 for this schema	N
667	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 7 must not be blank or 988 for this schema	N
668	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 7 must not be blank	N
669	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 7 must not be blank or 988	N
670	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 8	N
671	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 8 must be 988 for this schema	N
672	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 8 must not be blank or 988 for this schema	N
673	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 8 must not be blank	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

18 of 22

Edit#	Description	Force
674	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 8 must not be blank or 988	N
675	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 9	N
676	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 9 must be 988 for this schema	N
677	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 9 must not be blank or 988 for this schema	N
678	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 9 must not be blank	N
679	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 9 must not be blank or 988	N
680	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 10	N
681	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 10 must be 988 for this schema	N
682	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 10 must not be blank or 988 for this schema	N
683	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 10 must not be blank	N
684	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 10 must not be blank or 988	N
685	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 11	N
686	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 11 must be 988 for this schema	N
687	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 11 must not be blank or 988 for this schema	N
688	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 11 must not be blank	N
689	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 11 must not be blank or 988	N
690	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 12	N
691	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 12 must be 988 for this schema	N
692	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 12 must not be blank or 988 for this schema	N
693	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 12 must not be blank	N
694	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 12 must not be blank or 988	N
695	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 13	N
696	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 13 must be 988 for this schema	N
697	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 13 must not be blank or 988 for this schema	N
698	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 13 must not be blank	N
699	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 13 must not be blank or 988	N
700	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 14	N
701	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 14 must be 988 for this schema	N
702	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 14 must not be blank or 988 for this schema	N
703	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 14 must not be blank	N
704	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 14 must not be blank or 988	N
705	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 16	N
706	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 16 must be 988 for this schema	N
707	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 16 must not be blank or 988 for this schema	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

19 of 22

Edit#	Description	Force
708	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 16 must not be blank	N
709	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 16 must not be blank or 988	N
710	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 17	N
711	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 17 must be 988 for this schema	N
712	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 17 must not be blank or 988 for this schema	N
713	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 17 must not be blank	N
714	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 17 must not be blank or 988	N
715	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 18	N
716	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 18 must be 988 for this schema	N
717	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 18 must not be blank or 988 for this schema	N
718	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 18 must not be blank	N
719	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 18 must not be blank or 988	N
720	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 21	N
721	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 21 must be 988 for this schema	N
722	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 21 must not be blank or 988 for this schema	N
723	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 21 must not be blank	N
724	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 21 must not be blank or 988	N
725	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 22	N
726	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 22 must be 988 for this schema	N
727	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 22 must not be blank or 988 for this schema	N
728	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 22 must not be blank	N
729	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 22 must not be blank or 988	N
730	Schema missing in metafile SSF.dbf for CS Site-Specific Factor 23	N
731	If CS Version Input Original is less than 020000 and CS Version Input Current is 020000 (converted), CS Site-Specific Factor 23 must be 988 for this schema	N
732	If CS Version Input Original is 020100 or higher, CS Site-Specific Factor 23 must not be blank or 988 for this schema	N
733	If DX Year is less than 2010 and CS Version Input Original is less than 020000 and CS Version Input Current 020100 or higher, CS Site-Specific Factor 23 must not be blank	N
734	If DX Year is 2010 or later and CS Version Input Original is less than 020000 and CS Version Input Current is 020100 or higher, CS Site-Specific Factor 23 must not be blank or 988	N
735	CS Tumor Size cannot be left blank	N
736	CS Extension cannot be left blank	N
737	CS Tumor Size/Ext Eval cannot be left blank	N
738	CS Lymph Nodes cannot be left blank	N
739	CS Lymph Nodes Eval cannot be left blank	N
740	CS Mets at DX cannot be left blank	N
741	CS Mets Eval cannot be left blank	N
742	CS Site-Specific Factor 1 cannot be left blank	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

20 of 22

Edit#	Description	Force
743	CS Site-Specific Factor 2 cannot be left blank	N
744	CS Site-Specific Factor 3 cannot be left blank	N
745	CS Site-Specific Factor 4 cannot be left blank	N
746	CS Site-Specific Factor 5 cannot be left blank	N
747	CS Site-Specific Factor 6 cannot be left blank	N
748	CS Site-Specific Factor 7 cannot be left blank	N
749	CS Site-Specific Factor 8 cannot be left blank	N
750	CS Site-Specific Factor 9 cannot be left blank	N
751	CS Site-Specific Factor10 cannot be left blank	N
752	CS Site-Specific Factor11 cannot be left blank	N
753	CS Site-Specific Factor12 cannot be left blank	N
754	CS Site-Specific Factor13 cannot be left blank	N
755	CS Site-Specific Factor14 cannot be left blank	N
756	CS Site-Specific Factor15 cannot be left blank	N
757	CS Site-Specific Factor16 cannot be left blank	N
758	CS Site-Specific Factor17 cannot be left blank	N
759	CS Site-Specific Factor18 cannot be left blank	N
760	CS Site-Specific Factor19 cannot be left blank	N
761	CS Site-Specific Factor20 cannot be left blank	N
762	CS Site-Specific Factor21 cannot be left blank	N
763	CS Site-Specific Factor22 cannot be left blank	N
764	CS Site-Specific Factor23 cannot be left blank	N
765	CS Site-Specific Factor24 cannot be left blank	N
766	CS Version Input Original cannot be left blank	N
767	CS Version Input Current cannot be left blank	N
768	For Bladder schema: If Morph--Type&Behav ICD-O-3 = 81302, then CS Extension must not = 100.	N
769	For Breast schema: If Histologic Type ICD-O-3 = 8540, 8541, 8543), then CS Site-Specific Factor 24 must = 010	N
770	For Breast schema: If CS Extension = 050 or 070, then CS SSF 24 must = 010	N
771	If CS Lymph Nodes = 100, 120, 170, 180, 200, 220, 800: If CS Site-Specific Factor 3 = 001, then CS Lymph Nodes Eval must not = 0.	N
772	If CS Lymph Nodes = 100, 120, 170, 180, 200, 220, 800: If CS Site-Specific Factor 3 = 002 , then CS Lymph Nodes Eval must not = 8.	N
773	If CS Lymph Nodes = 999, CS Site-Specific Factor 3 must = 999	N
774	If Type of Reporting Source = 7, then Regional Nodes Positive and Regional Nodes Examined must both be coded 99	N
775	For this CS schema, Regional Nodes Positive and Regional Nodes Examined must both be coded 99	N
776	A discrepancy exist between the Regional Nodes Examined and Regional Nodes Positive data items.	N
777	For cases using the Colon, Appendix, or Rectum schemas: If Regional Nodes Positive = 01 - 90 (number of positive nodes are known), CS Lymph Nodes must not = 400, 410, 420, 450, 460, 470.	N
778	If CS Lymph Nodes = 400, 410, 420, 450, 460, 470, then Regional Nodes Positive must = 95 or 97.	N
779	Breast schema: If CS Tumor Size = 997, CS Extension must = 050 or 070.	N
780	Breast schema: If CS Tumor size = 996, CS Extension must not = 380, 390, or any code greater than 500, except for code 999.	N
781	Breast schema: If CS Extension = 170, CS Tumor Size must = 990, 991, or 992.	N
782	Breast schema: If CS Extension = 180, CS Tumor Size must = 995 .	N
783	IntracranialGland schema: CS Lymph Nodes must = 988 or 999	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

21 of 22

Edit#	Description	Force
784	Breast schema: If CS Mets at DX = 00 or 05, CS Site-Specific Factor20 must = 000.	N
785	Breast schema: If CS Mets at DX = 10, 40, 42, 44, 50, 60, CS Site-Specific Factor20 must not = 000 or 999.	N
786	Breast schema: If CS Mets at DX = 99, CS Site-Specific Factor20 must = 999.	N
787	If the first two digits of CS Version Input Original = 01, then CS Version Input Current must = 020000.	N
788	Prostate schema: If CS Tumor Size/Ext Eval = 3 or 8, then CS Site-Specific Factor 3 must not = 960, 970, 980, or 990.	N
789	Prostate schema: If CS Site-Specific Factor 3 = 985, then CS Tumor Size/Ext Eval must = 3 or 8.	N
790	Testis schema: If RX Summ--Surg Prim Site is = 80, 90, or 99, then CS Site-Specific Factor 4 must = 000 or 999	N
791	Testis schema: If CS Site-Specific Factor 4 = 000, then RX Summ--Surg Prim Site must not = 40.	N
792	Urothelial schemas: If CS Site Specific Factor 1 = 991, Histologic Type ICD-O-3 must not = 8120-8124, 8130-8131, or 8050.	N
793	KidneyRenalPelvis schema: If CS Site-Specific Factor 2 = 000-980 or 991, Diagnostic Confirmation must = 1.	N
794	For cases using the Colon, Appendix, or Rectum schemas: If CS Site-Specific Factor 4 = 001-081, 990 and Regional Nodes Positive = 01 - 97, then CS Lymph Nodes must not = 050.	N
795	For cases using the Colon, Appendix, or Rectum schemas: If CS Site-Specific Factor 4 = 000, then CS Lymph Nodes must not = 050.	N
796	For cases using the Colon or Rectum schemas:If CS Site-specific Factor 5 = 000, 010, 020, or 030, RX Summ--Surg Prim Site must not = 00 or 99.	N
797	For cases using the Colon or Rectum schemas: If CS Site-specific Factor 6 = 000-980, 990-996, RX Summ--Surg Prim Site must not = 00 or 99.	N
798	Prostate schema:If CS Tumor Size/Ext Eval = 2, CS Extension must = 410-700	N
799	If CS Extension = 000, then Behavior Code ICD-O-3 must = 2	N
800	If schema is Stomach, SmallIntestine, GISTStomach, GISTSmallIntestine, NETStomach, NETSmallIntestine, EsophagusGEJunction, Colon, Rectum, GISTColon, GISTRectum, NETColon, NETRectum, or Penis. If CS Extension = 050, then Behavior Code ICD-O-3 must = 2.	N
801	If schema is Colon, Rectum, GISTColon, GISTRectum, NETColon, or NETRectum:If Histologic Type ICD-O-3 = 8210, 8261, or 8263, then if Behavior Code ICD-O-3 = 2, CS Extension must = 050.	N
802	If schema is Breast:If Behavior Code ICD-O-3 = 2, then CS Extension must = 000, 050, or 070.	N
804	If schema is Brain schema, CNSOther, or IntracranialGland: If CS Extension = 050, then Behavior Code ICD-O-3 must = 0 or 1. If Behavior Code ICD-O-3 = 0 or 1, then CS Extension must = 050.	N
805	If schema = EndocrineOther: If Primary Site = C754 or C755, CS Extension must not = 000.	N
806	If schema = KidneyRenalPelvis or UrinaryOther: If Behavior Code ICD-O-3 = 2, then CS Extension must = 000 or 050. If CS Extension = 000 or 050, then Behavior Code ICD-O-3 must = 2.	N
807	If schema = Urethra: If Behavior Code ICD-O-3 = 2, then CS Extension must = 000, 010, 020, or 050. If CS Extension = 000, 010, 020, or 050, then Behavior Code ICD-O-3 must = 2.	N
808	If schema = Bladder: If Behavior Code ICD-O-3 = 2, then CS Extension must = 010, 030, 060, or 100. If CS Extension = 010, 030, or 060, then Behavior Code ICD-O-3 must = 2.	N
809	If CS Extension is greater than or equal to 100, then Behavior Code ICD-O-3 must = 3	N
810	If Reg Nodes Exam=00, Reg Nodes Pos must=98; If Reg Nodes xam=01-90, Reg Nodes Pos must=95, 97 or 99 or be less than or = Reg Nodes Exam; If Reg Nodes Exam=95, Reg Nodes Pos must =00,95 or 99; If Reg Nodes Exam=96-98, Reg Nodes Pos must=00-90, 95, 97, or	N
811	Addr at DX--State is invalid	N
812	Addr Current--State is invalid	N
813	Addr at DX--Postal Code/Addr at DX--State conflict	N
814	Addr at DX--Postal Code falls outside the range allowed for Addr at DX--State.	N
815	Addr at Current--Postal Code/Addr Current--State conflict	N
816	Addr at DX--Postal Code is invalid	N
817	Addr Current--Postal Code is invalid	N
818	CS Extension is obsolete	N
819	CS Lymph Nodes is obsolete	N
820	CS Lymph Nodes Eval is obsolete	N



Edit Message Master List

18-AUG-2010 12:41

PRERRMESS

22 of 22

<u>Edit#</u>	<u>Description</u>	<u>Force</u>
821	CS Mets at DX is obsolete	N
822	CS Mets Eval is obsolete	N
823	CS Site-Specific Factor 1 is obsolete	N
824	CS Site-Specific Factor 2 is obsolete	N
825	CS Site-Specific Factor 3 is obsolete	N
826	CS Site-Specific Factor 4 is obsolete	N
827	CS Site-Specific Factor 5 is obsolete	N
828	CS Site-Specific Factor 6 is obsolete	N
829	CS Site-Specific Factor 25 is obsolete	N
830	CS Tumor Size is obsolete	N
831	CS Tumor Size/Ext Eval is obsolete	N
832	Pediatric Age/Site/Hist conflict	Y
833	Adult Age/Site/Hist conflict	Y
834	Grade should be coded to Implied Grade for this histology	N
835	Behavior must be 2 for this histology	Y
836	Benign histology - please review	Y
837	Histology not allowed for cases diagnosed prior to 2010	N
838	Behavior 3 not allowed for this histology for cases diagnosed prior to 2010	N
839	Histology is not valid	Y
840	Invalid Histology for in situ	Y
841	Grade is invalid	N
842	If RX Summ--Chemo = 01-03, date flag cannot = 11 or 15	N
843	If RX Summ--BRM = 01, date flag cannot = 11 or 15	N
844	If RX Summ--Hormone = 01-03, date flag cannot = 11 or 15	N
845	If RX Summ--Other = 1-3 or 6 (other treatment given), date flag cannot = 11 or 15	N
846	Conflict between surgery fields and surgery date and flag	N
847	If a race code = 88, all subsequent race codes must = 88	N
848	Behavior of 2 is not valid for this Primary Site/Histology	Y
849	CS Site-Specific Factor 25 must be blank for this site within this schema	N
850	CS Site-Specific Factor 25 must be blank for this site/histology within this schema	N
9999	Unexpected Error has occurred..Consult with DBA on how to proceed!!!!	N