


1

NAACCR Data Standards, Version 22

- Effective with cases diagnosed January 1, 2022 forward
 New and Revised Data Items by each of the Standard Setters (including NPCR)
 FCDS/NPCR 2022 Reporting Requirements
 New data item for Florida
 Clarifications
 Corrections
- New ICD-O-3.2 Codes
- Updates to the Site/Histology Validation List
- Updates to the Solid Tumor Rules
- Updates to the Hematopoietic and Lymphoid Neoplasms Manual and Database
 NAACCR v22 Edits Metafile
- Florida v22 Edits Metafile




FCDS
Conversion and
Maintenance
July 1, 2022

Data conversion to the
NAACCR Version 22

System Maintenance
Scheduled through Monday,
July 18, 2022

• IDEA was disabled

4



5

New Data Item
Required for
FCDS in 2022

• Item # 344 Tobacco Use
Smoking Status

New SiteSpecific Data
Items Required
for FCDS in
2022

Item # 3829 Esophagus and
EGJ Tumor Epicenter
(esophagus, squamous cell
only)

Item # 3956 P16 (cervix)

7

Revised Data
Item for FCDS in
2022

• 3855 HER2 OVERALL SUMMARY
• Only for Breast

8

Data Items
No Longer
Required for
FCDS in 2022

3855 HER2 OVERALL SUMMARY

• HER2 Overall Summary was collected for
Esophagus and Esophagogastric Junction and
Stomach for cases diagnosed in 2021 only

Tobacco Use - Cigarette

Tobacco Use - OthSmoke

Tobacco Use - Smokeless Tob

Tobacco Use - NOS


• ICD-O-3.2 Update includes: • New ICD-O codes • Terminology updates • Reportability updates

10

New
Reportable
Neoplasms
As of
01/01/2022

- 84802 - LAMN - low grade appendiceal mucinous neoplasm (C18.1)
- 84802 - HAMN - low grade appendiceal mucinous neoplasm (R4MN (C18.1)
- 84802 - HAMN - low grade appendiceal mucinous neoplasm (R4MN (C18.1)
- 84802 - HAMN - low grade dysplasm, liquid part of (160-C166, C168-C169, C179-C173, C178-C179)
- 181312 - Serared dysplasm, liquid grade dysplasm (C160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade (C160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade (C160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade (C160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade (C160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade (C160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C169-C167)
- 18142 - Insteadinal-type adenoma, high grade (160-C166, C168-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C169-C167)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C179-C173, C178-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high grade dysplasm (1818-C169, C169-C169, C179-C173, C178-C173, C178-C179)
- 18142 - Insteadinal-type adenoma, high

11





13


FCDS 2022
DAM
Clarification9421/1
Diagnosis 2018+

14

FCDS 2022 DAM Correction

**S323/3 — clear cell papillary renal cell carcinoma of kidney has been reclassified as a ISUP Grade ! (low grade neoplasm) which is not malignant. Therefore, no longer reportable. The histology/behavior for this tumor is now 8323/1. Do not report these

**8323/3 Mixed cell adenocarcinoma is reportable





Solid Tumor Rules Updated September 2021	Updates:
	Colon
	Head & Neck
	Lung
	Breast
	Kidney
	No Updates:
	Melanoma
	Urinary
	Other Sites
	_
	18

