

2010 Hematopoietic and Lymphoid ICD-O Codes - Numerical List
THIS TABLE REPLACES ALL ICD-O-3 Codes 9590-9989

| Preferred Histologic Term - updated for 2012 Heme/Lymph | Histology |
|--|-------------------|
| NOTE: DO NOT USE [OBS] Codes Beginning 1/1/2010 - [OBS] Codes are OBSOLETE | |
| Malignant lymphoma, NOS | 9590/3 |
| Non-Hodgkin lymphoma, NOS | 9591/3 |
| B-cell lymphoma, unclassifiable, with features intermediate between diffuse large B-cell lymphoma and classical Hodgkin lymphoma | 9596/3 |
| Primary cutaneous follicle centre lymphoma | 9597/3 |
| Classical Hodgkin lymphoma | 9650/3 |
| Lymphocyte-rich classical Hodgkin lymphoma | 9651/3 |
| Mixed cellularity classical Hodgkin lymphoma | 9652/3 |
| Lymphocyte-depleted classical Hodgkin lymphoma | 9653/3 |
| Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis [OBS] See 9653/3 | 9654/3 |
| Hodgkin lymphoma, lymphocyte depletion, reticular | 9655/3 |
| Hodgkin disease, lymphocytic predominance, NOS [OBS] See 9651/3 | 9657/3 |
| Hodgkin disease, lymphocytic predominance, diffuse [OBS] See 9651/3 | 9658/3 |
| Nodular lymphocyte predominant Hodgkin lymphoma | 9659/3 |
| Hodgkin granuloma [OBS] See 9650/3 | 9661/3 |
| Hodgkin sarcoma [OBS] See 9650/3 | 9662/3 |
| Nodular sclerosis classical Hodgkin lymphoma | 9663/3 |
| Hodgkin lymphoma, nodular sclerosis, cellular phase [OBS] See 9663/3 | 9664/3 |
| Hodgkin lymphoma, nodular sclerosis, grade 1 [OBS] See 9663/3 | 9665/3 |
| Hodgkin lymphoma, nodular sclerosis, grade 2 [OBS] See 9663/3 | 9667/3 |
| Malignant lymphoma, small B lymphocytic, NOS [OBS] See 9823/3 | 9670/3 |
| Lymphoplasmacytic lymphoma | 9671/3 |
| Mantle cell lymphoma | 9673/3 |
| Malignant lymphoma, mixed small and large cell, diffuse [OBS] See 9690/3 | 9675/3 |
| Primary effusion lymphoma | 9678/3 |
| Primary mediastinal (thymic) large B-cell lymphoma | 9679/3 |
| Diffuse large B-cell lymphoma (DLBCL) | 9680/3 |
| Malignant lymphoma, large B cell, diffuse, immunoblastic, NOS [OBS] See 9680/3 | 9684/3 |
| Burkitt lymphoma | 9687/3 |
| T-cell/histiocyte rich large B-cell lymphoma | 9688/3 |
| Splenic marginal zone lymphoma | 9689/3 |
| Follicular lymphoma | 9690/3 |
| Follicular lymphoma, grade 2 | 9691/3 |

2010 Hematopoietic and Lymphoid ICD-O Codes - Numerical List
THIS TABLE REPLACES ALL ICD-O-3 Codes 9590-9989

| Preferred Histologic Term - updated for 2012 Heme/Lymph | Histology |
|--|-------------------|
| NOTE: DO NOT USE [OBS] Codes Beginning 1/1/2010 - [OBS] Codes are OBSOLETE | |
| Follicular lymphoma, grade 1 | 9695/3 |
| Follicular lymphoma, grade 3 | 9698/3 |
| Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma) | 9699/3 |
| Mycosis fungoides | 9700/3 |
| Sezary syndrome | 9701/3 |
| Peripheral T-cell lymphoma, NOS | 9702/3 |
| Angioimmunoblastic T-cell lymphoma | 9705/3 |
| Subcutaneous panniculitis-like T-cell lymphoma | 9708/3 |
| Primary cutaneous T-cell lymphoma | 9709/3 |
| Intravascular large B-cell lymphoma | 9712/3 |
| Anaplastic large cell lymphoma, ALK positive | 9714/3 |
| Hepatosplenic T-cell lymphoma | 9716/3 |
| Enteropathy-associated T-cell lymphoma | 9717/3 |
| Primary cutaneous CD30-positive T-cell lymphoproliferative disorders | 9718/3 |
| Extranodal NK/T cell lymphoma, nasal type | 9719/3 |
| Systemic EBV positive T-cell lymphoproliferative disease of childhood | 9724/3 |
| Hydroa vacciniforme-like lymphoma | 9725/3 |
| Primary cutaneous gamma-delta T-cell lymphoma | 9726/3 |
| Blastic plasmacytoid dendritic cell neoplasm | 9727/3 |
| Precursor B-cell lymphoblastic lymphoma [OBS] See 9811/3 | 9728/3 |
| Precursor T-cell lymphoblastic lymphoma [OBS] See 9837/3 | 9729/3 |
| Solitary plasmacytoma of bone | 9731/3 |
| Plasma cell myeloma | 9732/3 |
| Plasma cell leukemia [OBS] See 9732/3 | 9733/3 |
| Extraosseous plasmacytoma | 9734/3 |
| Plasmablastic lymphoma | 9735/3 |
| ALK positive large B-cell lymphoma | 9737/3 |
| Large B-cell lymphoma arising in HHV8-associated multicentric Castleman disease | 9738/3 |
| Mast cell sarcoma | 9740/3 |
| Systemic mastocytosis | 9741/3 |
| Mast cell leukemia | 9742/3 |
| Malignant histiocytosis [OBS] See 9751/3 | 9750/3 |

2010 Hematopoietic and Lymphoid ICD-O Codes - Numerical List
THIS TABLE REPLACES ALL ICD-O-3 Codes 9590-9989

| Preferred Histologic Term - updated for 2012 Heme/Lymph | Histology |
|---|-------------------|
| NOTE: DO NOT USE [OBS] Codes Beginning 1/1/2010 - [OBS] Codes are OBSOLETE | |
| Langerhans cell histiocytosis | 9751/3 |
| Langerhans cell histiocytosis, unifocal [OBS] See 9751/3 | 9752/3 |
| Langerhans cell histiocytosis, multifocal [OBS] See 9751/3 | 9753/3 |
| Langerhans cell histiocytosis, disseminated [OBS] See 9751/3 | 9754/3 |
| Histiocytic sarcoma | 9755/3 |
| Langerhans cell sarcoma | 9756/3 |
| Interdigitating dendritic cell sarcoma | 9757/3 |
| Follicular dendritic cell sarcoma | 9758/3 |
| Fibroblastic reticular cell tumor | 9759/3 |
| Immunoproliferative disease, NOS [OBS] See 9762/3 | 9760/3 |
| Waldenstrom macroglobulinemia | 9761/3 |
| Heavy chain disease | 9762/3 |
| Immunoproliferative small intestinal disease [OBS] See 9762/3 | 9764/3 |
| Monoclonal gammopathy, unknown significance (MGUS) | 9765/1 |
| Leukemia, NOS | 9800/3 |
| Acute undifferentiated leukemia | 9801/3 |
| Acute biphenotypic leukemia [OBS] See 9809/3 | 9805/3 |
| Mixed phenotype acute leukemia with t(9;22)(q34;q11.2);BCR-ABL1 | 9806/3 |
| Mixed phenotype acute leukemia with t(v;11q23);MLL, rearranged | 9807/3 |
| Mixed phenotype acute leukemia, B/myeloid, NOS | 9808/3 |
| Mixed phenotype acute leukemia, T/myeloid, NOS | 9809/3 |
| B lymphoblastic leukemia/lymphoma, NOS | 9811/3 |
| B lymphoblastic leukemia/lymphoma with t(9;22)(q34;q11.2);BCR-ABL1 | 9812/3 |
| B lymphoblastic leukemia/lymphoma with t(v;11q23);MLL rearranged | 9813/3 |
| B lymphoblastic leukemia/lymphoma with t(12;21)(p13;q22);TEL-AML1 (ETV6-RUNX1) | 9814/3 |
| B lymphoblastic leukemia/lymphoma with hyperdiploidy | 9815/3 |
| B lymphoblastic leukemia/lymphoma with hypodiploidy (hypodiploid ALL) | 9816/3 |
| B lymphoblastic leukemia/lymphoma with t(5;14)(q31;q32);IL3-IGH | 9817/3 |
| B lymphoblastic leukemia/lymphoma with t(1;19)(q23;p13.3);E2A-PBX1 (TCF3-PBX1) | 9818/3 |
| Lymphoid leukemia, NOS | 9820/3 |
| Chronic lymphocytic leukemia/small lymphocytic lymphoma | 9823/3 |
| Burkitt cell leukemia | 9826/3 |

2010 Hematopoietic and Lymphoid ICD-O Codes - Numerical List
THIS TABLE REPLACES ALL ICD-O-3 Codes 9590-9989

| Preferred Histologic Term - updated for 2012 Heme/Lymph | Histology |
|---|-------------------|
| NOTE: DO NOT USE [OBS] Codes Beginning 1/1/2010 - [OBS] Codes are OBSOLETE | |
| Adult T-cell leukemia/lymphoma (HTLV-1 positive) | 9827/3 |
| T-cell large granular lymphocytic leukemia | 9831/3 |
| Prolymphocytic leukemia, NOS | 9832/3 |
| B-cell prolymphocytic leukemia | 9833/3 |
| T-cell prolymphocytic leukemia | 9834/3 |
| Precursor cell lymphoblastic leukemia, NOS [OBS] See 9811/3 | 9835/3 |
| Precursor B-cell lymphoblastic leukemia [OBS] See 9811/3 | 9836/3 |
| Adult T-cell leukemia/lymphoma | 9837/3 |
| Acute erythroid leukemia | 9840/3 |
| Myeloid leukemia, NOS | 9860/3 |
| Acute myeloid leukemia, NOS | 9861/3 |
| Chronic myeloid leukemia, NOS | 9863/3 |
| Acute myeloid leukemia with t(6;9)(p23;q34); DEK-NUP214 | 9865/3 |
| Acute promyelocytic leukemia (AML with t(15;17)(q22;q12), PML/RARA) | 9866/3 |
| Acute myelomonocytic leukemia | 9867/3 |
| Acute myeloid leukemia with inv(3)(q21;q26.2) or t(3;3)(q21;q26;2); RPN1-EVI1 | 9869/3 |
| Acute basophilic leukemia | 9870/3 |
| Acute myeloid leukemia with inv(16)(p13.1q22) or t(16;16)(p13.1;q22), CBFβ/MYH11 | 9871/3 |
| Acute myeloid leukemia with minimal differentiation | 9872/3 |
| Acute myeloid leukemia without maturation | 9873/3 |
| Acute myeloid leukemia with maturation | 9874/3 |
| Chronic myelogenous leukemia, BCR-ABL1 positive | 9875/3 |
| Atypical chronic myeloid leukemia, BCR-ABL1 negative | 9876/3 |
| Acute monoblastic and monocytic leukemia | 9891/3 |
| Acute myeloid leukemia with myelodysplasia-related changes | 9895/3 |
| Acute myeloid leukemia with t(8;21)(q22;q22); RUNX1-RUNX1T1 | 9896/3 |
| Acute myeloid leukemia with t(9;11)(p22;q23); MLLT3-MLL | 9897/3 |
| Myeloid leukemia associated with Down syndrome | 9898/3 |
| Acute megakaryoblastic leukemia | 9910/3 |
| Acute myeloid leukemia (megakaryoblastic) with t(1;22)(p13;q13);RBM15-MKL1 | 9911/3 |
| Therapy-related myeloid neoplasm | 9920/3 |
| Myeloid sarcoma | 9930/3 |

2010 Hematopoietic and Lymphoid ICD-O Codes - Numerical List
THIS TABLE REPLACES ALL ICD-O-3 Codes 9590-9989

| Preferred Histologic Term - updated for 2012 Heme/Lymph | Histology |
|--|--------------------|
| NOTE: DO NOT USE [OBS] Codes Beginning 1/1/2010 - [OBS] Codes are OBSOLETE | |
| Acute panmyelosis with myelofibrosis | 9931/3 |
| Hairy cell leukemia | 9940/3 |
| Chronic myelomonocytic leukemia | 9945/3 |
| Juvenile myelomonocytic leukemia | 9946/3 |
| Aggressive NK-cell leukemia | 9948/3 |
| Polycythemia vera | 9950/3 |
| Chronic myeloproliferative disease, NOS [OBS] See 9975/3 | 9960/3- |
| Primary myelofibrosis | 9961/3 |
| Essential thrombocythemia | 9962/3 |
| Chronic neutrophilic leukemia | 9963/3 |
| Chronic eosinophilic leukemia, NOS | 9964/3 |
| Myeloid and lymphoid neoplasm with PDGFRA rearrangement | 9965/3 |
| Myeloid neoplasm with PDGFRB arrangement | 9966/3 |
| Myeloid and lymphoid neoplasm with FGFR1 abnormalities | 9967/3 |
| Lymphoproliferative disorder, NOS | 9970/1 |
| Post Transplant Lymphoproliferative Disorder (PTLD) | 9971/3 |
| Myelodysplastic/myeloproliferative neoplasm, unclassifiable | 9975/3 |
| Refractory anemia | 9980/3 |
| Refractory anemia with ring sideroblasts | 9982/3 |
| Refractory anemia with excess blasts | 9983/3 |
| Refractory anemia with excess blasts in transformation [OBS] See 9983/3 | 9984/3- |
| Refractory cytopenia with multilineage dysplasia | 9985/3 |
| Myelodysplastic syndrome associated with isolated del(5q) | 9986/3 |
| Therapy related myelodysplastic syndrome, NOS [OBS] See 9920/3 | 9987/3- |
| Myelodysplastic syndrome, unclassifiable | 9989/3 |
| Refractory neutropenia | 9991/3 |
| Refractory thrombocytopenia | 9992/3 |