

Table 4.1 Age-Adjusted Incidence Rate (1) Comparison, Florida and U.S.(2), 2013

| | Florida | | | U.S. (2) | | |
|--------------|--------------|-------|-------|--------------|-------|-------|
| | Rate | CI | | Rate | CI | |
| Total | 425.8 | 423.3 | 428.5 | 439.0 | 438.3 | 439.7 |
| Female | 397.7 | 394.2 | 401.2 | 412.6 | 411.6 | 413.5 |
| Male | 463.8 | 459.9 | 467.7 | 479.0 | 477.9 | 480.0 |
| Black | 393.6 | 386.1 | 401.1 | 443.6 | 441.4 | 445.8 |
| White | 430.1 | 427.3 | 433.0 | 439.3 | 438.6 | 440.1 |
| Black Female | 357.0 | 347.6 | 366.6 | 393.6 | 390.9 | 396.3 |
| White Female | 404.4 | 400.5 | 408.4 | 417.4 | 416.4 | 418.5 |
| Black Male | 446.5 | 434.3 | 459.1 | 518.6 | 514.8 | 522.3 |
| White Male | 465.1 | 460.9 | 469.4 | 473.9 | 472.7 | 475.1 |

Sources of data: Florida Cancer Data System and National Program of Cancer Registries US Cancer Statistics.

(1) Rates are expressed as number of cases per 100,000 population per year, adjusted to the 2000 U.S. standard population.

(2) United States Cancer Statistics: 1999 - 2013 Incidence, WONDER Online Database. United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute; 2016. Accessed at <http://wonder.cdc.gov/cancer-v2013.html> on Aug 17, 2016 11:31:03 AM