


Cancer in Florida Hispanics 1989 – 2006: Monograph Tables



2010

List of Tables

- Rates by Year by Site
- Rates by Year by Site by Stage
- Joinpoint Rates by Year by Site
- Joinpoint Rates by Year by Site by Stage
- Percent Distribution by Site: non-Hispanic White by Gender
- Percent Distribution by Site: Hispanic Sub-Groups by Gender
- Proportional Incidence Ratio, Female
- Proportional Incidence Ratio, Male

Monique Hernandez
Lora Fleming
Jill MacKinnon
David Lee



Florida Hispanic and Non Hispanic White Cancer Rates by Year: Observed and Expected

Dx Year = Diagnosis Year; Adj Rate = Age Adjusted Rate; JP# = Number of Joinpoints (#) and estimated rates

ALL Cancers											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP3	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1
1989	442.51	451	1989	550.71	554	1989	337.53	338	1989	405.13	423
1990	486.60	481	1990	610.32	603	1990	347.89	342	1990	449.45	425
1991	514.73	513	1991	642.25	656	1991	337.89	347	1991	433.94	427
1992	559.99	548	1992	647.77	629	1992	348.88	351	1992	427.77	430
1993	556.00	585	1993	593.54	602	1993	362.61	356	1993	425.79	432
1994	594.78	574	1994	577.71	577	1994	365.70	360	1994	427.66	435
1995	574.13	564	1995	585.14	578	1995	360.36	365	1995	431.20	438
1996	524.84	554	1996	568.89	579	1996	363.47	370	1996	437.96	440
1997	534.71	544	1997	577.33	580	1997	379.82	374	1997	446.41	443
1998	531.90	534	1998	579.72	581	1998	371.33	371	1998	449.49	445
1999	511.00	524	1999	583.46	582	1999	353.24	368	1999	450.24	448
2000	530.38	515	2000	588.87	583	2000	367.98	365	2000	455.07	450
2001	516.12	505	2001	587.00	584	2001	370.53	362	2001	454.39	453
2002	512.77	496	2002	566.72	568	2002	366.28	359	2002	441.10	443
2003	505.32	487	2003	548.85	552	2003	352.99	356	2003	425.17	433
2004	475.39	478	2004	527.91	537	2004	350.44	352	2004	420.82	424
2005	458.82	470	2005	525.96	522	2005	347.34	349	2005	419.56	414
2006	448.23	461	2006	512.33	508	2006	345.85	346	2006	406.06	405

Lung and Bronchus											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP2
1989	66.72	66	1989	99.35	102	1989	23.28	23	1989	54.06	55
1990	70.65	71	1990	112.68	108	1990	24.40	24	1990	62.16	60
1991	74.64	76	1991	115.42	114	1991	23.26	24	1991	63.56	64
1992	79.88	81	1992	111.88	112	1992	24.23	25	1992	64.90	64
1993	75.30	79	1993	106.37	111	1993	27.05	26	1993	64.48	65
1994	79.46	78	1994	106.16	109	1994	27.55	27	1994	64.74	65
1995	83.54	77	1995	108.97	108	1995	27.73	28	1995	63.86	66
1996	73.84	75	1996	106.68	106	1996	28.03	28	1996	66.03	67
1997	74.55	74	1997	104.46	105	1997	29.70	29	1997	68.45	67
1998	72.17	73	1998	103.80	103	1998	28.17	29	1998	68.59	68
1999	67.21	71	1999	102.98	102	1999	27.98	29	1999	68.57	68
2000	72.61	70	2000	101.84	101	2000	28.61	29	2000	69.61	69
2001	67.32	69	2001	99.27	99	2001	30.65	30	2001	68.66	69
2002	64.93	68	2002	99.40	98	2002	30.71	30	2002	69.32	70
2003	66.51	67	2003	96.21	96	2003	31.10	30	2003	69.27	70
2004	69.85	66	2004	95.90	95	2004	30.29	30	2004	70.99	71
2005	67.78	64	2005	94.76	94	2005	29.45	31	2005	68.54	68
2006	59.40	63	2006	89.46	93	2006	30.53	31	2006	65.62	66

Prostate

Hispanic Male			NH White Male		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP3
1989	106.61	112	1989	139.22	136
1990	131.39	129	1990	162.00	168
1991	149.28	149	1991	200.32	208
1992	184.65	172	1992	210.12	191
1993	186.12	198	1993	170.67	176
1994	203.67	191	1994	153.27	162
1995	189.83	185	1995	155.24	149
1996	160.66	180	1996	143.34	150
1997	168.30	174	1997	153.24	152
1998	164.57	169	1998	153.98	153
1999	155.47	163	1999	159.24	154
2000	162.22	158	2000	155.46	156
2001	158.94	153	2001	159.10	157
2002	166.42	149	2002	150.98	149
2003	150.93	144	2003	136.16	141
2004	129.79	140	2004	122.27	133
2005	132.20	135	2005	123.75	126
2006	127.57	131	2006	128.18	119

Breast

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	108.74	111	1989	127.84	130
1990	106.18	110	1990	136.42	130
1991	104.14	109	1991	134.87	131
1992	101.55	108	1992	129.32	132
1993	108.59	108	1993	128.78	133
1994	110.97	107	1994	130.16	133
1995	106.13	106	1995	132.76	134
1996	106.66	105	1996	131.61	135
1997	113.54	104	1997	137.87	136
1998	106.99	103	1998	138.84	137
1999	102.39	102	1999	139.36	138
2000	103.42	102	2000	137.12	138
2001	102.33	101	2001	137.69	134
2002	103.69	100	2002	132.75	130
2003	92.29	99	2003	121.28	126
2004	94.60	98	2004	117.89	122
2005	95.91	98	2005	118.71	118
2006	97.03	97	2006	117.76	115

Colorectal											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1
1989	56.91	56	1989	73.41	75	1989	46.58	47	1989	50.75	52
1990	53.76	58	1990	78.40	74	1990	49.60	48	1990	54.93	52
1991	60.56	60	1991	75.04	73	1991	45.61	48	1991	51.53	51
1992	63.34	63	1992	73.86	73	1992	52.77	49	1992	51.34	51
1993	65.83	65	1993	71.13	72	1993	49.94	49	1993	49.47	51
1994	70.58	68	1994	68.01	71	1994	47.89	50	1994	48.86	50
1995	69.53	70	1995	68.64	70	1995	46.58	51	1995	47.94	50
1996	70.30	73	1996	66.31	70	1996	51.73	51	1996	48.62	50
1997	68.64	71	1997	68.91	69	1997	54.90	52	1997	48.21	49
1998	70.89	69	1998	68.18	68	1998	53.26	52	1998	50.55	49
1999	65.43	67	1999	68.83	67	1999	50.63	53	1999	48.53	49
2000	66.70	66	2000	68.19	67	2000	52.32	53	2000	49.03	48
2001	66.38	64	2001	63.13	64	2001	51.54	51	2001	47.25	46
2002	63.13	62	2002	60.68	61	2002	49.67	49	2002	44.19	44
2003	63.50	60	2003	57.98	58	2003	47.11	47	2003	42.50	43
2004	60.07	59	2004	57.37	55	2004	44.04	45	2004	41.54	41
2005	51.21	57	2005	52.83	53	2005	43.03	43	2005	39.38	39
2006	56.35	56	2006	49.59	51	2006	41.19	41	2006	37.42	38

Bladder											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP2	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	33.87	37	1989	46.27	47	1989	7.11	8	1989	10.60	11
1990	34.68	36	1990	45.96	45	1990	6.49	7	1990	12.03	11
1991	37.13	36	1991	43.19	44	1991	6.83	7	1991	11.32	11
1992	33.91	35	1992	44.24	43	1992	5.43	7	1992	11.63	11
1993	34.57	35	1993	42.02	42	1993	6.84	7	1993	10.86	11
1994	30.71	34	1994	42.16	43	1994	7.03	7	1994	11.19	12
1995	33.50	34	1995	43.80	43	1995	8.07	7	1995	11.34	12
1996	37.06	33	1996	43.15	44	1996	9.35	7	1996	12.11	12
1997	33.92	33	1997	44.18	45	1997	6.60	7	1997	11.35	12
1998	32.49	32	1998	45.85	45	1998	7.81	7	1998	12.39	12
1999	35.52	32	1999	45.64	46	1999	7.04	7	1999	12.19	12
2000	34.08	32	2000	46.55	46	2000	7.74	7	2000	12.05	12
2001	30.81	31	2001	44.82	45	2001	7.56	7	2001	11.31	12
2002	30.82	31	2002	44.08	44	2002	6.99	7	2002	11.78	12
2003	29.32	30	2003	42.11	43	2003	6.44	7	2003	11.40	12
2004	31.44	30	2004	41.60	41	2004	7.21	7	2004	11.54	11
2005	29.59	29	2005	41.68	40	2005	6.74	7	2005	9.96	10
2006	24.87	29	2006	37.71	39	2006	4.68	7	2006	9.54	10

Head and Neck											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	30.87	32	1989	33.26	34	1989	7.48	8	1989	11.17	12
1990	35.34	32	1990	34.61	33	1990	9.48	8	1990	12.11	12
1991	31.90	32	1991	32.85	33	1991	7.58	8	1991	11.39	12
1992	30.94	32	1992	32.34	33	1992	6.75	8	1992	11.28	12
1993	30.89	32	1993	31.62	33	1993	6.81	8	1993	11.34	11
1994	32.88	32	1994	31.90	32	1994	8.62	8	1994	11.72	11
1995	31.56	32	1995	32.17	32	1995	6.56	8	1995	10.80	11
1996	31.41	32	1996	32.45	32	1996	7.29	7	1996	11.12	11
1997	32.83	32	1997	30.73	32	1997	7.83	7	1997	11.06	11
1998	29.63	31	1998	31.48	31	1998	6.60	7	1998	10.87	11
1999	30.79	30	1999	30.46	31	1999	7.36	7	1999	11.28	11
2000	29.28	29	2000	32.12	31	2000	8.23	7	2000	11.51	11
2001	28.36	28	2001	31.06	31	2001	8.09	7	2001	10.80	11
2002	24.39	27	2002	30.18	30	2002	6.99	7	2002	10.29	10
2003	26.51	26	2003	31.26	30	2003	6.25	7	2003	10.41	10
2004	25.56	25	2004	29.06	30	2004	6.17	7	2004	10.10	10
2005	24.13	24	2005	29.49	30	2005	5.98	7	2005	9.34	10
2006	23.13	23	2006	29.34	30	2006	6.94	7	2006	10.01	10

Non Hodgkin's Lymphoma											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1
1989	19.80	23	1989	20.07	21	1989	12.99	14	1989	13.66	14
1990	23.04	23	1990	22.19	21	1990	12.57	14	1990	14.61	14
1991	19.08	23	1991	21.87	22	1991	12.05	14	1991	14.53	14
1992	22.96	23	1992	22.71	22	1992	14.98	14	1992	14.48	15
1993	22.60	23	1993	22.06	23	1993	16.64	15	1993	14.31	15
1994	26.97	23	1994	24.20	23	1994	14.31	15	1994	14.91	15
1995	25.51	23	1995	23.80	24	1995	15.13	15	1995	15.70	16
1996	23.56	23	1996	24.45	25	1996	14.49	15	1996	16.08	16
1997	25.35	23	1997	23.84	24	1997	18.79	15	1997	16.45	16
1998	22.52	23	1998	23.51	24	1998	17.30	15	1998	17.23	17
1999	21.69	22	1999	24.39	24	1999	13.44	15	1999	16.66	17
2000	22.18	22	2000	23.87	23	2000	13.09	16	2000	16.55	17
2001	19.08	22	2001	23.37	23	2001	17.05	16	2001	16.78	16
2002	22.59	22	2002	22.84	23	2002	15.98	16	2002	16.58	16
2003	21.72	22	2003	22.30	22	2003	14.91	16	2003	15.44	16
2004	23.50	22	2004	21.82	22	2004	15.64	16	2004	15.46	16
2005	21.27	22	2005	22.74	22	2005	16.38	16	2005	15.26	15
2006	21.46	22	2006	20.83	22	2006	16.04	16	2006	14.97	15

Melanoma											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP2	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	4.58	6	1989	19.35	20	1989	2.92	3	1989	11.00	11
1990	4.90	6	1990	20.99	20	1990	2.67	3	1990	13.67	11
1991	5.17	6	1991	18.53	19	1991	3.33	3	1991	10.25	12
1992	5.08	6	1992	19.17	19	1992	3.79	4	1992	12.26	12
1993	4.66	6	1993	19.68	20	1993	3.60	4	1993	10.91	13
1994	7.00	6	1994	21.05	21	1994	3.99	4	1994	11.39	13
1995	6.28	6	1995	23.31	22	1995	3.18	4	1995	12.22	14
1996	6.43	6	1996	23.38	24	1996	2.64	4	1996	14.46	14
1997	4.30	6	1997	25.58	25	1997	4.05	4	1997	14.68	14
1998	6.12	6	1998	26.11	26	1998	4.86	4	1998	15.48	15
1999	5.41	6	1999	26.73	28	1999	3.96	4	1999	15.75	16
2000	8.49	6	2000	29.05	29	2000	5.22	4	2000	17.82	16
2001	4.67	6	2001	28.67	29	2001	3.75	4	2001	18.17	17
2002	7.03	6	2002	28.29	28	2002	5.32	4	2002	18.05	17
2003	6.61	6	2003	28.29	28	2003	4.99	5	2003	16.92	18
2004	5.68	6	2004	27.97	28	2004	4.63	5	2004	18.25	18
2005	5.03	6	2005	29.02	28	2005	4.09	5	2005	19.61	19
2006	4.61	6	2006	26.54	28	2006	3.97	5	2006	17.26	20

Ovary						
Hispanic Female			NH White Female			
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	
1989	14.34	16	1989	17.68	19	
1990	14.18	16	1990	19.32	19	
1991	14.58	16	1991	18.98	19	
1992	16.02	16	1992	18.97	19	
1993	16.05	15	1993	18.65	19	
1994	15.71	15	1994	18.59	18	
1995	15.74	15	1995	18.16	18	
1996	14.37	14	1996	18.90	18	
1997	15.55	14	1997	17.79	18	
1998	14.88	14	1998	17.40	18	
1999	12.59	14	1999	18.71	18	
2000	14.97	13	2000	18.39	17	
2001	13.16	13	2001	15.56	17	
2002	12.58	13	2002	14.61	16	
2003	12.33	13	2003	15.35	15	
2004	13.54	12	2004	14.32	14	
2005	10.51	12	2005	14.01	14	
2006	11.66	12	2006	13.23	13	

Cervix

		Hispanic Female			NH White Female		
	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	
	1989	16.06	16	1989	12.79	14	
	1990	14.62	16	1990	13.77	13	
	1991	16.33	16	1991	12.51	13	
	1992	15.38	15	1992	12.19	13	
	1993	15.28	15	1993	12.08	12	
	1994	15.99	15	1994	11.66	12	
	1995	13.93	15	1995	11.79	12	
	1996	14.39	15	1996	12.19	11	
	1997	15.26	15	1997	10.76	11	
	1998	14.65	15	1998	11.24	11	
	1999	13.72	14	1999	10.04	10	
	2000	13.79	13	2000	10.86	10	
	2001	12.94	13	2001	10.15	10	
	2002	12.25	12	2002	9.70	10	
	2003	11.82	12	2003	8.82	9	
	2004	11.11	12	2004	8.51	9	
	2005	11.63	11	2005	8.71	9	
	2006	10.84	11	2006	8.90	9	

Stomach

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	12.39	14	1989	10.69	11	1989	7.53	7	1989	4.49	5
1990	14.30	14	1990	10.72	11	1990	7.20	7	1990	4.86	5
1991	13.65	14	1991	10.35	11	1991	7.27	7	1991	5.09	5
1992	11.85	14	1992	11.46	11	1992	5.62	7	1992	4.83	5
1993	13.77	14	1993	10.95	11	1993	7.57	7	1993	4.81	5
1994	15.63	13	1994	10.45	11	1994	7.44	7	1994	4.64	5
1995	13.30	13	1995	10.74	11	1995	7.40	7	1995	4.13	4
1996	13.02	13	1996	10.13	10	1996	6.91	7	1996	4.13	4
1997	12.77	13	1997	9.95	10	1997	6.13	7	1997	4.61	4
1998	13.59	13	1998	9.34	10	1998	6.87	7	1998	4.04	4
1999	13.74	13	1999	8.88	9	1999	6.99	7	1999	3.76	4
2000	12.85	13	2000	9.41	9	2000	5.99	7	2000	4.03	4
2001	12.02	12	2001	8.95	9	2001	6.82	7	2001	4.02	4
2002	13.84	12	2002	8.93	8	2002	6.77	6	2002	3.57	4
2003	11.54	12	2003	8.34	8	2003	6.05	6	2003	4.00	4
2004	11.48	12	2004	7.78	8	2004	6.89	6	2004	3.78	4
2005	11.43	12	2005	7.15	8	2005	5.61	6	2005	3.77	4
2006	10.84	12	2006	7.21	7	2006	6.14	6	2006	2.95	3

Liver											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	7.35	7	1989	2.46	3	1989	1.82	3	1989	0.98	1
1990	5.90	7	1990	3.24	3	1990	3.83	3	1990	1.61	1
1991	9.03	7	1991	3.76	4	1991	2.73	3	1991	1.40	2
1992	8.60	8	1992	4.14	4	1992	2.98	3	1992	1.41	2
1993	6.39	8	1993	4.50	4	1993	3.80	3	1993	1.77	2
1994	7.24	8	1994	4.47	5	1994	2.65	3	1994	1.52	2
1995	6.86	8	1995	4.54	5	1995	3.14	3	1995	1.64	2
1996	7.19	8	1996	5.41	5	1996	3.15	3	1996	1.79	2
1997	7.92	9	1997	5.36	5	1997	3.90	3	1997	1.92	2
1998	9.31	9	1998	5.56	6	1998	3.17	4	1998	1.82	2
1999	8.08	9	1999	5.46	6	1999	3.94	4	1999	1.80	2
2000	10.08	9	2000	6.60	6	2000	4.07	4	2000	2.00	2
2001	12.34	10	2001	6.24	7	2001	2.77	4	2001	1.93	2
2002	8.64	10	2002	7.31	7	2002	3.80	4	2002	1.81	2
2003	11.00	10	2003	7.51	7	2003	4.10	4	2003	2.05	2
2004	11.33	10	2004	7.14	8	2004	3.49	4	2004	2.03	2
2005	10.37	11	2005	7.96	8	2005	4.81	4	2005	1.77	2
2006	9.51	11	2006	8.35	8	2006	4.60	4	2006	2.09	2

Gall Bladder											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	2.13	2	1989	0.59	1	1989	2.27	3	1989	1.11	1
1990	1.30	2	1990	0.65	1	1990	4.06	3	1990	1.10	1
1991	1.15	2	1991	0.72	1	1991	3.63	3	1991	0.79	1
1992	1.68	1	1992	0.59	1	1992	1.72	3	1992	1.05	1
1993	1.54	1	1993	0.63	1	1993	3.42	3	1993	1.16	1
1994	0.90	1	1994	0.83	1	1994	2.83	3	1994	0.91	1
1995	0.86	1	1995	0.61	1	1995	2.59	3	1995	0.96	1
1996	1.37	1	1996	0.76	1	1996	2.60	3	1996	1.05	1
1997	1.65	1	1997	0.66	1	1997	2.68	2	1997	0.96	1
1998	0.56	1	1998	0.82	1	1998	2.67	2	1998	1.18	1
1999	0.93	1	1999	0.65	1	1999	2.33	2	1999	0.93	1
2000	1.96	1	2000	0.61	1	2000	2.12	2	2000	1.19	1
2001	1.22	1	2001	0.85	1	2001	1.94	2	2001	1.04	1
2002	1.27	1	2002	0.72	1	2002	0.97	2	2002	0.94	1
2003	1.21	1	2003	0.97	1	2003	2.13	2	2003	0.99	1
2004	0.84	1	2004	0.66	1	2004	2.04	2	2004	0.98	1
2005	1.13	1	2005	0.71	1	2005	1.85	2	2005	0.88	1
2006	0.82	1	2006	0.75	1	2006	1.72	2	2006	1.00	1

Florida Hispanic and Non Hispanic White Cancer Rates by Stage and by Year: Observed and Expected

Dx Year = Diagnosis Year; Adj Rate = Age Adjusted Rate; JP# = Number of Joinpoints (#) and estimated rates

ALL Cancers -- Local											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP3	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1
1989	143.43	145.15	1989	200.43	201.58	1989	119.25	125.3	1989	156.9	160.59
1990	159.41	158.8	1990	212.24	216.25	1990	122.35	126.31	1990	169.99	163.09
1991	175.89	173.73	1991	242.49	231.99	1991	119.7	127.33	1991	170.73	165.62
1992	192.08	190.07	1992	253.77	248.87	1992	121.37	128.36	1992	167.21	168.19
1993	202.87	207.94	1993	222.51	235.28	1993	125.5	129.39	1993	168.09	170.8
1994	234.24	227.5	1994	215.51	222.43	1994	138.04	130.44	1994	169.1	173.45
1995	218.93	225.52	1995	215.39	210.29	1995	134.32	131.49	1995	168.09	176.15
1996	223	223.57	1996	220.77	220.37	1996	137.19	132.55	1996	178.34	178.88
1997	224.07	221.63	1997	235.84	230.94	1997	147.88	133.62	1997	184.78	181.66
1998	211.87	219.71	1998	243.55	242.02	1998	138.86	134.7	1998	189.73	184.48
1999	215.27	217.81	1999	247.88	253.63	1999	134.01	135.79	1999	187.54	187.34
2000	217.95	215.92	2000	250.92	250.16	2000	140.65	136.89	2000	193.67	190.25
2001	211.02	214.05	2001	251.74	246.75	2001	135.94	137.99	2001	190.05	187.87
2002	223.81	212.2	2002	245.81	243.38	2002	144.07	139.1	2002	183.49	185.51
2003	218.28	210.36	2003	236.46	240.05	2003	129.36	140.23	2003	174.92	183.19
2004	205.9	208.54	2004	229.57	236.77	2004	142.75	141.36	2004	176.78	180.9
2005	203.79	206.73	2005	233.84	233.54	2005	140.9	142.5	2005	183.14	178.63
2006	200.65	204.94	2006	234.52	230.35	2006	140.69	143.65	2006	179.55	176.39

ALL Cancers -- Regional											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1
1989	93.01	88.91	1989	99.88	98.76	1989	87.34	85.38	1989	91.86	91.45
1990	86.38	92.06	1990	104.16	106.31	1990	78.68	85.3	1990	93.85	92.28
1991	95.03	95.33	1991	115.61	114.44	1991	85.46	85.22	1991	95.26	93.12
1992	99.41	98.71	1992	117.24	112.35	1992	81	85.14	1992	93.2	93.97
1993	101.47	102.21	1993	107.67	110.29	1993	86.81	85.06	1993	92.82	94.82
1994	102.19	99.92	1994	107.31	108.28	1994	91.44	84.98	1994	93.83	95.68
1995	98.49	97.69	1995	105.87	106.3	1995	82.73	84.9	1995	95.11	96.55
1996	93.57	95.5	1996	102.17	104.35	1996	86.73	84.82	1996	97.12	97.43
1997	89.68	93.36	1997	100.2	102.44	1997	90.31	84.74	1997	98.56	98.31
1998	94.43	91.28	1998	102.02	100.57	1998	82.85	84.66	1998	98.67	99.2
1999	90.97	89.23	1999	99.73	98.73	1999	82.94	84.58	1999	102.12	100.11
2000	86.94	87.24	2000	96.76	96.93	2000	82.75	84.5	2000	97.86	99.19
2001	87.41	85.29	2001	96.51	95.15	2001	87.7	84.42	2001	101.12	98.28
2002	82.12	83.38	2002	94.27	93.41	2002	83.96	84.34	2002	98.09	97.38
2003	79.86	81.51	2003	90.5	91.71	2003	81.32	84.26	2003	93.92	96.49
2004	79.42	79.69	2004	87.96	90.03	2004	79.31	84.19	2004	95.95	95.61
2005	77.24	77.91	2005	89.05	88.38	2005	84.72	84.11	2005	95.55	94.74
2006	77.25	76.16	2006	87.99	86.77	2006	87.19	84.03	2006	93.43	93.87

ALL Cancers -- Distant

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP2	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP2
1989	105.09	103.72	1989	118.23	116.23	1989	61.5	60.96	1989	75.52	75.8
1990	95.49	103.68	1990	115.64	115.17	1990	58.47	61.68	1990	78.41	76.35
1991	98.53	103.64	1991	114.7	114.12	1991	57.86	62.41	1991	75.9	76.91
1992	113.52	103.61	1992	111.35	113.08	1992	64.38	63.15	1992	76.83	77.47
1993	106.3	103.57	1993	109.54	112.05	1993	64.69	63.89	1993	76.57	78.03
1994	117.12	103.53	1994	109.94	111.03	1994	63.52	64.65	1994	78.86	78.6
1995	111.29	103.49	1995	111.52	110.02	1995	69.79	65.42	1995	80.12	79.17
1996	90.27	103.45	1996	108.13	109.02	1996	65.78	66.19	1996	79.34	79.75
1997	97.19	103.41	1997	108.19	108.02	1997	67.05	66.98	1997	81.07	80.33
1998	93.1	103.37	1998	106.74	107.04	1998	68.49	67.77	1998	81.1	80.91
1999	93.47	103.33	1999	108.67	109.68	1999	64.76	68.57	1999	80.6	81.5
2000	103.12	103.29	2000	112.94	112.39	2000	68.07	69.38	2000	81.76	83.49
2001	111.75	103.25	2001	120.55	115.17	2001	76	70.21	2001	88.36	85.54
2002	106.82	103.22	2002	116.71	118.02	2002	73.57	71.04	2002	87.95	87.63
2003	103.38	103.18	2003	119.72	120.93	2003	74	71.88	2003	89.56	89.78
2004	109.94	103.14	2004	122.83	123.92	2004	73.78	72.73	2004	90.8	91.98
2005	102.04	103.1	2005	120.6	120.02	2005	71.32	73.59	2005	89.52	88.75
2006	98.83	103.06	2006	115.95	116.24	2006	70.43	74.46	2006	85.25	85.64

ALL Cancers --NOS

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1
1989	100.99	113.9	1989	132.17	168.85	1989	69.43	79.93	1989	80.84	95
1990	145.32	128.43	1990	178.28	164.33	1990	88.39	79.4	1990	107.2	93.42
1991	145.27	144.81	1991	169.44	159.93	1991	74.86	78.87	1991	92.04	91.87
1992	154.97	163.28	1992	165.41	155.65	1992	82.13	78.34	1992	90.53	90.35
1993	145.35	154.99	1993	153.82	151.48	1993	85.61	77.81	1993	88.32	88.85
1994	141.23	147.12	1994	144.95	147.43	1994	72.71	77.29	1994	85.87	87.38
1995	145.42	139.65	1995	152.36	143.48	1995	73.53	76.77	1995	87.88	85.93
1996	117.99	132.56	1996	137.81	139.64	1996	73.77	76.26	1996	83.16	84.5
1997	123.77	125.83	1997	133.1	135.9	1997	74.58	75.75	1997	82	83.1
1998	132.49	119.44	1998	127.41	132.27	1998	81.13	75.24	1998	79.99	81.72
1999	111.28	113.38	1999	127.18	128.73	1999	71.53	74.74	1999	79.97	80.36
2000	122.38	107.62	2000	128.24	125.28	2000	76.51	74.24	2000	81.78	79.03
2001	105.94	102.16	2001	118.19	121.93	2001	70.89	73.74	2001	74.86	77.72
2002	100.01	96.97	2002	109.93	110.29	2002	64.68	67.5	2002	71.57	70.49
2003	103.8	92.05	2003	102.17	99.77	2003	68.31	61.78	2003	66.76	63.94
2004	80.13	87.38	2004	87.56	90.25	2004	54.6	56.55	2004	57.29	58
2005	75.76	82.94	2005	82.47	81.64	2005	50.4	51.77	2005	51.35	52.61
2006	71.5	78.73	2006	73.87	73.85	2006	47.54	47.38	2006	47.83	47.72

Lung and Bronchus -- Local

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JP3	DxYear	AdjRate	JP0	DxYear	AdjRate	JP1	DxYear	AdjRate	JP1
1989	7.26	7.08	1989	15.38	16.93	1989	2.12	2.74	1989	9.41	10.07
1990	8.74	7.68	1990	15.35	16.81	1990	3.85	3.03	1990	10.04	10.42
1991	9.05	8.33	1991	18.23	16.69	1991	3.17	3.35	1991	11.56	10.77
1992	7.31	9.04	1992	17.36	16.58	1992	3.56	3.7	1992	12.07	11.14
1993	8.08	9.81	1993	15.36	16.46	1993	3.7	4.09	1993	11.59	11.52
1994	10.96	10.64	1994	16.12	16.35	1994	4.93	4.51	1994	11.37	11.91
1995	11.44	11.54	1995	15.89	16.23	1995	5.13	4.99	1995	11.24	12.32
1996	14.04	12.52	1996	17.39	16.12	1996	4.96	5.02	1996	13.63	12.74
1997	13.53	13.59	1997	16.16	16.01	1997	5.13	5.06	1997	13.13	13.17
1998	10.89	11.81	1998	18.21	15.9	1998	4.95	5.09	1998	13.99	13.62
1999	9.93	10.26	1999	16.84	15.78	1999	5.19	5.13	1999	14.01	13.65
2000	10.19	8.91	2000	15.85	15.67	2000	5.18	5.16	2000	14.45	13.67
2001	7.4	7.75	2001	14.28	15.57	2001	5.19	5.2	2001	12.59	13.7
2002	7.99	8.68	2002	14.1	15.46	2002	5.16	5.23	2002	12.64	13.72
2003	10.13	9.74	2003	13.72	15.35	2003	5.05	5.27	2003	13.17	13.75
2004	10.6	10.92	2004	15.62	15.24	2004	4.78	5.3	2004	13.71	13.77
2005	10.03	9.58	2005	15.47	15.14	2005	5.46	5.34	2005	13.97	13.8
2006	8.18	8.4	2006	15.13	15.03	2006	5.79	5.37	2006	14.67	13.83

Lung and Bronchus -- Regional

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JP0	DxYear	AdjRate	JP1	DxYear	AdjRate	JP0	DxYear	AdjRate	JP1
1989	15.48	16.34	1989	20.46	20.87	1989	5.13	5.44	1989	11.25	11.22
1990	13.76	16.2	1990	20.37	21.28	1990	4.55	5.48	1990	11.89	11.85
1991	14.53	16.05	1991	23.04	21.7	1991	5.18	5.53	1991	12.69	12.51
1992	16.29	15.91	1992	22.9	22.13	1992	4.22	5.57	1992	12.65	13.22
1993	19.24	15.77	1993	22.1	22.57	1993	6.4	5.62	1993	14.21	13.96
1994	15.1	15.63	1994	22.84	23.01	1994	6.59	5.67	1994	13.6	14.08
1995	16.95	15.49	1995	23.63	23.46	1995	5.59	5.71	1995	14.64	14.21
1996	18.7	15.35	1996	22.39	23.13	1996	6.98	5.76	1996	13.5	14.33
1997	13.89	15.21	1997	23.04	22.8	1997	6.92	5.81	1997	14.63	14.46
1998	15.47	15.08	1998	23.04	22.48	1998	5.15	5.86	1998	15.16	14.58
1999	15.22	14.94	1999	22.1	22.16	1999	6.34	5.91	1999	15.4	14.71
2000	14.49	14.81	2000	21.1	21.84	2000	4.2	5.96	2000	14.34	14.84
2001	12.85	14.68	2001	21.64	21.53	2001	6.19	6.01	2001	14.99	14.97
2002	12.13	14.55	2002	22.17	21.23	2002	6.51	6.06	2002	15.28	15.1
2003	11.16	14.42	2003	19.43	20.92	2003	5.73	6.11	2003	14.56	15.24
2004	16.05	14.29	2004	20.88	20.63	2004	6.19	6.16	2004	16.23	15.37
2005	15.54	14.16	2005	20.98	20.33	2005	6.04	6.21	2005	15.78	15.5
2006	14.52	14.04	2006	19.8	20.04	2006	6.22	6.26	2006	14.81	15.64

Lung and Bronchus -- Distant

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JP0	DxYear	AdjRate	JP1	DxYear	AdjRate	JP0	DxYear	AdjRate	JP2
1989	27.86	28.36	1989	40.64	41.47	1989	10.85	8.46	1989	21.59	21.94
1990	25.41	28.4	1990	40.81	40.51	1990	8.33	8.7	1990	22.55	22.18
1991	27.8	28.45	1991	40.46	39.56	1991	8.73	8.95	1991	22.95	22.42
1992	32.23	28.5	1992	39.07	38.64	1992	9.15	9.21	1992	22.9	22.66
1993	27.93	28.55	1993	37.25	37.74	1993	8.8	9.48	1993	22.69	22.91
1994	31.46	28.6	1994	37.64	38.01	1994	9.38	9.75	1994	23.11	23.16
1995	32.57	28.65	1995	39.53	38.28	1995	10.16	10.03	1995	22.64	23.41
1996	25.88	28.7	1996	37.94	38.55	1996	9.25	10.32	1996	22.99	23.66
1997	25.36	28.75	1997	38.64	38.83	1997	10.97	10.62	1997	24.43	23.92
1998	25.32	28.8	1998	37.69	39.1	1998	10.48	10.92	1998	24.33	24.17
1999	26.86	28.85	1999	38.54	39.38	1999	9.32	11.24	1999	24.23	24.44
2000	31.58	28.9	2000	40.12	39.66	2000	12.2	11.56	2000	25.67	25.4
2001	30.73	28.95	2001	40.65	39.94	2001	12.31	11.89	2001	26.88	26.41
2002	29.25	29	2002	39.39	40.22	2002	12.81	12.24	2002	27.38	27.45
2003	29.25	29.05	2003	42.13	40.51	2003	12.68	12.59	2003	28.27	28.54
2004	30.61	29.1	2004	41.62	40.8	2004	12.25	12.95	2004	29.48	29.67
2005	30.04	29.15	2005	42.45	41.09	2005	13.67	13.32	2005	28.95	28.56
2006	26.62	29.2	2006	38.9	41.38	2006	14.11	13.71	2006	27.29	27.49

Lung and Bronchus -- NOS

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JP0	DxYear	AdjRate	JP0	DxYear	AdjRate	JP1	DxYear	AdjRate	JP1
1989	16.12	24.86	1989	22.87	35.71	1989	5.18	6.88	1989	11.81	16.4
1990	22.74	23.9	1990	36.14	34.32	1990	7.68	6.89	1990	17.67	16.27
1991	23.26	22.97	1991	33.7	32.98	1991	6.18	6.9	1991	16.36	16.14
1992	24.05	22.08	1992	32.55	31.69	1992	7.3	6.91	1992	17.27	16.01
1993	20.04	21.22	1993	31.66	30.45	1993	8.14	6.92	1993	15.99	15.88
1994	21.95	20.4	1994	29.57	29.26	1994	6.64	6.93	1994	16.66	15.76
1995	22.58	19.6	1995	29.92	28.12	1995	6.85	6.94	1995	15.34	15.63
1996	15.21	18.84	1996	28.97	27.02	1996	6.84	6.94	1996	15.91	15.51
1997	21.78	18.11	1997	26.61	25.97	1997	6.67	6.95	1997	16.26	15.38
1998	20.49	17.41	1998	24.86	24.95	1998	7.58	6.96	1998	15.11	15.26
1999	15.21	16.73	1999	25.5	23.98	1999	7.12	6.97	1999	14.92	15.14
2000	16.36	16.08	2000	24.77	23.04	2000	7.03	6.98	2000	15.14	15.02
2001	16.34	15.45	2001	22.69	22.14	2001	6.96	6.99	2001	14.2	14.9
2002	15.56	14.85	2002	23.74	21.28	2002	6.23	7	2002	14.03	14.78
2003	15.97	14.28	2003	20.93	20.45	2003	7.65	7	2003	13.27	12.99
2004	12.59	13.72	2004	17.78	19.65	2004	7.06	7.01	2004	11.57	11.42
2005	12.17	13.19	2005	15.86	18.88	2005	4.29	5.3	2005	9.83	10.04
2006	10.09	12.68	2006	15.63	18.14	2006	4.41	4.01	2006	8.84	8.83

Prostate -- Local

Hispanic Male			NH White Male		
Dx Year	Adj Rate	JP3	Dx Year	Adj Rate	JP3
1989	55.92	58.77	1989	75.1	76.54
1990	67.47	68.79	1990	86.64	90.73
1991	83.7	80.52	1991	118.62	107.56
1992	100.06	94.24	1992	129.15	127.5
1993	105.17	110.3	1993	103.54	113.35
1994	133.65	129.11	1994	95.59	100.78
1995	117.16	121.47	1995	95.19	89.6
1996	109.34	114.28	1996	96.62	96.56
1997	113.27	107.52	1997	106.06	104.07
1998	112.06	110.73	1998	110.36	112.16
1999	111.34	114.05	1999	117.87	120.88
2000	114.11	117.46	2000	116.15	117.83
2001	123.28	120.97	2001	120.54	114.85
2002	128.7	124.59	2002	118.51	111.95
2003	119.25	118.13	2003	108.51	109.12
2004	103.17	112	2004	97.7	106.37
2005	106.97	106.19	2005	99.68	103.68
2006	103.67	100.68	2006	106.45	101.06

Prostate -- Regional

Hispanic Male			NH White Male		
Dx Year	Adj Rate	JP2	Dx Year	Adj Rate	JP2
1989	11.72	11.05	1989	14.92	14.39
1990	12.48	13.38	1990	18.44	19.5
1991	15.94	16.19	1991	25.01	26.42
1992	20.1	19.59	1992	26.18	23.07
1993	18.74	17.81	1993	19.42	20.15
1994	17	16.2	1994	16.41	17.6
1995	14.39	14.74	1995	15.57	15.37
1996	11.22	13.4	1996	13.78	13.42
1997	11.34	12.19	1997	11.88	11.72
1998	10.15	11.09	1998	11.47	11.17
1999	10.69	10.09	1999	11.36	10.64
2000	9.42	9.17	2000	8.84	10.14
2001	9.05	8.34	2001	10.17	9.67
2002	9.73	7.59	2002	9.38	9.21
2003	6.22	6.9	2003	6.83	8.78
2004	5.48	6.28	2004	7.94	8.36
2005	6.59	7.52	2005	8.11	7.97
2006	9.42	9.02	2006	8.69	7.6

Prostate -- Distant

Hispanic Male			NH White Male		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1
1989	17.01	17.01	1989	17.05	17.27
1990	15.37	15.64	1990	14.29	14.61
1991	14.01	14.38	1991	13.11	12.35
1992	16.27	13.22	1992	10.8	10.45
1993	13.71	12.16	1993	8.29	8.83
1994	12.74	11.18	1994	7.02	7.47
1995	10.51	10.28	1995	6.63	6.32
1996	5.92	9.45	1996	5.59	5.34
1997	7.3	8.69	1997	5.13	5.1
1998	5.4	7.99	1998	4.65	4.87
1999	5.99	7.35	1999	4.5	4.65
2000	7.02	6.75	2000	4.49	4.44
2001	5.11	6.21	2001	4.66	4.24
2002	7.16	5.71	2002	3.57	4.04
2003	4.54	5.25	2003	3.7	3.86
2004	5.73	4.83	2004	3.63	3.69
2005	4.79	4.44	2005	3.58	3.52
2006	4.43	4.08	2006	3.53	3.36

Prostate -- NOS

Hispanic Male			NH White Male		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP2
1989	21.96	26.07	1989	32.14	34.05
1990	36.07	31.26	1990	42.63	39.14
1991	35.64	37.48	1991	43.57	44.99
1992	48.21	44.94	1992	43.99	42.08
1993	48.5	53.89	1993	39.41	39.35
1994	40.28	48.41	1994	34.24	36.81
1995	47.77	43.48	1995	37.85	34.42
1996	34.18	39.06	1996	27.35	32.19
1997	36.38	35.08	1997	30.17	30.11
1998	36.97	31.51	1998	27.5	28.16
1999	27.45	28.3	1999	25.51	26.34
2000	31.67	25.42	2000	25.98	24.63
2001	21.49	22.84	2001	23.73	23.04
2002	20.83	20.51	2002	19.54	19.45
2003	20.91	18.42	2003	17.12	16.41
2004	15.41	16.55	2004	12.99	13.86
2005	13.84	14.86	2005	12.38	11.7
2006	10.05	13.35	2006	9.5	9.87

Breast -- Local

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP2
1989	50.82	53.35	1989	68.42	71.27
1990	53.69	53.47	1990	74.21	72.33
1991	49.51	53.59	1991	76.65	73.41
1992	50.69	53.71	1992	73.8	74.51
1993	50.55	53.82	1993	74.89	75.63
1994	57.59	53.94	1994	74.54	76.76
1995	55.41	54.07	1995	76.03	77.91
1996	56.54	54.19	1996	78.49	79.07
1997	60.72	54.31	1997	82.94	80.25
1998	57.58	54.43	1998	83.82	81.45
1999	55.15	54.55	1999	83.63	82.67
2000	53.49	54.67	2000	83.01	83.91
2001	51.93	54.79	2001	83.79	85.17
2002	56.95	54.91	2002	80.69	79.77
2003	48.95	55.04	2003	71.76	74.71
2004	57.56	55.16	2004	70.8	69.98
2005	53.87	55.28	2005	73.83	72.25
2006	55.48	55.41	2006	73.79	74.59

Breast -- Regional

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP2
1989	35.04	31.86	1989	35.01	35.62
1990	27.05	31.67	1990	34.63	34.84
1991	34.42	31.47	1991	35.69	34.09
1992	27.18	31.28	1992	33.09	33.34
1993	30.78	31.09	1993	31.88	32.62
1994	31.77	30.9	1994	32.56	31.91
1995	31.2	30.72	1995	32.79	32.76
1996	29.66	30.53	1996	33.41	33.64
1997	33.23	30.34	1997	33.97	34.54
1998	28.98	30.16	1998	34.81	35.47
1999	29.56	29.97	1999	37.38	36.42
2000	30.83	29.79	2000	35.13	35.99
2001	31.09	29.61	2001	36.35	35.56
2002	28.84	29.43	2002	35.93	35.13
2003	27.94	29.25	2003	33.72	34.71
2004	24.61	29.07	2004	34.48	34.29
2005	31.36	28.9	2005	33.96	33.88
2006	29.57	28.72	2006	33.39	33.48

Breast -- Distant

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	6.51	6.84	1989	6.87	6.7
1990	6.84	6.65	1990	6.52	6.57
1991	5.85	6.47	1991	5.62	6.45
1992	6.82	6.29	1992	6.2	6.33
1993	7.73	6.12	1993	5.84	6.22
1994	5.63	5.95	1994	6.98	6.1
1995	4.77	5.79	1995	6.22	5.99
1996	6.76	5.63	1996	6.01	5.88
1997	5.61	5.47	1997	6.64	5.77
1998	5.13	5.32	1998	5.88	5.66
1999	4.34	5.18	1999	4.93	5.56
2000	4.46	5.04	2000	5.05	5.46
2001	4.76	4.9	2001	5.17	5.35
2002	4.67	4.76	2002	4.79	5.26
2003	3.28	4.63	2003	5	5.16
2004	4.83	4.51	2004	5.1	5.06
2005	4.29	4.38	2005	5.22	4.97
2006	5.22	4.26	2006	5.07	4.88

Breast -- NOS

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1
1989	16.38	17.49	1989	17.54	19.12
1990	18.59	17.14	1990	21.06	18.47
1991	14.35	16.81	1991	16.91	17.85
1992	16.86	16.48	1992	16.23	17.25
1993	19.53	16.16	1993	16.17	16.67
1994	15.98	15.84	1994	16.08	16.1
1995	14.75	15.53	1995	17.73	15.56
1996	13.69	15.22	1996	13.7	15.04
1997	13.98	14.93	1997	14.33	14.53
1998	15.3	14.63	1998	14.34	14.04
1999	13.34	14.35	1999	13.41	13.56
2000	14.65	14.06	2000	13.94	13.11
2001	14.54	13.79	2001	12.37	12.67
2002	13.23	13.52	2002	11.34	12.24
2003	12.12	11	2003	10.8	9.84
2004	7.6	8.95	2004	7.52	7.9
2005	6.4	7.29	2005	5.7	6.35
2006	6.76	5.93	2006	5.51	5.11

Colorectal -- Local											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP2
1989	16.91	18.39	1989	24.63	24.45	1989	13.7	14.18	1989	15.74	16.23
1990	14.47	18.47	1990	23.52	23.53	1990	12.34	14.23	1990	16.56	15.71
1991	17.63	18.54	1991	22.35	22.64	1991	13.64	14.29	1991	14.79	15.2
1992	17.78	18.62	1992	21.77	21.79	1992	14.1	14.34	1992	14.41	14.72
1993	18.94	18.69	1993	21.07	20.97	1993	13.37	14.39	1993	14.68	14.24
1994	20.11	18.77	1994	19.27	20.18	1994	14.23	14.44	1994	13.95	13.79
1995	19.84	18.84	1995	19.7	20.2	1995	13.6	14.49	1995	13.08	13.35
1996	20.97	18.92	1996	18.25	20.22	1996	15.71	14.54	1996	13.27	13.71
1997	24.13	18.99	1997	21.82	20.24	1997	17.64	14.59	1997	14.42	14.08
1998	19.37	19.07	1998	20.79	20.26	1998	15.72	14.64	1998	14.92	14.47
1999	18	19.15	1999	21.38	20.28	1999	14.43	14.7	1999	14.58	14.86
2000	19.94	19.22	2000	21.08	20.3	2000	15.56	14.75	2000	15.47	15.27
2001	15.56	19.3	2001	20.72	20.32	2001	15.8	14.8	2001	14.87	15.17
2002	19	19.38	2002	20.5	20.34	2002	15.18	14.85	2002	14.78	15.07
2003	18.86	19.46	2003	19.36	20.36	2003	13.22	14.91	2003	14.69	14.97
2004	21.19	19.54	2004	21.16	20.38	2004	14.55	14.96	2004	15.66	14.87
2005	18.36	19.61	2005	20.77	20.41	2005	15.88	15.01	2005	14.93	14.78
2006	19.47	19.69	2006	18.76	20.43	2006	13.24	15.07	2006	14.3	14.68

Colorectal -- Regional											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1
1989	24.12	23.4	1989	27.12	28.75	1989	19.55	19.63	1989	19.96	20.72
1990	24.02	24.03	1990	29.13	28.43	1990	20.37	19.67	1990	21.11	20.6
1991	23.97	24.67	1991	29.48	28.11	1991	18.09	19.71	1991	20.51	20.49
1992	23.47	25.33	1992	27.88	27.8	1992	21.87	19.76	1992	21.03	20.38
1993	26.21	26	1993	27.5	27.5	1993	19.92	19.8	1993	19.6	20.27
1994	28.43	26.7	1994	26.66	27.19	1994	19.54	19.84	1994	20.17	20.16
1995	29.41	27.41	1995	26.95	26.89	1995	17.3	19.89	1995	19.8	20.05
1996	28.34	28.15	1996	26.55	26.59	1996	19.44	19.93	1996	20.89	19.94
1997	23.12	28.9	1997	25.88	26.3	1997	22.02	19.97	1997	19.39	19.83
1998	31.35	29.67	1998	26.3	26.01	1998	19.64	20.02	1998	20.18	19.72
1999	26.86	27.91	1999	25.92	25.72	1999	20.01	20.06	1999	19.19	19.61
2000	26.22	26.25	2000	25.68	25.44	2000	19.93	20.1	2000	19.43	19.51
2001	26.83	24.7	2001	22.73	23.63	2001	20.5	20.15	2001	18.54	18.07
2002	22.99	23.23	2002	21.76	21.95	2002	18.73	18.8	2002	16.22	16.74
2003	23.62	21.85	2003	21.46	20.38	2003	18.36	17.54	2003	15.28	15.51
2004	20.51	20.56	2004	19.07	18.93	2004	15.51	16.36	2004	14.24	14.36
2005	17.84	19.34	2005	16.46	17.58	2005	14.01	15.26	2005	13.6	13.31
2006	18.01	18.19	2006	16.8	16.33	2006	15.29	14.24	2006	12.36	12.33

Colorectal -- Distant

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	7.93	8.25	1989	10.16	10.95	1989	6.86	6.94	1989	7.85	7.9
1990	5.99	8.36	1990	10.63	10.8	1990	7.08	7	1990	7.69	7.8
1991	7.63	8.46	1991	10.12	10.65	1991	6.96	7.06	1991	7.93	7.7
1992	10.45	8.57	1992	11.03	10.51	1992	6.78	7.13	1992	7.55	7.6
1993	9.14	8.67	1993	11.09	10.36	1993	7.09	7.19	1993	7.44	7.5
1994	9.27	8.78	1994	10.38	10.22	1994	6.98	7.26	1994	7.59	7.4
1995	8.41	8.89	1995	9.91	10.08	1995	6.89	7.32	1995	7.23	7.31
1996	8.22	9.01	1996	9.65	9.95	1996	7.7	7.39	1996	7.03	7.22
1997	9.93	9.12	1997	9.91	9.81	1997	7.26	7.45	1997	7.1	7.12
1998	9.55	9.23	1998	10.23	9.68	1998	8.65	7.52	1998	7.34	7.03
1999	9.25	9.35	1999	9.95	9.55	1999	8.28	7.59	1999	6.9	6.94
2000	9.13	9.47	2000	9.28	9.42	2000	7.07	7.66	2000	6.56	6.85
2001	11.01	9.59	2001	9.54	9.29	2001	7.08	7.73	2001	6.76	6.76
2002	9.84	9.71	2002	9.12	9.16	2002	8.03	7.79	2002	6.52	6.68
2003	10.02	9.83	2003	8.19	9.04	2003	8.05	7.86	2003	6.92	6.59
2004	9.95	9.95	2004	9.55	8.91	2004	8.4	7.94	2004	6.46	6.51
2005	8.1	10.08	2005	8.48	8.79	2005	8.12	8.01	2005	6.41	6.42
2006	10.66	10.21	2006	8.4	8.67	2006	7.32	8.08	2006	6.34	6.34

Colorectal -- NOS

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1
1989	7.95	10.29	1989	11.51	13.1	1989	6.48	8.2	1989	7.19	8.33
1990	9.28	10.45	1990	15.12	12.93	1990	9.82	8.28	1990	9.57	8.24
1991	11.33	10.62	1991	13.08	12.76	1991	6.92	8.35	1991	8.3	8.15
1992	11.65	10.79	1992	13.18	12.6	1992	10.01	8.43	1992	8.34	8.07
1993	11.54	10.97	1993	11.47	12.43	1993	9.57	8.51	1993	7.75	7.98
1994	12.78	11.14	1994	11.71	12.27	1994	7.15	8.59	1994	7.14	7.9
1995	11.87	11.32	1995	12.07	12.11	1995	8.79	8.68	1995	7.83	7.81
1996	12.76	11.51	1996	11.85	11.96	1996	8.87	8.76	1996	7.43	7.73
1997	11.46	11.69	1997	11.3	11.8	1997	7.99	8.84	1997	7.31	7.65
1998	10.61	11.88	1998	10.86	11.65	1998	9.25	8.93	1998	8.11	7.57
1999	11.32	12.07	1999	11.58	11.5	1999	7.91	9.01	1999	7.86	7.49
2000	11.41	12.27	2000	12.14	11.35	2000	9.76	9.1	2000	7.57	7.41
2001	12.99	12.46	2001	10.13	10.26	2001	8.16	8.24	2001	7.08	7.33
2002	11.3	11.22	2002	9.3	9.27	2002	7.73	7.47	2002	6.67	6.55
2003	11	10.11	2003	8.97	8.38	2003	7.49	6.76	2003	5.63	5.85
2004	8.41	9.1	2004	7.6	7.57	2004	5.58	6.13	2004	5.18	5.22
2005	6.91	8.19	2005	7.12	6.84	2005	5.01	5.55	2005	4.43	4.66
2006	8.21	7.38	2006	5.62	6.18	2006	5.34	5.03	2006	4.42	4.16

Bladder - In Situ											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	2.99	2.72	1989	6.48	6.82	1989	0.42	0.66	1989	1.51	1.8
1990	2.29	2.94	1990	8.01	7.39	1990	0.25	0.71	1990	1.94	1.95
1991	1.98	3.17	1991	7.83	8.02	1991	0.62	0.76	1991	2.21	2.1
1992	2.77	3.42	1992	8.95	8.69	1992	0.74	0.82	1992	2.19	2.27
1993	4.52	3.7	1993	9.02	9.42	1993	0.39	0.88	1993	2.34	2.45
1994	3.56	3.99	1994	9.01	10.21	1994	0.59	0.94	1994	2.3	2.64
1995	5.18	4.31	1995	11.2	11.07	1995	1.19	1.01	1995	2.72	2.85
1996	5.42	4.65	1996	12.3	12	1996	1.26	1.09	1996	3.54	3.08
1997	3.31	5.03	1997	12.86	13.01	1997	1.03	1.17	1997	3.42	3.32
1998	5.28	5.43	1998	15.38	14.1	1998	1.8	1.26	1998	3.91	3.59
1999	6.48	5.86	1999	15.69	15.29	1999	1.87	1.36	1999	4.2	3.87
2000	6.08	6.33	2000	16.42	16.57	2000	0.91	1.46	2000	4.31	4.18
2001	6.87	6.83	2001	17.58	17.96	2001	1.64	1.57	2001	4.38	4.52
2002	7.77	7.38	2002	18.75	19.47	2002	2.33	1.69	2002	4.8	4.88
2003	7.42	7.96	2003	18.49	19.3	2003	1.87	1.81	2003	5.1	5.26
2004	10.04	8.6	2004	20.24	19.14	2004	1.74	1.95	2004	5.6	5.68
2005	10.47	9.29	2005	20.15	18.97	2005	2.24	2.1	2005	4.63	4.99
2006	7.46	10.03	2006	17.52	18.81	2006	1.27	2.26	2006	4.54	4.38

Bladder - Local											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP3	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	24.84	26.81	1989	28.95	28.59	1989	4.67	5.05	1989	6.49	6.77
1990	24.24	25.86	1990	27.24	27.48	1990	3.58	4.94	1990	6.96	6.65
1991	24.89	24.94	1991	26.03	26.41	1991	4.13	4.83	1991	6.44	6.54
1992	22.22	24.05	1992	25.61	25.38	1992	3.53	4.72	1992	7	6.43
1993	23.24	23.19	1993	24.27	24.39	1993	4.82	4.61	1993	5.97	6.32
1994	21.35	22.37	1994	23.68	23.44	1994	4.97	4.51	1994	6.06	6.21
1995	20.33	21.57	1995	22.66	23.14	1995	4.69	4.41	1995	6	6.1
1996	23.81	20.8	1996	22.59	22.84	1996	6.58	4.31	1996	5.83	6
1997	23.38	20.06	1997	23.09	22.54	1997	4.27	4.22	1997	5.79	5.9
1998	16.44	19.35	1998	22.72	22.24	1998	2.92	4.12	1998	6.17	5.8
1999	22.55	18.66	1999	21.81	21.95	1999	3.65	4.03	1999	5.6	5.7
2000	20.17	17.99	2000	21.9	21.67	2000	4.85	3.94	2000	5.66	5.36
2001	17.14	17.35	2001	19	19.63	2001	4.26	3.85	2001	4.89	5.04
2002	16.28	16.74	2002	17.42	17.79	2002	3.6	3.77	2002	4.66	4.74
2003	15.36	16.14	2003	16.61	16.12	2003	3.41	3.68	2003	4.2	4.45
2004	15.77	15.57	2004	15.68	15.89	2004	4.3	3.6	2004	4.27	4.19
2005	14.97	15.01	2005	15.88	15.65	2005	3.11	3.52	2005	3.93	3.94
2006	12.12	14.48	2006	15.34	15.43	2006	2.32	3.44	2006	3.81	3.7

Bladder - Regional

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	2.34	2.97	1989	3.36	3.39	1989	0.73	0.48	1989	0.73	0.91
1990	2.85	2.92	1990	3.12	3.33	1990	0.41	0.48	1990	0.92	0.89
1991	2.92	2.87	1991	3.36	3.26	1991	0.48	0.48	1991	0.93	0.86
1992	3.5	2.82	1992	3.23	3.21	1992	0.24	0.49	1992	0.67	0.84
1993	3.23	2.76	1993	3.12	3.15	1993	0.12	0.49	1993	0.74	0.82
1994	2.14	2.71	1994	3.15	3.09	1994	0.51	0.49	1994	0.72	0.8
1995	2.45	2.66	1995	3.13	3.03	1995	0.32	0.49	1995	0.68	0.78
1996	2.66	2.62	1996	3.09	2.98	1996	0.68	0.49	1996	1.01	0.76
1997	3.19	2.57	1997	2.93	2.92	1997	0.48	0.49	1997	0.74	0.75
1998	2.08	2.52	1998	2.85	2.87	1998	0.67	0.49	1998	0.81	0.73
1999	2.82	2.48	1999	2.68	2.82	1999	0.42	0.5	1999	0.97	0.71
2000	2.23	2.43	2000	2.83	2.77	2000	0.3	0.5	2000	0.77	0.69
2001	2.05	2.39	2001	2.67	2.72	2001	0.52	0.5	2001	0.64	0.68
2002	2.6	2.34	2002	2.52	2.52	2002	0.43	0.5	2002	0.74	0.66
2003	2.5	2.3	2003	2.39	2.33	2003	0.56	0.5	2003	0.53	0.64
2004	0.9	1.7	2004	2.04	2.16	2004	0.39	0.5	2004	0.67	0.63
2005	1.4	1.25	2005	1.96	2	2005	0.7	0.51	2005	0.53	0.61
2006	0.98	0.92	2006	1.94	1.86	2006	0.41	0.51	2006	0.35	0.6

Bladder - Distant

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	0.71	1.05	1989	1.09	0.92	1989	0.24	0.36	1989	0.46	0.41
1990	1.05	1.02	1990	1.02	0.92	1990	0.25	0.35	1990	0.34	0.4
1991	1.01	1	1991	1.08	0.92	1991	0.71	0.34	1991	0.3	0.4
1992	0.54	0.98	1992	0.89	0.93	1992	0.36	0.33	1992	0.38	0.4
1993	1.4	0.96	1993	0.74	0.93	1993	0.11	0.31	1993	0.33	0.39
1994	0.72	0.94	1994	0.85	0.93	1994	0.12	0.3	1994	0.46	0.39
1995	0.56	0.91	1995	0.85	0.93	1995	0.32	0.29	1995	0.46	0.38
1996	0.72	0.89	1996	0.97	0.93	1996	0.07	0.28	1996	0.35	0.38
1997	1.03	0.87	1997	0.7	0.93	1997	0.09	0.27	1997	0.39	0.38
1998	1.37	0.85	1998	0.75	0.94	1998	0.17	0.26	1998	0.44	0.37
1999	0.46	0.83	1999	0.99	0.94	1999	0.16	0.25	1999	0.4	0.37
2000	1.37	0.82	2000	0.8	0.94	2000	0.39	0.24	2000	0.29	0.37
2001	0.35	0.8	2001	1.06	0.94	2001	0.3	0.23	2001	0.33	0.36
2002	0.91	0.78	2002	1.09	0.94	2002	0.07	0.23	2002	0.43	0.36
2003	0.77	0.76	2003	0.76	0.95	2003	0.07	0.22	2003	0.42	0.35
2004	0.73	0.74	2004	1.02	0.95	2004	0.19	0.21	2004	0.23	0.35
2005	0.41	0.73	2005	0.98	0.95	2005	0.31	0.2	2005	0.33	0.35
2006	0.63	0.71	2006	1.04	0.95	2006	0.18	0.2	2006	0.33	0.34

Bladder - NOS

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1
1989	2.99	4.8	1989	6.4	6.05	1989	1.05	1.68	1989	1.4	1.66
1990	4.25	4.72	1990	6.57	5.88	1990	2	1.59	1990	1.87	1.6
1991	6.33	4.64	1991	4.89	5.72	1991	0.89	1.5	1991	1.44	1.54
1992	4.89	4.56	1992	5.55	5.56	1992	0.57	1.42	1992	1.38	1.49
1993	2.18	4.48	1993	4.87	5.4	1993	1.4	1.34	1993	1.48	1.44
1994	2.94	4.4	1994	5.47	5.25	1994	0.84	1.27	1994	1.64	1.39
1995	4.99	4.32	1995	5.95	5.11	1995	1.54	1.2	1995	1.48	1.34
1996	4.45	4.25	1996	4.19	4.97	1996	0.76	1.13	1996	1.38	1.3
1997	3.01	4.18	1997	4.6	4.83	1997	0.73	1.07	1997	1.01	1.25
1998	7.31	4.11	1998	4.14	4.7	1998	2.25	1.01	1998	1.06	1.21
1999	3.2	4.03	1999	4.47	4.57	1999	0.94	0.95	1999	1.02	1.17
2000	4.23	3.97	2000	4.61	4.44	2000	1.29	0.9	2000	1.01	1.13
2001	4.4	3.9	2001	4.51	4.32	2001	0.84	0.85	2001	1.07	1.09
2002	3.25	3.83	2002	4.3	4.2	2002	0.56	0.8	2002	1.15	1.05
2003	3.27	3.76	2003	3.85	3.5	2003	0.53	0.76	2003	1.15	1.01
2004	4.02	3.7	2004	2.62	2.92	2004	0.59	0.72	2004	0.77	0.78
2005	2.34	3.64	2005	2.72	2.44	2005	0.38	0.68	2005	0.53	0.6
2006	3.68	3.57	2006	1.87	2.04	2006	0.51	0.64	2006	0.5	0.46

Head & Neck -- Local

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	10.63	12.79	1989	13.08	13.1	1989	3.04	3.13	1989	4.38	4.65
1990	14.83	12.5	1990	13.99	12.95	1990	2.91	3.11	1990	4.9	4.62
1991	10.94	12.22	1991	11.61	12.79	1991	3.46	3.09	1991	4.43	4.59
1992	12.1	11.94	1992	11.92	12.64	1992	1.62	3.07	1992	4.35	4.57
1993	11.66	11.67	1993	12.17	12.48	1993	3.08	3.05	1993	4.24	4.54
1994	11.21	11.41	1994	11.76	12.33	1994	3.77	3.03	1994	4.69	4.51
1995	10.48	11.15	1995	12.7	12.19	1995	2.51	3.01	1995	4.43	4.49
1996	12.37	10.9	1996	12.65	12.04	1996	2.99	2.99	1996	4.66	4.46
1997	11.37	10.65	1997	12.09	11.89	1997	2.74	2.97	1997	4.2	4.43
1998	9.43	10.41	1998	11.82	11.75	1998	2.65	2.95	1998	4.61	4.41
1999	11.05	10.18	1999	11.53	11.61	1999	3.17	2.93	1999	4.79	4.38
2000	10.42	9.95	2000	12.08	11.47	2000	3.02	2.91	2000	4.96	4.36
2001	9.81	9.72	2001	11.5	11.33	2001	4.16	2.89	2001	4.23	4.33
2002	7.66	9.51	2002	11.13	11.2	2002	3.29	2.88	2002	4.15	4.31
2003	9.51	9.29	2003	11.51	11.06	2003	2.18	2.86	2003	4.27	4.28
2004	8.35	9.08	2004	10.49	10.93	2004	2.64	2.84	2004	4.14	4.26
2005	9.04	8.88	2005	10.89	10.8	2005	2.12	2.82	2005	3.82	4.23
2006	9.24	8.68	2006	10.02	10.67	2006	2.83	2.8	2006	4.2	4.21

Head & Neck -- Regional

Hispanic Male			NH White Male			Hispanic Female					
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	12	11.1	1989	10.53	10.43	1989	2.55	2.93	1989	3.8	3.85
1990	10.76	11.15	1990	9.88	10.5	1990	3.66	2.87	1990	3.46	3.83
1991	12.07	11.21	1991	10.13	10.58	1991	1.96	2.81	1991	3.46	3.82
1992	10.22	11.27	1992	10.55	10.66	1992	3.16	2.75	1992	3.81	3.8
1993	9.36	11.33	1993	10.51	10.74	1993	2.14	2.69	1993	3.99	3.79
1994	12.23	11.39	1994	11.65	10.82	1994	3.59	2.63	1994	4.07	3.77
1995	12.46	11.44	1995	10.73	10.9	1995	2.27	2.57	1995	3.58	3.76
1996	9.54	11.5	1996	11.13	10.98	1996	2.62	2.51	1996	3.53	3.74
1997	12.49	11.56	1997	10.59	11.06	1997	2.38	2.46	1997	4.09	3.73
1998	12.23	11.62	1998	11.31	11.14	1998	1.57	2.4	1998	3.86	3.72
1999	11.46	11.68	1999	11.29	11.23	1999	2.39	2.35	1999	3.82	3.7
2000	10.01	11.01	2000	12.62	11.31	2000	2.32	2.3	2000	3.89	3.69
2001	10.46	10.37	2001	11.82	11.39	2001	1.83	2.25	2001	4	3.67
2002	9.49	9.77	2002	11.59	11.48	2002	2.41	2.2	2002	3.75	3.66
2003	10.35	9.2	2003	12.07	11.56	2003	2.24	2.15	2003	3.92	3.64
2004	8.96	8.67	2004	10.46	11.65	2004	1.75	2.11	2004	3.03	3.63
2005	8.25	8.16	2005	10.97	11.74	2005	2.45	2.06	2005	3.21	3.61
2006	6.99	7.69	2006	11.93	11.82	2006	2.03	2.01	2006	3.51	3.6

Head & Neck -- Distant

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	3.64	2.38	1989	2.55	2.66	1989	0.39	0.66	1989	0.73	0.8
1990	3.05	2.43	1990	2.26	2.61	1990	1.19	0.66	1990	0.87	0.81
1991	2.62	2.48	1991	2.86	2.56	1991	0.84	0.67	1991	1.03	0.81
1992	2.22	2.53	1992	2.52	2.52	1992	0.79	0.67	1992	0.96	0.82
1993	2.45	2.58	1993	2.49	2.47	1993	0.44	0.68	1993	0.66	0.83
1994	3.17	2.63	1994	2.47	2.42	1994	0.39	0.68	1994	0.86	0.84
1995	1.79	2.69	1995	2.55	2.38	1995	0.59	0.69	1995	0.75	0.85
1996	2.25	2.74	1996	2.23	2.33	1996	0.53	0.69	1996	0.89	0.86
1997	2.68	2.8	1997	2.53	2.29	1997	0.52	0.7	1997	0.94	0.87
1998	1.85	2.85	1998	2.2	2.25	1998	0.75	0.7	1998	0.68	0.88
1999	2.37	2.91	1999	1.99	2.21	1999	0.48	0.71	1999	0.84	0.89
2000	2.2	2.97	2000	2.2	2.16	2000	0.9	0.71	2000	0.81	0.9
2001	3.11	3.03	2001	2.33	2.41	2001	0.76	0.72	2001	0.8	0.91
2002	2.52	3.09	2002	2.47	2.67	2002	0.38	0.72	2002	0.79	0.92
2003	2.61	3.15	2003	2.7	2.97	2003	0.63	0.73	2003	0.73	0.93
2004	4.61	3.22	2004	3.94	3.3	2004	0.79	0.73	2004	1.25	0.94
2005	3.53	3.28	2005	3.79	3.67	2005	0.86	0.74	2005	0.95	0.95
2006	3.5	3.35	2006	3.72	4.08	2006	0.84	0.74	2006	1.06	0.96

Head & Neck -- NOS

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0
1989	4.6	5.69	1989	7.11	8.19	1989	1.5	1.58	1989	2.26	2.61
1990	6.7	5.91	1990	8.48	7.86	1990	1.72	1.55	1990	2.87	2.52
1991	6.27	6.14	1991	8.25	7.54	1991	1.31	1.52	1991	2.47	2.42
1992	6.41	6.38	1992	7.35	7.24	1992	1.18	1.5	1992	2.17	2.34
1993	7.42	6.63	1993	6.45	6.94	1993	1.14	1.47	1993	2.46	2.25
1994	6.27	6.89	1994	6.02	6.66	1994	0.86	1.44	1994	2.1	2.17
1995	6.82	7.16	1995	6.19	6.39	1995	1.2	1.42	1995	2.03	2.09
1996	7.26	7.44	1996	6.43	6.13	1996	1.16	1.39	1996	2.03	2.01
1997	6.29	6.86	1997	5.51	5.88	1997	2.19	1.37	1997	1.83	1.94
1998	6.12	6.33	1998	6.15	5.65	1998	1.63	1.34	1998	1.71	1.86
1999	5.91	5.84	1999	5.65	5.42	1999	1.32	1.32	1999	1.83	1.8
2000	6.65	5.38	2000	5.21	5.2	2000	1.99	1.29	2000	1.85	1.73
2001	4.98	4.96	2001	5.41	4.99	2001	1.34	1.27	2001	1.77	1.67
2002	4.72	4.58	2002	4.99	4.78	2002	0.91	1.25	2002	1.6	1.6
2003	4.04	4.22	2003	4.97	4.59	2003	1.2	1.22	2003	1.48	1.55
2004	3.63	3.89	2004	4.17	4.4	2004	0.99	1.2	2004	1.68	1.49
2005	3.32	3.59	2005	3.83	4.23	2005	0.56	1.18	2005	1.36	1.43
2006	3.39	3.31	2006	3.67	4.05	2006	1.23	1.16	2006	1.24	1.38

Non-Hodgkin's Lymphoma -- Local

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP2	Dx Year	Adj Rate	JP0
1989	4.11	4.63	1989	3.97	4.87	1989	3.46	3.28	1989	3.98	3.3
1990	4.42	4.69	1990	5.14	4.93	1990	3.32	3.39	1990	3.36	3.34
1991	3.74	4.74	1991	4.65	4.98	1991	3.7	3.5	1991	2.58	3.39
1992	4.04	4.8	1992	5.37	5.04	1992	3.61	3.62	1992	2.78	3.43
1993	4.7	4.86	1993	4.9	5.09	1993	3.42	3.74	1993	3.49	3.47
1994	4.87	4.92	1994	5.36	5.15	1994	3.91	3.87	1994	3.18	3.52
1995	6.34	4.99	1995	5.2	5.21	1995	3.73	4	1995	3.2	3.57
1996	7.5	5.05	1996	5.24	5.27	1996	4.02	4.13	1996	3.25	3.61
1997	4.67	5.11	1997	5.57	5.33	1997	4.36	4.27	1997	5.58	3.66
1998	5.07	5.17	1998	5.9	5.38	1998	4.7	4.41	1998	3.52	3.71
1999	5.29	5.24	1999	5.61	5.44	1999	4.22	4.32	1999	3.15	3.75
2000	5.56	5.3	2000	5.82	5.51	2000	4.13	4.23	2000	3.21	3.8
2001	4.06	5.37	2001	5.75	5.57	2001	4.36	4.14	2001	4.55	3.85
2002	4.92	5.44	2002	5.35	5.63	2002	4	4.05	2002	3.28	3.9
2003	5.2	5.5	2003	5	5.69	2003	3.87	3.97	2003	4.34	3.95
2004	5.34	5.57	2004	5.59	5.76	2004	4.23	4.19	2004	4.26	4
2005	5.7	5.64	2005	6.55	5.82	2005	4.52	4.43	2005	3.44	4.06
2006	6.16	5.71	2006	5.19	5.88	2006	4.61	4.68	2006	4.19	4.11

Non-Hodgkin's Lymphoma -- Regional

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	2.25	3.09	1989	2.09	2.13	1989	1.51	1.89	1989	1.81	1.8
1990	3.09	3.11	1990	2.49	2.38	1990	1.75	1.93	1990	1.85	1.83
1991	2.49	3.13	1991	2.54	2.66	1991	1.51	1.98	1991	1.56	1.86
1992	2.73	3.15	1992	3.22	2.96	1992	2.01	2.03	1992	1.99	1.88
1993	3.33	3.18	1993	2.78	2.95	1993	2.97	2.08	1993	1.81	1.91
1994	4.24	3.2	1994	3.1	2.95	1994	1.92	2.14	1994	1.73	1.94
1995	3.41	3.22	1995	3.38	2.94	1995	2.13	2.19	1995	2.05	1.97
1996	2.41	3.25	1996	2.78	2.93	1996	2.74	2.25	1996	1.83	1.99
1997	4.55	3.27	1997	2.84	2.92	1997	2.82	2.3	1997	2.3	2.02
1998	3.28	3.3	1998	2.68	2.91	1998	2.62	2.36	1998	2.16	2.05
1999	3.79	3.32	1999	2.81	2.9	1999	1.98	2.42	1999	2.16	2.08
2000	2.26	3.35	2000	2.65	2.9	2000	1.9	2.48	2000	2.29	2.11
2001	2.91	3.37	2001	2.77	2.89	2001	2.46	2.55	2001	2.37	2.14
2002	2.95	3.39	2002	2.51	2.88	2002	2.3	2.61	2002	2.09	2.17
2003	3.65	3.42	2003	2.8	2.87	2003	2.01	2.68	2003	2.16	2.2
2004	4.18	3.45	2004	3.24	2.86	2004	2.4	2.74	2004	2.28	2.23
2005	3.3	3.47	2005	2.95	2.85	2005	3.38	2.81	2005	2.15	2.27
2006	3.04	3.5	2006	2.98	2.85	2006	3.16	2.88	2006	2.06	2.3

Non-Hodgkin's Lymphoma -- Distant

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	8.03	8.93	1989	7.54	7.02	1989	3.36	4.27	1989	4.35	4.33
1990	8.07	8.9	1990	6.54	7.27	1990	3.2	4.36	1990	4.5	4.45
1991	7.56	8.86	1991	7.99	7.54	1991	3.99	4.46	1991	4.49	4.57
1992	8.91	8.83	1992	7.3	7.81	1992	5.32	4.55	1992	4.49	4.7
1993	9.22	8.8	1993	7.94	8.1	1993	4.3	4.65	1993	4.66	4.83
1994	10.59	8.77	1994	8.95	8.4	1994	5.48	4.75	1994	5.3	4.97
1995	9.69	8.74	1995	8.27	8.7	1995	5.64	4.85	1995	5.17	5.1
1996	7.63	8.71	1996	9.09	9.02	1996	4.05	4.95	1996	5.19	5.24
1997	10.56	8.68	1997	8.96	8.99	1997	5.42	5.06	1997	5.26	5.39
1998	7.93	8.65	1998	8.78	8.97	1998	6.22	5.17	1998	6.05	5.54
1999	6.97	8.62	1999	9.25	8.94	1999	4.5	5.28	1999	5.83	5.69
2000	9.41	8.59	2000	8.96	8.92	2000	5.24	5.39	2000	5.36	5.85
2001	7.85	8.56	2001	9.01	8.89	2001	6	5.5	2001	6.03	6.01
2002	9.17	8.53	2002	9.1	8.86	2002	6.34	5.62	2002	6.49	6.18
2003	8.09	8.5	2003	8.83	8.84	2003	5.42	5.74	2003	5.66	6.05
2004	8.82	8.47	2004	8.24	8.81	2004	5.63	5.86	2004	5.86	5.92
2005	8.79	8.44	2005	8.92	8.78	2005	6.04	5.99	2005	5.73	5.79
2006	7.55	8.41	2006	8.81	8.76	2006	5.43	6.11	2006	5.84	5.67

Non-Hodgkin's Lymphoma -- NOS

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
Dx Year	Adj Rate	JP0	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP1	Dx Year	Adj Rate	JP0
1989	5.42	6.91	1989	6.48	7.22	1989	4.04	4.48	1989	4.14	4.95
1990	7.46	6.74	1990	8.02	7.13	1990	4.94	4.49	1990	4.26	4.84
1991	5.28	6.57	1991	6.68	7.04	1991	4.78	4.5	1991	3.97	4.73
1992	7.28	6.4	1992	6.82	6.95	1992	4.4	4.52	1992	4.88	4.63
1993	5.35	6.24	1993	6.42	6.87	1993	4.42	4.53	1993	5.88	4.53
1994	7.27	6.09	1994	6.8	6.78	1994	3.97	4.54	1994	3.72	4.43
1995	6.07	5.93	1995	6.95	6.7	1995	4.75	4.56	1995	4.16	4.33
1996	6.02	5.78	1996	7.34	6.62	1996	5.04	4.57	1996	4.45	4.24
1997	5.58	5.64	1997	6.48	6.53	1997	4.52	4.59	1997	4.97	4.14
1998	6.26	5.5	1998	6.15	6.45	1998	4.32	4.6	1998	4.94	4.05
1999	5.64	5.36	1999	6.71	6.37	1999	4.44	4.61	1999	3.81	3.96
2000	4.95	5.22	2000	6.45	6.3	2000	4.77	4.63	2000	2.75	3.88
2001	4.25	5.09	2001	5.83	6.22	2001	4.01	4.2	2001	4.04	3.79
2002	5.54	4.96	2002	5.87	6.14	2002	3.99	3.82	2002	4.06	3.71
2003	4.79	4.84	2003	5.67	5.46	2003	3.76	3.47	2003	3.14	3.63
2004	5.16	4.72	2004	4.74	4.86	2004	3.1	3.15	2004	3.35	3.55
2005	3.48	4.6	2005	4.31	4.32	2005	2.87	2.86	2005	3.52	3.47
2006	4.7	4.48	2006	3.85	3.84	2006	2.46	2.6	2006	3.26	3.39

Melanoma -- Local											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JP0	DxYear	AdjRate	JP2	DxYear	AdjRate	JP0	DxYear	AdjRate	JP1
1989	2.18	2.72	1989	11.65	11.59	1989	1.54	2.16	1989	7.22	6.74
1990	2.36	2.78	1990	10.98	11.09	1990	1.47	2.21	1990	8.77	7.15
1991	2.63	2.84	1991	10.59	10.6	1991	2.34	2.26	1991	6.86	7.59
1992	2.23	2.89	1992	11.22	11.41	1992	2.39	2.32	1992	8.13	8.06
1993	1.83	2.95	1993	11.9	12.28	1993	2.88	2.38	1993	7.29	8.55
1994	4.04	3.01	1994	13.52	13.22	1994	3.03	2.44	1994	8.32	9.07
1995	3.41	3.08	1995	14.16	14.22	1995	2.12	2.5	1995	8.52	9.63
1996	3.22	3.14	1996	15.28	15.31	1996	1.39	2.56	1996	10.51	10.22
1997	2.81	3.2	1997	17.41	16.47	1997	2.81	2.62	1997	11.09	10.85
1998	4.01	3.27	1998	18.14	17.73	1998	3.17	2.69	1998	11.76	11.51
1999	2.9	3.33	1999	18.21	19.08	1999	2.44	2.75	1999	12.13	12.22
2000	4.37	3.4	2000	20.11	20.54	2000	3.39	2.82	2000	13.63	12.97
2001	3.14	3.47	2001	20.88	20.49	2001	2.48	2.89	2001	14.05	13.76
2002	4.45	3.54	2002	20.35	20.45	2002	4.19	2.96	2002	13.69	13.9
2003	4.19	3.62	2003	20.16	20.4	2003	2.48	3.04	2003	13.34	14.05
2004	3.58	3.69	2004	20.38	20.36	2004	2.92	3.11	2004	14.19	14.19
2005	3.03	3.77	2005	21.03	20.31	2005	2.76	3.19	2005	15.79	14.34
2006	3.02	3.84	2006	19.73	20.27	2006	3.11	3.27	2006	13.58	14.49

Melanoma -- Regional											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JP0	DxYear	AdjRate	JP0	DxYear	AdjRate	JP1*	DxYear	AdjRate	JP0
1989	0.15	0.5	1989	1.5	1.17	1989	0.4307	0.4	1989	0.58	0.5
1990	0.42	0.51	1990	1.04	1.25	1990	0.1336	0.2	1990	0.52	0.54
1991	0.61	0.53	1991	1.38	1.33	1991	0	0.01	1991	0.47	0.58
1992	0.83	0.54	1992	1.32	1.42	1992	0	0.03	1992	0.69	0.62
1993	0.33	0.55	1993	1.2	1.51	1993	0	0.07	1993	0.64	0.67
1994	0.38	0.57	1994	1.6	1.61	1994	0.2235	0.1	1994	0.61	0.72
1995	0.12	0.58	1995	1.31	1.72	1995	0	0.14	1995	0.62	0.78
1996	1.09	0.6	1996	1.66	1.83	1996	0.2802	0.18	1996	1.04	0.84
1997	0.15	0.61	1997	1.95	1.95	1997	0.2524	0.22	1997	0.78	0.91
1998	0.28	0.63	1998	2.1	2.08	1998	0.2591	0.25	1998	0.93	0.98
1999	0.62	0.64	1999	2.65	2.21	1999	0.2991	0.29	1999	1.16	1.05
2000	0.96	0.66	2000	2.57	2.36	2000	0.3877	0.33	2000	1.21	1.14
2001	0.39	0.67	2001	2.61	2.51	2001	0.2614	0.37	2001	1.27	1.22
2002	0.95	0.69	2002	2.68	2.68	2002	0.3658	0.4	2002	1.41	1.32
2003	0.78	0.71	2003	3.16	2.85	2003	0.5363	0.44	2003	1.2	1.42
2004	0.59	0.72	2004	2.87	3.04	2004	0.7121	0.48	2004	1.67	1.53
2005	0.67	0.74	2005	3.5	3.24	2005	0.4901	0.52	2005	1.72	1.65
2006	0.69	0.76	2006	2.78	3.45	2006	0.3352	0.55	2006	1.6	1.78

*Trends are produced using linear-model for cases with missing values

Melanoma -- Distant											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO
1989	0.65	0.64	1989	1.34	1.39	1989	0.4902	0.28	1989	0.39	0.49
1990	0.13	0.62	1990	1.45	1.38	1990	0	0.28	1990	0.59	0.5
1991	0.33	0.61	1991	1.21	1.38	1991	0.2612	0.28	1991	0.43	0.51
1992	0.49	0.59	1992	1.48	1.37	1992	0.3679	0.27	1992	0.63	0.51
1993	0.65	0.58	1993	1.47	1.36	1993	0.1209	0.27	1993	0.62	0.52
1994	0.92	0.56	1994	1.34	1.36	1994	0.2053	0.27	1994	0.38	0.53
1995	0.46	0.55	1995	1.29	1.35	1995	0.3924	0.26	1995	0.64	0.53
1996	0.61	0.53	1996	1.34	1.35	1996	0.3731	0.26	1996	0.6	0.54
1997	0.61	0.52	1997	1.46	1.34	1997	0.186	0.26	1997	0.45	0.55
1998	0.48	0.5	1998	1.22	1.33	1998	0.1788	0.25	1998	0.63	0.56
1999	0.44	0.49	1999	1.4	1.33	1999	0.3267	0.25	1999	0.43	0.56
2000	0.44	0.48	2000	1.28	1.32	2000	0.1512	0.25	2000	0.54	0.57
2001	0.37	0.46	2001	1.18	1.31	2001	0.5153	0.24	2001	0.5	0.58
2002	0.54	0.45	2002	1.36	1.31	2002	0.1425	0.24	2002	0.57	0.59
2003	0.65	0.44	2003	1.3	1.3	2003	0.4129	0.24	2003	0.61	0.6
2004	0.34	0.43	2004	1.12	1.29	2004	0.2387	0.23	2004	0.66	0.6
2005	0.43	0.42	2005	1.38	1.29	2005	0	0.23	2005	0.48	0.61
2006	0.27	0.41	2006	1.36	1.28	2006	0.235	0.23	2006	0.76	0.62

*Trends are produced using linear-model for cases with missing values

Melanoma -- NOS											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	1.61	2.13	1989	4.86	6.49	1989	0.45	0.8	1989	2.81	3.08
1990	1.99	2.04	1990	7.53	6.24	1990	1.06	0.8	1990	3.8	2.97
1991	1.6	1.95	1991	5.36	6	1991	0.73	0.81	1991	2.49	2.87
1992	1.53	1.87	1992	5.15	5.76	1992	1.04	0.82	1992	2.8	2.77
1993	1.85	1.79	1993	5.1	5.54	1993	0.6	0.83	1993	2.37	2.67
1994	1.66	1.72	1994	4.59	5.33	1994	0.53	0.84	1994	2.08	2.58
1995	2.29	1.65	1995	6.54	5.12	1995	0.67	0.84	1995	2.44	2.48
1996	1.51	1.58	1996	5.11	4.92	1996	0.59	0.85	1996	2.32	2.4
1997	0.73	1.51	1997	4.76	4.73	1997	0.81	0.86	1997	2.36	2.31
1998	1.36	1.45	1998	4.65	4.55	1998	1.26	0.87	1998	2.16	2.23
1999	1.44	1.39	1999	4.47	4.37	1999	0.89	0.88	1999	2.03	2.15
2000	2.71	1.33	2000	5.09	4.2	2000	1.3	0.89	2000	2.44	2.08
2001	0.77	1.27	2001	4	4.04	2001	0.49	0.89	2001	2.35	2
2002	1.09	1.22	2002	3.89	3.88	2002	0.62	0.9	2002	2.38	1.93
2003	0.99	1.17	2003	3.67	3.73	2003	1.56	0.91	2003	1.77	1.87
2004	1.17	1.12	2004	3.61	3.59	2004	0.76	0.92	2004	1.72	1.8
2005	0.91	1.07	2005	3.11	3.45	2005	0.85	0.93	2005	1.62	1.74
2006	0.63	1.03	2006	2.67	3.32	2006	0.29	0.94	2006	1.32	1.68

Ovary -- Local

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	3.43	4.68	1989	3.93	4.27
1990	3.62	4.45	1990	4.4	4.29
1991	4.48	4.24	1991	4.38	4.3
1992	3.26	4.03	1992	4.19	4.32
1993	3.9	3.83	1993	4.45	4.34
1994	3.98	3.64	1994	4.87	4.35
1995	3.56	3.47	1995	3.73	4.37
1996	3.94	3.3	1996	4.79	4.39
1997	3.7	3.14	1997	4.38	4.41
1998	3.67	2.98	1998	4.49	4.42
1999	2.69	2.84	1999	4.53	4.44
2000	3.63	2.7	2000	4.25	3.81
2001	1.91	2.57	2001	2.62	3.27
2002	2.42	2.44	2002	1.93	2.81
2003	1.99	2.32	2003	2.72	2.41
2004	2.02	2.21	2004	1.95	2.07
2005	1.46	2.1	2005	1.89	1.77
2006	2.06	2	2006	1.7	1.52

Ovary --Regional

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP0
1989	0.79	1	1989	1.37	1.55
1990	0.83	1.05	1990	1.53	1.59
1991	0.39	1.09	1991	1.52	1.64
1992	1.31	1.14	1992	1.92	1.68
1993	1.98	1.18	1993	1.83	1.73
1994	1.59	1.23	1994	1.85	1.77
1995	1.43	1.28	1995	2.13	1.82
1996	1.26	1.34	1996	2.04	1.87
1997	1.3	1.39	1997	1.58	1.92
1998	1.06	1.45	1998	1.46	1.98
1999	0.74	1.51	1999	2	2.03
2000	0.87	1.58	2000	1.63	2.08
2001	1.62	1.64	2001	2.39	2.14
2002	1.92	1.71	2002	2.62	2.2
2003	1.67	1.78	2003	2.14	2.26
2004	2.66	1.86	2004	2.53	2.32
2005	1.21	1.93	2005	2.38	2.38
2006	2.14	2.01	2006	2.23	2.45

Ovary --Distant

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	8.26	9.02	1989	10.03	10.41
1990	7.28	8.83	1990	9.99	10.26
1991	7.33	8.64	1991	9.98	10.12
1992	9.92	8.46	1992	10.11	9.98
1993	8.44	8.28	1993	9.62	9.84
1994	7.49	8.1	1994	9.16	9.7
1995	8.91	7.93	1995	9.64	9.57
1996	7.31	7.76	1996	9.76	9.43
1997	8.66	7.6	1997	9.97	9.3
1998	7.83	7.44	1998	9.31	9.17
1999	6.94	7.28	1999	9.67	9.04
2000	8.2	7.13	2000	9.81	8.91
2001	7.28	6.98	2001	8.53	8.79
2002	7.11	6.83	2002	8.2	8.67
2003	5.86	6.68	2003	8.37	8.55
2004	6.73	6.54	2004	8.29	8.43
2005	5.69	6.4	2005	8.16	8.31
2006	5.95	6.27	2006	7.86	8.19

Ovary --NOS

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	1.85	2.13	1989	2.34	3.18
1990	2.45	2.13	1990	3.41	3.06
1991	2.38	2.12	1991	3.1	2.95
1992	1.53	2.12	1992	2.75	2.84
1993	1.73	2.12	1993	2.75	2.73
1994	2.64	2.11	1994	2.71	2.63
1995	1.83	2.11	1995	2.66	2.53
1996	1.87	2.11	1996	2.31	2.44
1997	1.89	2.1	1997	1.87	2.35
1998	2.32	2.1	1998	2.14	2.26
1999	2.22	2.1	1999	2.52	2.18
2000	2.26	2.09	2000	2.7	2.1
2001	2.35	2.09	2001	2.03	2.02
2002	1.13	2.09	2002	1.87	1.94
2003	2.8	2.08	2003	2.11	1.87
2004	2.14	2.08	2004	1.56	1.8
2005	2.14	2.08	2005	1.57	1.74
2006	1.52	2.07	2006	1.44	1.67

Cervix -- Local

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	6.21	7.16	1989	5.48	5.6
1990	6.25	7.07	1990	5.79	5.63
1991	6.64	6.97	1991	5.78	5.67
1992	6.2	6.88	1992	5.61	5.7
1993	7.07	6.79	1993	5.74	5.74
1994	7.22	6.7	1994	5.63	5.78
1995	7.11	6.61	1995	5.76	5.82
1996	6.55	6.52	1996	5.96	5.85
1997	7.99	6.43	1997	5.44	5.64
1998	6.68	6.35	1998	5.53	5.43
1999	6.24	6.26	1999	5.08	5.23
2000	6.41	6.18	2000	5.4	5.03
2001	5.37	6.09	2001	5.07	4.85
2002	6.16	6.01	2002	4.68	4.67
2003	6.14	5.93	2003	4.25	4.5
2004	4.83	5.85	2004	4.12	4.33
2005	6.12	5.78	2005	4.12	4.17
2006	5.36	5.7	2006	4.17	4.02

Cervix -- Regional

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JP1
1989	5.04	5.01	1989	3.11	3.1
1990	4.42	4.94	1990	2.6	3.08
1991	5.4	4.87	1991	3.27	3.07
1992	4.67	4.8	1992	2.82	3.06
1993	5.22	4.74	1993	2.95	3.05
1994	4.86	4.67	1994	3.45	3.04
1995	3.32	4.61	1995	2.98	3.03
1996	4.79	4.54	1996	3.25	3.02
1997	4.22	4.48	1997	2.99	3.01
1998	4.58	4.42	1998	3.44	3
1999	4.37	4.36	1999	2.77	2.99
2000	4.77	4.3	2000	3.09	2.97
2001	4.53	4.24	2001	2.92	2.96
2002	3.94	4.18	2002	2.82	2.95
2003	3.33	4.12	2003	2.65	2.94
2004	4.56	4.07	2004	2.65	2.93
2005	3.71	4.01	2005	3.06	2.92
2006	4.1	3.95	2006	3.05	2.91

Cervix -- Distant

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	1.4	1.5	1989	0.92	1.06
1990	1.1	1.43	1990	1.19	1.04
1991	1.04	1.37	1991	0.83	1.02
1992	1.64	1.31	1992	1.08	1
1993	0.62	1.25	1993	1.15	0.98
1994	1.5	1.2	1994	0.77	0.96
1995	1.45	1.15	1995	0.98	0.95
1996	1.26	1.1	1996	1.23	0.93
1997	1.12	1.05	1997	0.93	0.91
1998	0.71	1	1998	0.77	0.89
1999	0.9	0.96	1999	0.85	0.88
2000	0.97	0.92	2000	0.69	0.86
2001	1.2	0.88	2001	0.82	0.84
2002	0.75	0.84	2002	0.76	0.83
2003	0.81	0.8	2003	0.77	0.81
2004	0.65	0.77	2004	0.83	0.8
2005	0.72	0.73	2005	0.71	0.78
2006	0.57	0.7	2006	0.91	0.77

Cervix -- NOS

Hispanic Female			NH White Female		
Dx Year	Adj Rate	JPO	Dx Year	Adj Rate	JPO
1989	3.41	3.47	1989	3.28	3.47
1990	2.85	3.24	1990	4.18	3.18
1991	3.25	3.04	1991	2.63	2.92
1992	2.87	2.84	1992	2.69	2.68
1993	2.37	2.66	1993	2.23	2.46
1994	2.4	2.49	1994	1.8	2.26
1995	2.05	2.33	1995	2.07	2.08
1996	1.79	2.18	1996	1.74	1.91
1997	1.94	2.04	1997	1.4	1.75
1998	2.68	1.91	1998	1.5	1.61
1999	2.21	1.79	1999	1.33	1.48
2000	1.64	1.68	2000	1.68	1.36
2001	1.84	1.57	2001	1.34	1.25
2002	1.4	1.47	2002	1.45	1.14
2003	1.54	1.37	2003	1.15	1.05
2004	1.07	1.29	2004	0.91	0.96
2005	1.08	1.2	2005	0.82	0.89
2006	0.81	1.13	2006	0.77	0.81

Stomach -- Local

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	1.54	1.8	1989	1.45	1.59	1989	0.68	0.87	1989	0.79	0.68
1990	0.91	1.82	1990	1.38	1.6	1990	0.74	0.89	1990	0.56	0.69
1991	1.5	1.84	1991	1.51	1.6	1991	1.12	0.92	1991	0.77	0.7
1992	2.06	1.87	1992	1.82	1.6	1992	0.68	0.95	1992	0.81	0.71
1993	1.77	1.89	1993	1.71	1.6	1993	1.07	0.98	1993	0.72	0.72
1994	1.99	1.92	1994	1.7	1.6	1994	1.75	1.01	1994	0.72	0.73
1995	2.58	1.94	1995	1.53	1.61	1995	0.97	1.04	1995	0.53	0.74
1996	1.89	1.97	1996	1.55	1.61	1996	0.76	1.07	1996	0.8	0.75
1997	2.42	1.99	1997	1.78	1.61	1997	0.51	1.1	1997	0.76	0.76
1998	2.81	2.02	1998	1.66	1.61	1998	1.1	1.13	1998	0.67	0.78
1999	1.56	2.05	1999	1.47	1.61	1999	0.91	1.17	1999	0.74	0.79
2000	1.95	2.07	2000	1.61	1.62	2000	0.84	1.2	2000	0.81	0.8
2001	1.39	2.1	2001	1.69	1.62	2001	1.62	1.24	2001	0.7	0.81
2002	2.58	2.13	2002	1.65	1.62	2002	1.23	1.27	2002	0.74	0.83
2003	2.01	2.15	2003	1.77	1.62	2003	1.31	1.31	2003	0.96	0.84
2004	2.14	2.18	2004	1.63	1.62	2004	1.77	1.35	2004	0.88	0.85
2005	1.69	2.21	2005	1.32	1.62	2005	0.87	1.39	2005	1.01	0.86
2006	2.45	2.24	2006	1.65	1.63	2006	1.51	1.44	2006	0.84	0.88

Stomach -- Regional

Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	6.13	4.75	1989	3.78	3.92	1989	3.46	2.61	1989	1.49	1.73
1990	4.53	4.66	1990	3.46	3.76	1990	2.61	2.53	1990	1.66	1.65
1991	4.83	4.58	1991	3.35	3.62	1991	2.3	2.45	1991	1.66	1.57
1992	3.32	4.49	1992	3.65	3.47	1992	2.03	2.38	1992	1.55	1.5
1993	3.59	4.41	1993	3.14	3.34	1993	2.71	2.31	1993	1.4	1.44
1994	5.51	4.33	1994	3.49	3.21	1994	2.09	2.24	1994	1.61	1.37
1995	3.68	4.25	1995	3.27	3.08	1995	2.24	2.17	1995	1.34	1.31
1996	4.09	4.17	1996	3.18	2.96	1996	2.09	2.11	1996	1.2	1.25
1997	4.03	4.09	1997	2.99	2.85	1997	1.46	2.05	1997	1.13	1.19
1998	3.59	4.02	1998	2.71	2.73	1998	1.18	1.99	1998	1.14	1.14
1999	3.81	3.95	1999	2.59	2.63	1999	1.99	1.93	1999	0.89	1.09
2000	3.57	3.87	2000	2.36	2.52	2000	1.5	1.87	2000	1.02	1.04
2001	3.52	3.8	2001	2.59	2.43	2001	1.69	1.82	2001	1.13	0.99
2002	4.25	3.73	2002	2.55	2.33	2002	1.99	1.76	2002	0.88	0.95
2003	3.27	3.66	2003	2.32	2.24	2003	1.41	1.71	2003	1.02	0.91
2004	3.24	3.59	2004	1.79	2.15	2004	2.13	1.66	2004	0.91	0.86
2005	4.51	3.53	2005	2.04	2.07	2005	1.59	1.61	2005	0.78	0.83
2006	3.27	3.46	2006	1.85	1.99	2006	1.76	1.56	2006	0.74	0.79

Stomach --Distant											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	2.98	4.13	1989	3	3.04	1989	1.66	1.81	1989	1.22	1.2
1990	3.96	4.05	1990	2.79	2.97	1990	1.52	1.81	1990	1.09	1.18
1991	3.76	3.97	1991	2.83	2.89	1991	1.38	1.81	1991	1.33	1.16
1992	2.96	3.89	1992	2.77	2.82	1992	1.39	1.81	1992	0.94	1.14
1993	3.29	3.81	1993	2.98	2.75	1993	1.24	1.81	1993	1.22	1.12
1994	4.55	3.73	1994	2.86	2.68	1994	2.15	1.81	1994	1.13	1.1
1995	3.66	3.66	1995	2.79	2.61	1995	2.55	1.81	1995	0.95	1.09
1996	3.57	3.58	1996	2.27	2.54	1996	2.38	1.81	1996	0.91	1.07
1997	4.03	3.51	1997	2.4	2.48	1997	1.48	1.81	1997	1.25	1.05
1998	4.19	3.44	1998	2.24	2.42	1998	2.2	1.81	1998	0.99	1.03
1999	3.57	3.37	1999	2.41	2.36	1999	2.13	1.81	1999	0.94	1.01
2000	3.28	3.31	2000	2.57	2.3	2000	1.13	1.81	2000	1.12	1
2001	4.69	3.24	2001	2.25	2.24	2001	1.6	1.81	2001	0.93	0.98
2002	2.53	3.17	2002	2.28	2.18	2002	1.99	1.81	2002	1.02	0.96
2003	2.9	3.11	2003	2.08	2.13	2003	2	1.81	2003	0.93	0.95
2004	2.61	3.05	2004	1.99	2.07	2004	1.54	1.81	2004	0.93	0.93
2005	2.65	2.99	2005	1.93	2.02	2005	1.69	1.82	2005	1.04	0.92
2006	2.64	2.93	2006	1.98	1.97	2006	1.75	1.82	2006	0.73	0.9

Stomach --NOS											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	1.75	4.03	1989	2.46	3.22	1989	1.73	2.42	1989	1	1.51
1990	4.91	3.97	1990	3.1	3.14	1990	2.33	2.35	1990	1.54	1.46
1991	3.56	3.91	1991	2.67	3.06	1991	2.46	2.29	1991	1.33	1.43
1992	3.51	3.86	1992	3.23	2.99	1992	1.53	2.23	1992	1.53	1.39
1993	5.12	3.8	1993	3.13	2.92	1993	2.54	2.17	1993	1.47	1.35
1994	3.57	3.74	1994	2.4	2.85	1994	1.44	2.11	1994	1.18	1.31
1995	3.39	3.69	1995	3.15	2.78	1995	1.64	2.05	1995	1.32	1.28
1996	3.47	3.64	1996	3.13	2.71	1996	1.69	2	1996	1.22	1.24
1997	2.28	3.58	1997	2.77	2.65	1997	2.69	1.94	1997	1.46	1.21
1998	3	3.53	1998	2.73	2.58	1998	2.4	1.89	1998	1.25	1.18
1999	4.81	3.48	1999	2.41	2.52	1999	1.96	1.84	1999	1.19	1.14
2000	4.06	3.43	2000	2.86	2.46	2000	2.52	1.79	2000	1.08	1.11
2001	2.42	3.38	2001	2.42	2.4	2001	1.91	1.74	2001	1.26	1.08
2002	4.48	3.33	2002	2.45	2.34	2002	1.57	1.69	2002	0.93	1.05
2003	3.37	3.28	2003	2.17	2.28	2003	1.34	1.65	2003	1.09	1.03
2004	3.49	3.23	2004	2.37	2.23	2004	1.44	1.6	2004	1.06	1
2005	2.57	3.19	2005	1.87	2.18	2005	1.46	1.56	2005	0.93	0.97
2006	2.48	3.14	2006	1.74	2.12	2006	1.13	1.52	2006	0.64	0.95

Liver -- Local											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	0.78	0.87	1989	0.59	0.49	1989	0.24	0.49	1989	0.15	0.21
1990	0.77	0.95	1990	0.69	0.55	1990	0.6	0.52	1990	0.37	0.23
1991	1.23	1.04	1991	0.49	0.61	1991	0.12	0.57	1991	0.18	0.25
1992	1.06	1.15	1992	0.69	0.68	1992	0.79	0.61	1992	0.24	0.26
1993	1.02	1.26	1993	0.82	0.75	1993	0.68	0.66	1993	0.26	0.28
1994	1.19	1.39	1994	0.61	0.84	1994	0.82	0.71	1994	0.4	0.3
1995	1.12	1.52	1995	0.92	0.93	1995	0.84	0.77	1995	0.31	0.33
1996	1.43	1.67	1996	1.04	1.04	1996	0.42	0.83	1996	0.32	0.35
1997	1.99	1.84	1997	1.08	1.15	1997	1.37	0.9	1997	0.48	0.37
1998	2.44	2.02	1998	1.24	1.28	1998	0.9	0.97	1998	0.38	0.4
1999	2.33	2.22	1999	1.3	1.43	1999	1.21	1.05	1999	0.35	0.43
2000	2.78	2.44	2000	1.9	1.59	2000	1.04	1.13	2000	0.51	0.46
2001	3.27	2.68	2001	1.51	1.77	2001	0.8	1.22	2001	0.53	0.5
2002	2.74	2.95	2002	1.85	1.96	2002	1.05	1.32	2002	0.44	0.53
2003	2.93	3.24	2003	2.28	2.18	2003	1.58	1.43	2003	0.45	0.57
2004	4.3	3.56	2004	2.44	2.43	2004	1.11	1.54	2004	0.63	0.61
2005	3.48	3.91	2005	2.8	2.7	2005	2.04	1.66	2005	0.62	0.66
2006	3.78	4.3	2006	3.01	3.01	2006	1.81	1.8	2006	0.83	0.7

Liver --Regional											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JP1	DxYear	AdjRate	JPO
1989	0.35	0.64	1989	0.31	0.3	1989	0.11	0.43	1989	0.12	0.11
1990	0.37	0.69	1990	0.34	0.33	1990	0.33	0.42	1990	0.14	0.12
1991	1.4	0.74	1991	0.33	0.36	1991	0.48	0.41	1991	0.17	0.13
1992	0.83	0.8	1992	0.42	0.4	1992	0.47	0.4	1992	0.16	0.14
1993	1.06	0.86	1993	0.5	0.44	1993	0.34	0.38	1993	0.16	0.15
1994	0.91	0.93	1994	0.63	0.49	1994	0.45	0.37	1994	0.13	0.16
1995	0.79	1	1995	0.56	0.54	1995	0.41	0.36	1995	0.14	0.18
1996	1.15	1.07	1996	0.52	0.6	1996	0.52	0.35	1996	0.14	0.19
1997	1.12	1.16	1997	0.65	0.66	1997	0.36	0.34	1997	0.24	0.2
1998	0.73	1.24	1998	0.5	0.73	1998	0.16	0.33	1998	0.22	0.22
1999	0.56	1.34	1999	0.73	0.8	1999	0.16	0.32	1999	0.23	0.23
2000	0.43	1.44	2000	0.71	0.88	2000	0.38	0.31	2000	0.16	0.25
2001	1.67	1.55	2001	1.05	0.97	2001	0.22	0.3	2001	0.28	0.27
2002	1.47	1.67	2002	1.21	1.08	2002	0.29	0.29	2002	0.21	0.29
2003	2.38	1.8	2003	1.09	1.19	2003	0.34	0.38	2003	0.34	0.31
2004	2.61	1.94	2004	1.39	1.31	2004	0.53	0.5	2004	0.42	0.34
2005	1.74	2.09	2005	1.49	1.44	2005	0.73	0.66	2005	0.36	0.36
2006	1.99	2.25	2006	1.58	1.59	2006	0.81	0.87	2006	0.41	0.39

Liver --Distant											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JP1	DxYear	AdjRate	JPO	DxYear	AdjRate	JP1
1989	2.08	1.94	1989	0.53	0.54	1989	0.49	0.54	1989	0.41	0.3
1990	0.58	1.92	1990	0.52	0.61	1990	0.66	0.55	1990	0.27	0.31
1991	2.07	1.91	1991	0.69	0.69	1991	0.22	0.56	1991	0.27	0.31
1992	2.08	1.89	1992	0.92	0.79	1992	0.7	0.57	1992	0.23	0.32
1993	1.48	1.88	1993	0.99	0.89	1993	0.77	0.58	1993	0.32	0.32
1994	1.67	1.86	1994	0.85	1.01	1994	0.33	0.59	1994	0.29	0.32
1995	1.44	1.85	1995	1.17	1.15	1995	0.39	0.6	1995	0.35	0.33
1996	1.98	1.83	1996	1.37	1.31	1996	0.25	0.61	1996	0.39	0.33
1997	2.04	1.82	1997	1.08	1.27	1997	0.62	0.62	1997	0.29	0.34
1998	1.75	1.8	1998	1.13	1.24	1998	0.09	0.64	1998	0.3	0.34
1999	2.23	1.79	1999	1.31	1.21	1999	0.57	0.65	1999	0.4	0.35
2000	2.64	1.78	2000	1.41	1.18	2000	1.17	0.66	2000	0.39	0.35
2001	1.62	1.76	2001	0.85	1.15	2001	0.53	0.67	2001	0.36	0.36
2002	1.69	1.75	2002	1.23	1.12	2002	1.14	0.69	2002	0.33	0.36
2003	1.64	1.73	2003	1.34	1.09	2003	0.42	0.7	2003	0.39	0.36
2004	1.37	1.72	2004	0.83	1.06	2004	0.74	0.71	2004	0.2	0.27
2005	1.97	1.71	2005	1.02	1.04	2005	0.62	0.72	2005	0.24	0.21
2006	1.17	1.69	2006	0.97	1.01	2006	0.47	0.74	2006	0.15	0.15

Liver --NOS											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JP1	DxYear	AdjRate	JPO	DxYear	AdjRate	JP0
1989	4.14	4.15	1989	1.03	1.11	1989	0.98	1.77	1989	0.3	0.84
1990	4.18	4.1	1990	1.69	1.55	1990	2.23	1.75	1990	0.83	0.84
1991	4.33	4.05	1991	2.25	2.18	1991	1.9	1.73	1991	0.78	0.84
1992	4.64	4	1992	2.1	2.22	1992	1.03	1.71	1992	0.78	0.83
1993	2.83	3.95	1993	2.19	2.26	1993	2.02	1.69	1993	1.03	0.83
1994	3.47	3.9	1994	2.37	2.3	1994	1.04	1.67	1994	0.71	0.83
1995	3.51	3.86	1995	1.9	2.34	1995	1.5	1.65	1995	0.84	0.82
1996	2.63	3.81	1996	2.48	2.38	1996	1.97	1.63	1996	0.94	0.82
1997	2.77	3.76	1997	2.54	2.43	1997	1.55	1.62	1997	0.91	0.82
1998	4.39	3.72	1998	2.68	2.47	1998	2.02	1.6	1998	0.92	0.81
1999	2.96	3.67	1999	2.13	2.51	1999	2	1.58	1999	0.82	0.81
2000	4.24	3.63	2000	2.58	2.56	2000	1.49	1.56	2000	0.94	0.81
2001	5.78	3.58	2001	2.83	2.6	2001	1.22	1.54	2001	0.75	0.81
2002	2.74	3.54	2002	3.03	2.65	2002	1.33	1.53	2002	0.83	0.8
2003	4.05	3.49	2003	2.79	2.7	2003	1.76	1.51	2003	0.87	0.8
2004	3.05	3.45	2004	2.47	2.75	2004	1.11	1.49	2004	0.79	0.8
2005	3.19	3.41	2005	2.66	2.8	2005	1.42	1.47	2005	0.54	0.79
2006	2.57	3.37	2006	2.79	2.85	2006	1.52	1.46	2006	0.69	0.79

Gall Bladder - Local											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO
1989	0.496	0.38	1989	0.19	0.2	1989	0.6637	0.95	1989	0.26	0.29
1990	0.1296	0.37	1990	0.14	0.19	1990	1.1781	0.91	1990	0.3	0.28
1991	0.6302	0.36	1991	0.21	0.19	1991	1.1129	0.87	1991	0.25	0.27
1992	0.2315	0.36	1992	0.13	0.18	1992	0.4733	0.83	1992	0.23	0.27
1993	0.5741	0.35	1993	0.24	0.18	1993	0.7989	0.79	1993	0.22	0.26
1994	0.1341	0.34	1994	0.13	0.18	1994	0.5236	0.75	1994	0.23	0.26
1995	0	0.33	1995	0.12	0.17	1995	0.6678	0.71	1995	0.28	0.25
1996	0.2927	0.33	1996	0.23	0.17	1996	1.0213	0.67	1996	0.18	0.24
1997	0.6073	0.32	1997	0.12	0.16	1997	0.8632	0.63	1997	0.28	0.24
1998	0.0901	0.31	1998	0.25	0.16	1998	0.5391	0.59	1998	0.31	0.23
1999	0.4141	0.31	1999	0.06	0.15	1999	0.7456	0.55	1999	0.23	0.23
2000	0.4047	0.3	2000	0.15	0.15	2000	0.5518	0.51	2000	0.4	0.22
2001	0.2471	0.29	2001	0.21	0.15	2001	0.3765	0.47	2001	0.2	0.22
2002	0.473	0.28	2002	0.08	0.14	2002	0	0.43	2002	0.27	0.21
2003	0.5247	0.28	2003	0.15	0.14	2003	0.6132	0.39	2003	0.12	0.21
2004	0.1947	0.27	2004	0.06	0.14	2004	0.4061	0.35	2004	0.1	0.2
2005	0.0799	0.26	2005	0.16	0.13	2005	0.3137	0.31	2005	0.12	0.2
2006	0.1667	0.25	2006	0.09	0.13	2006	0.177	0.27	2006	0.18	0.2

*Trends are produced using linear-model for cases with missing values

Gall Bladder - Regional											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	1.1422	0.75	1989	0.17	0.2	1989	0.78	1.04	1989	0.38	0.32
1990	0.7874	0.72	1990	0.18	0.21	1990	1.01	1.01	1990	0.36	0.33
1991	0.3195	0.68	1991	0.24	0.21	1991	0.95	0.99	1991	0.24	0.33
1992	0.6824	0.65	1992	0.23	0.22	1992	0.44	0.96	1992	0.4	0.33
1993	0.8226	0.62	1993	0.17	0.22	1993	1.31	0.94	1993	0.39	0.34
1994	0.4674	0.58	1994	0.37	0.23	1994	1.11	0.91	1994	0.27	0.34
1995	0.4352	0.55	1995	0.16	0.23	1995	1.19	0.89	1995	0.26	0.35
1996	0.3102	0.51	1996	0.22	0.24	1996	0.91	0.86	1996	0.27	0.35
1997	0.4697	0.48	1997	0.24	0.25	1997	0.64	0.84	1997	0.39	0.35
1998	0	0.45	1998	0.28	0.25	1998	1.01	0.82	1998	0.4	0.36
1999	0.4117	0.41	1999	0.24	0.26	1999	0.65	0.79	1999	0.34	0.36
2000	0.7709	0.38	2000	0.15	0.26	2000	0.38	0.77	2000	0.38	0.36
2001	0.5161	0.34	2001	0.3	0.27	2001	0.72	0.75	2001	0.42	0.37
2002	0.2716	0.31	2002	0.2	0.28	2002	0.41	0.73	2002	0.28	0.37
2003	0.1608	0.28	2003	0.32	0.28	2003	0.62	0.71	2003	0.38	0.38
2004	0.2311	0.24	2004	0.3	0.29	2004	0.78	0.69	2004	0.43	0.38
2005	0.4691	0.21	2005	0.36	0.3	2005	0.73	0.67	2005	0.38	0.38
2006	0.0656	0.17	2006	0.25	0.31	2006	0.77	0.66	2006	0.39	0.39

*Trends are produced using linear-model for cases with missing values

Gall Bladder - Distant											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO	DxYear	AdjRate	JPO
1989	0.49	0.35	1989	0.19	0.24	1989	0.83	1.13	1989	0.4	0.38
1990	0.17	0.35	1990	0.33	0.24	1990	1.37	1.09	1990	0.4	0.38
1991	0.2	0.35	1991	0.22	0.24	1991	1.43	1.05	1991	0.25	0.38
1992	0.5	0.35	1992	0.18	0.24	1992	0.58	1.01	1992	0.36	0.37
1993	0.15	0.36	1993	0.21	0.24	1993	1.22	0.97	1993	0.51	0.37
1994	0.12	0.36	1994	0.28	0.24	1994	0.65	0.94	1994	0.35	0.37
1995	0.1	0.36	1995	0.24	0.24	1995	0.55	0.9	1995	0.31	0.37
1996	0.77	0.36	1996	0.25	0.25	1996	0.58	0.87	1996	0.48	0.37
1997	0.35	0.37	1997	0.23	0.25	1997	0.65	0.83	1997	0.24	0.36
1998	0.37	0.37	1998	0.24	0.25	1998	1.03	0.8	1998	0.41	0.36
1999	0.1	0.37	1999	0.23	0.25	1999	0.84	0.77	1999	0.3	0.36
2000	0.57	0.37	2000	0.26	0.25	2000	0.87	0.74	2000	0.25	0.36
2001	0.17	0.37	2001	0.24	0.25	2001	0.76	0.71	2001	0.36	0.36
2002	0.3	0.38	2002	0.33	0.25	2002	0.56	0.69	2002	0.34	0.35
2003	0.16	0.38	2003	0.32	0.26	2003	0.68	0.66	2003	0.37	0.35
2004	0.32	0.38	2004	0.17	0.26	2004	0.85	0.64	2004	0.4	0.35
2005	0.49	0.38	2005	0.11	0.26	2005	0.43	0.61	2005	0.32	0.35
2006	0.42	0.39	2006	0.3	0.26	2006	0.54	0.59	2006	0.37	0.35

Gall Bladder - NOS											
Hispanic Male			NH White Male			Hispanic Female			NH White Female		
DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO*	DxYear	AdjRate	JPO
1989	0	0.02	1989	0.0483	0.02	1989	0	0.11	1989	0.07	0.07
1990	0.2174	0.03	1990	0	0.03	1990	0.5067	0.11	1990	0.04	0.07
1991	0	0.04	1991	0.0544	0.04	1991	0.1396	0.12	1991	0.06	0.07
1992	0.2659	0.04	1992	0.0465	0.04	1992	0.2272	0.12	1992	0.06	0.07
1993	0	0.05	1993	0.0115	0.05	1993	0.0928	0.13	1993	0.04	0.07
1994	0.1796	0.05	1994	0.0475	0.05	1994	0.5455	0.13	1994	0.07	0.07
1995	0.328	0.06	1995	0.0909	0.06	1995	0.1834	0.14	1995	0.11	0.07
1996	0	0.06	1996	0.0591	0.06	1996	0.0856	0.15	1996	0.11	0.07
1997	0.2176	0.07	1997	0.0637	0.07	1997	0.5288	0.15	1997	0.06	0.07
1998	0.104	0.08	1998	0.0467	0.08	1998	0.0848	0.16	1998	0.06	0.07
1999	0	0.08	1999	0.1171	0.08	1999	0.0897	0.16	1999	0.07	0.08
2000	0.2144	0.09	2000	0.0512	0.09	2000	0.3174	0.17	2000	0.16	0.08
2001	0.2906	0.09	2001	0.0961	0.09	2001	0.0755	0.17	2001	0.07	0.08
2002	0.2272	0.1	2002	0.1056	0.1	2002	0	0.18	2002	0.06	0.08
2003	0.3701	0.1	2003	0.1792	0.1	2003	0.2132	0.18	2003	0.11	0.08
2004	0.0932	0.11	2004	0.1241	0.11	2004	0	0.19	2004	0.05	0.08
2005	0.0875	0.12	2005	0.0739	0.12	2005	0.3725	0.2	2005	0.07	0.08
2006	0.1708	0.12	2006	0.1018	0.12	2006	0.2327	0.2	2006	0.05	0.08

*Trends are produced using linear-model for cases with missing values

Florida Joinpoint Analysis (1989-2006) for Selected Cancers, All Ages

APC = Average Percent Change

		Trend 1		Trend 2		Trend 3		Trend 4		
		Years	APC	Years	APC	Years	APC	Years	APC	
All Sites										
Hispanic	Male	1989 - 93	6.71 *	1993 - 06	-1.81 *	-	-	-	-	-
	Female	1989 - 97	1.29 *	1997 - 06	-0.86 *	-	-	-	-	-
NH White	Male	1989 - 91	8.8 *	1991 - 94	-4.21 *	1994 - 01	0.17	2001 - 06	-2.74 *	
	Female	1989 - 01	0.58 *	2001 - 06	-2.21 *	-	-	-	-	-
Colorectal										
Hispanic	Male	1989 - 96	4.01 *	1996 - 06	-2.69 *	-	-	-	-	-
	Female	1989 - 00	1.05 *	2000 - 06	-4.19 *	-	-	-	-	-
NH White	Male	1989 - 00	-1.09 *	2000 - 06	-4.47 *	-	-	-	-	-
	Female	1989 - 00	-0.65 *	2000 - 06	-4.01 *	-	-	-	-	-
Lung & Bronchus										
Hispanic	Male	1989 - 92	6.68	1992 - 06	-1.7 *	-	-	-	-	-
	Female	1989 - 95	3.53 *	1995 - 06	0.82 *	-	-	-	-	-
NH White	Male	1989 - 91	5.70	1991 - 06	-1.38 *	-	-	-	-	-
	Female	1989 - 91	7.43 *	1991 - 04	0.78 *	2004 - 06	-3.60	-	-	-
Bladder										
Hispanic	Male	1989 - 06	-1.34 *	-	-	-	-	-	-	-
	Female	1989 - 06	-0.71	-	-	-	-	-	-	-
NH White	Male	1989 - 93	-2.50 *	1993 - 00	1.45 *	2000 - 06	-2.89 *	-	-	-
	Female	1989 - 03	0.41	2003 - 06	-7.30 *	-	-	-	-	-
Head and Neck										
Hispanic	Male	1989 - 97	-0.15	1997 - 06	-3.42 *	-	-	-	-	-
	Female	1989 - 06	-1.21 *	-	-	-	-	-	-	-
NH White	Male	1989 - 06	-0.75 *	-	-	-	-	-	-	-
	Female	1989 - 06	-0.96 *	-	-	-	-	-	-	-
Melanoma										
Hispanic	Male	1989 - 06	0.34	-	-	-	-	-	-	-
	Female	1989 - 06	2.32 *	-	-	-	-	-	-	-
NH White	Male	1989 - 92	-1.38	1992 - 00	5.31 *	2000 - 06	-0.86	-	-	-
	Female	1989 - 06	3.49 *	-	-	-	-	-	-	-
Non-Hodgkin's Lymphoma										
Hispanic	Male	1989 - 06	-0.36	-	-	-	-	-	-	-
	Female	1989 - 06	0.87	-	-	-	-	-	-	-
NH White	Male	1989 - 96	2.42 *	1996 - 06	-1.30 *	-	-	-	-	-
	Female	1989 - 99	2.20 *	1999 - 06	-1.86 *	-	-	-	-	-
Stomach										
Hispanic	Male	1989 - 06	-1.2 *	-	-	-	-	-	-	-
	Female	1989 - 06	-1.05 *	-	-	-	-	-	-	-
NH White	Male	1989 - 93	1.46	1993 - 06	-3.13 *	-	-	-	-	-
	Female	1989 - 06	-2.12 *	-	-	-	-	-	-	-

Liver												
Hispanic	Male	1989 - 06	2.72 *	-	-	-	-	-	-	-	-	-
	Female	1989 - 06	2.70 *	-	-	-	-	-	-	-	-	-
NH White	Male	1989 - 91	24.97	1991 - 06	5.20 *	-	-	-	-	-	-	-
	Female	1989 - 06	2.32 *									
Gall Bladder												
Hispanic	Male	1989 - 06	-2.46	-	-	-	-	-	-	-	-	-
	Female	1989 - 06	-4.03 *	-	-	-	-	-	-	-	-	-
NH White	Male	1989 - 06	1.09	-	-	-	-	-	-	-	-	-
	Female	1989 - 06	-0.41	-	-	-	-	-	-	-	-	-
Breast												
Hispanic	Female	1989 - 06	-0.81 *	-	-	-	-	-	-	-	-	-
NH White	Female	1989 - 00	0.60 *	2000 - 06	-3.08 *	-	-	-	-	-	-	-
Ovary												
Hispanic	Female	1989 - 06	-1.78 *	-	-	-	-	-	-	-	-	-
NH White	Female	1989 - 99	-0.4	1999 - 06	-4.52 *	-	-	-	-	-	-	-
Cervix												
Hispanic	Female	1989 - 98	-0.98	1998 - 06	-3.68 *	-	-	-	-	-	-	-
NH White	Female	1989 - 06	-2.57 *	-	-	-	-	-	-	-	-	-
Prostate												
Hispanic	Male	1989 - 93	15.14 *	1993 - 06	-3.11 *	-	-	-	-	-	-	-
NH White	Male	1989 - 91	23.6 *	1991 - 95	-7.97 *	1995 - 01	0.85	2001 - 06	-5.33 *			

Table #2: Florida Joinpoint Analysis (1989-2006) for Selected Cancers by Stage, All Ages (* = statistical significance at .05 level)

APC = Average Percent Change

			Trend 1			Trend 2			Trend 3			Trend 4		
			Years	APC		Years	APC		Years	APC		Years	APC	
All Sites														
Local														
non-Hispanic (NH) White	Hispanic	Male	1989	1994	9.403 *	1994	2006	-0.87 *						
		Female	1989	2006	0.807 *									
		Male	1989	1992	7.277 *	1992	1995	-5.46	1995	1999	4.796 *	1999	2006	-1.366 *
		Female	1989	2000	1.552 *	2000	2006	-1.25						
Regional														
NH White	Hispanic	Male	1989	1993	3.546 *	1993	2006	-2.24 *						
		Female	1989	2006	-0.094									
		Male	1989	1991	7.645 *	1991	2006	-1.83 *						
		Female	1989	1999	0.908 *	1999	2006	-0.91 *						
Distant														
NH White	Hispanic	Male	1989	2006	-0.038									
		Female	1989	2006	1.184 *									
		Male	1989	1998	-0.912 *	1998	2004	2.471 *	2004	2006	-3.15			
		Female	1989	1999	0.727 *	1999	2004	2.449 *	2004	2006	-3.51			
NOS														
NH White	Hispanic	Male	1989	1992	12.76	1992	2006	-5.08 *						
		Female	1989	2001	-0.67	2001	2006	-8.47 *						
		Male	1989	2001	-2.677 *	2001	2006	-9.54 *						
		Female	1989	2001	-1.66 *	2001	2006	-9.29 *						

			Trend 1			Trend 2			Trend 3			Trend 4		
			Years	APC		Years	APC		Years	APC		Years	APC	
Lung & Bronchus														
Local														
Hispanic	Male	1989	1997	8.49 *	1997	2001	-13.11	2001	2004	12.12	2004	2006	-12.28	
	Female	1989	1995	10.50 *	1995	2006	0.68							
NH White	Male	1989	2006	-0.70										
	Female	1989	1998	3.41 *	1998	2006	0.19							
Regional														
Hispanic	Male	1989	2006	-0.89										
	Female	1989	2006	0.83										
NH White	Male	1989	1995	1.97	1995	2006	-1.42 *							
	Female	1989	1993	5.63 *	1993	2006	0.88 *							
Distant														
Hispanic	Male	1989	2006	0.17										
	Female	1989	2006	2.88 *										
NH White	Male	1989	1993	-2.33	1993	2006	0.71 *							
	Female	1989	1999	1.08 *	1999	2004	3.95 *	2004	2006	-3.73				
NOS														
Hispanic	Male	1989	2006	-3.89 *										
	Female	1989	2004	0.12	2004	2006	-24.35							
NH White	Male	1989	2006	-3.91 *										
	Female	1989	2002	-0.80	2002	2006	-12.09 *							
Prostate - Male Only														
Local														
Hispanic		1989	1994	17.04 *	1994	1997	-5.92	1997	2002	2.992	2002	2006	-5.189 *	
NH White		1989	1992	18.54 *	1992	1995	-11.1	1995	1999	7.775	1999	2006	-2.526 *	
Regional														
Hispanic		1989	1992	21.01	1992	2004	-9.05 *	2004	2006	19.84				
NH White		1989	1991	35.49 *	1991	1997	-12.7 *	1997	2006	-4.71 *				
Distant														
Hispanic		1989	2006	-8.05 *										
NH White		1989	1996	-15.43 *	1996	2006	-4.54 *							
NOS														
Hispanic		1989	1993	19.91 *	1993	2006	-10.2 *							
NH White		1989	1991	14.96	1991	2001	-6.48 *	2001	2006	-15.6 *				

		Trend 1			Trend 2			Trend 3			Trend 4	
		Years	APC		Years	APC		Years	APC	Years	APC	
Breast - Female Only												
Local												
	Hispanic	1989	2006	0.22								
	NH White	1989	2001	1.50 *	2001	2004	-6.34	2004	2006	3.24		
Regional												
	Hispanic	1989	2006	-0.61								
	NH White	1989	1994	-2.18 *	1994	1999	2.684 *	1999	2006	-1.2 *		
Distant												
	Hispanic	1989	2006	-2.74 *								
	NH White	1989	2006	-1.85 *								
NOS												
	Hispanic	1989	2002	-1.96 *	2002	2006	-18.6 *					
	NH White	1989	2002	-3.37 *	2002	2006	-19.6 *					
Colorectal												
Local												
	Hispanic	Male	1989	2006	0.40							
		Female	1989	2006	0.36							
	NH White	Male	1989	1994	-3.76 *	1994	2006	0.099				
		Female	1989	1995	-3.20 *	1995	2000	2.728	2000	2006	-0.65	
Regional												
	Hispanic	Male	1989	1998	2.67 *	1998	2006	-5.93 *				
		Female	1989	2001	0.22	2001	2006	-6.71 *				
	NH White	Male	1989	2000	-1.10 *	2000	2006	-7.12 *				
		Female	1989	2000	-0.55	2000	2006	-7.36 *				
Distant												
	Hispanic	Male	1989	2006	1.26 *							
		Female	1989	2006	0.90 *							
	NH White	Male	1989	2006	-1.36 *							
		Female	1989	2006	-1.28 *							
NOS												
	Hispanic	Male	1989	2001	1.61	2001	2006	-9.96 *				
		Female	1989	2000	0.95	2000	2006	-9.4 *				
	NH White	Male	1989	2000	-1.29	2000	2006	-9.63 *				
		Female	1989	2001	-1.06	2001	2006	-10.7 *				

		Trend 1			Trend 2			Trend 3			Trend 4		
		Years	APC		Years	APC		Years	APC		Years	APC	
Bladder													
In Situ													
Hispanic	Male	1989	2006	7.98 *									
	Female	1989	2006	7.54 *									
NH White	Male	1989	2002	8.40 *	2002	2006	-0.86						
	Female	1989	2004	7.96 *	2004	2006	-12.2						
Local													
Hispanic	Male	1989	2006	-3.56 *									
	Female	1989	2006	-2.23									
NH White	Male	1989	1994	-3.89 *	1994	2000	-1.31 *	2000	2003	-9.39 *	2003	2006	-1.453
	Female	1989	1999	-1.70 *	1999	2006	-5.98 *						
Regional													
Hispanic	Male	1989	2003	-1.82	2003	2006	-26.2						
	Female	1989	2006	0.32									
NH White	Male	1989	2001	-1.82 *	2001	2006	-7.35 *						
	Female	1989	2006	-2.42 *									
Distant													
Hispanic	Male	1989	2006	-2.26									
	Female	1989	2006	-3.56									
NH White	Male	1989	2006	0.19									
	Female	1989	2006	-0.98									
NOS													
Hispanic	Male	1989	2006	-1.72									
	Female	1989	2006	-5.54 *									
NH White	Male	1989	2002	-2.76 *	2002	2006	-16.5 *						
	Female	1989	2002	-3.45 *	2003	2006	-23.2 *						

		Trend 1			Trend 2			Trend 3		Trend 4	
		Years	APC		Years	APC		Years	APC	Years	APC
Head and Neck											
Local											
Hispanic	Male	1989	2006	-2.26 *							
	Female	1989	2006	-0.65							
NH White	Male	1989	2006	-1.20 *							
	Female	1989	2006	-0.59							
Regional											
Hispanic	Male	1989	1999	0.52	1999	2006	-5.8 *				
	Female	1989	2006	-2.19 *							
NH White	Male	1989	2006	0.74 *							
	Female	1989	2006	-0.39							
Distant											
Hispanic	Male	1989	2006	2.02							
	Female	1989	2006	0.68							
NH White	Male	1989	2000	-1.87	2000	2006	11.17 *				
	Female	1989	2006	1.10							
NOS											
Hispanic	Male	1989	1996	3.91	1996	2006	-7.78 *				
	Female	1989	2006	-1.82							
NH White	Male	1989	2006	-4.05 *							
	Female	1989	2006	-3.68							

		Trend 1			Trend 2			Trend 3			Trend 4	
		Years	APC		Years	APC		Years	APC	Years	APC	
Non-Hodgkin's Lymphoma												
Local												
Hispanic	Male	1989	2006	1.25								
	Female	1989	2006	1.30								
NH White	Male	1989	2006	1.12 *								
	Female	1989	1998	3.37 *	1998	2003	-2.12	2003	2006	5.688		
Regional												
Hispanic	Male	1989	2006	0.74								
	Female	1989	2006	2.53 *								
NH White	Male	1989	1992	11.58	1992	2006	-0.29					
	Female	1989	2006	1.44 *								
Distant												
Hispanic	Male	1989	2006	-0.35								
	Female	1989	2006	2.13 *								
NH White	Male	1989	1996	3.65 *	1996	2006	-0.29					
	Female	1989	2002	2.77 *	2002	2006	-2.13					
NOS												
Hispanic	Male	1989	2006	-2.51 *								
	Female	1989	2006	-2.20 *								
NH White	Male	1989	2002	-1.23 *	2002	2006	-11.1 *					
	Female	1989	2000	0.31	2000	2006	-9.18 *					

			Trend 1			Trend 2			Trend 3			Trend 4	
			Years	APC		Years	APC		Years	APC	Years	APC	
Melanoma													
Local													
Hispanic	Male		1989	2006	2.04								
	Female		1989	2006	2.47 *								
NH White	Male		1989	1991	-4.37	1991	2000	7.62 *	2000	2006	-0.22		
	Female		1989	2001	6.13 *	2001	2006	1.03					
Regional													
Hispanic	Male		1989	2006	2.47								
	Female		NA	NA	NA								
NH White	Male		1989	2006	6.55 *								
	Female		1989	2006	7.80 *								
Distant													
Hispanic	Male		1989	2006	-2.63								
	Female		NA	NA	NA								
NH White	Male		1989	2006	-0.48								
	Female		1989	2006	1.37								
NOS													
Hispanic	Male		1989	2006	-4.21 *								
	Female		1989	2006	0.98								
NH White	Male		1989	2006	-3.87 *								
	Female		1989	2006	-3.52 *								
NA = Not applicable. Missing data values prevent generation of APCs													
Ovary - Female Only													
Local													
Hispanic			1989	2006	-4.88 *								
NH White			1989	1999	0.40	1999	2006	-14.2 *					
Regional													
Hispanic			1989	2006	4.18 *								
NH White			1989	2006	2.72 *								
Distant													
Hispanic			1989	2006	-2.12 *								
NH White			1989	2006	-1.40 *								
NOS													
Hispanic			1989	2006	-0.16								
NH White			1989	2006	-3.71 *								

		Trend 1			Trend 2			Trend 3		Trend 4	
		Years	APC		Years	APC	Years	APC	Years	APC	
Cervix - Female Only											
Local											
	Hispanic	1989	2006	-1.34 *							
	NH White	1989	1996	0.65	1996	2006	-3.7 *				
Regional											
	Hispanic	1989	2006	-1.38 *							
	NH White	1989	2006	-0.36							
Distant											
	Hispanic	1989	2006	-4.37 *							
	NH White	1989	2006	-1.89 *							
NOS											
	Hispanic	1989	2006	-6.39 *							
	NH White	1989	2006	-8.18 *							
Stomach											
Local											
	Hispanic	Male	1989	2006	1.30						
		Female	1989	2006	3.01						
	NH White	Male	1989	2006	0.12						
		Female	1989	2006	1.55 *						
Regional											
	Hispanic	Male	1989	2006	-1.84 *						
		Female	1989	2006	-2.97 *						
	NH White	Male	1989	2006	-3.91 *						
		Female	1989	2006	-4.50 *						
Distant											
	Hispanic	Male	1989	2006	-2.00 *						
		Female	1989	2006	0.03						
	NH White	Male	1989	2006	-2.52 *						
		Female	1989	2006	-1.67 *						
NOS											
	Hispanic	Male	1989	2006	-1.45						
		Female	1989	2006	-2.71 *						
	NH White	Male	1989	2006	-2.42 *						
		Female	1989	2006	-2.70 *						

		Trend 1		Trend 2		Trend 3		Trend 4	
		Years	APC	Years	APC	Years	APC	Years	APC
Liver									
Local									
Hispanic	Male	1989	2006	9.88 *					
	Female	1989	2006	8.00 *					
NH White	Male	1989	2006	11.25 *					
	Female	1989	2006	7.25 *					
Regional									
Hispanic	Male	1989	2006	7.66 *					
	Female	1989	2002	-3.06	2002	2006	31.53 *		
NH White	Male	1989	2006	10.33 *					
	Female	1989	2006	7.60 *					
Distant									
Hispanic	Male	1989	2006	-0.78					
	Female	1989	2006	1.86					
NH White	Male	1989	1996	13.54 *	1996	2006	-2.54		
	Female	1989	2003	1.34	2003	2006	-24.87		
NOS									
Hispanic	Male	1989	2006	-1.23					
	Female	1989	2006	-1.14					
NH White	Male	1989	1991	40.35	1991	2006	1.80 *		
	Female	1989	2006	-0.38					

		Trend 1		Trend 2		Trend 3		Trend 4	
		Years	APC	Years	APC	Years	APC	Years	APC
Gall Bladder									
Local									
Hispanic	Male	NA	NA	NA					
	Female	NA	NA	NA					
NH White	Male	1989	2006	-2.47					
	Female	1989	2006	-2.22					
Regional									
Hispanic	Male	NA	NA	NA					
	Female	1989	2006	-2.69					
NH White	Male	1989	2006	2.51 *					
	Female	1989	2006	1.09					
Distant									
Hispanic	Male	1989	2006	0.60					
	Female	1989	2006	-3.78 *					
NH White	Male	1989	2006	0.58					
	Female	1989	2006	-0.58					
NOS									
Hispanic	Male	NA	NA	NA					
	Female	NA	NA	NA					
NH White	Male	NA	NA	NA					
	Female	1989	2006	1.14					

NA = Not applicable. Missing data values prevent generation of APCs

	Trend 1			Trend 2			Trend 3			Trend 4		
	Years		APC	Years		APC	Years		APC	Years		APC
Prostate - Male Only												
Local												
Hispanic	1989	1994	17.04 *	1994	1997	-5.92	1997	2002	2.992	2002	2006	-5.189 *
NH White	1989	1992	18.54 *	1992	1995	-11.1	1995	1999	7.775	1999	2006	-2.526 *
Regional												
Hispanic	1989	1992	21.01	1992	2004	-9.05 *	2004	2006	19.84			
NH White	1989	1991	35.49 *	1991	1997	-12.7 *	1997	2006	-4.71 *			
Distant												
Hispanic	1989	2006	-8.05 *									
NH White	1989	1996	-15.43 *	1996	2006	-4.54 *						
NOS												
Hispanic	1989	1993	19.91 *	1993	2006	-10.2 *						
NH White	1989	1991	14.96	1991	2001	-6.48 *	2001	2006	-15.6 *			

Percent Cancer Site Distribution for non-Hispanic Whites by Gender, 1989-2006 Florida

Non Hispanic White Female	
	%
Stomach	1.1
Liver	.4
Gall Bladder	.3
Lung	16.3
Melanoma	2.9
Female Breast	27.9
Cervix	1.8
Ovary	3.7
Bladder	2.9
Colorectal	12.1
NHL	3.7
Head and Neck	2.4
All Others	24.6
Total	100.0

Non Hispanic White Male	
	Percent
Stomach	1.6
Liver	.9
Gall Bladder	.1
Lung	17.6
Melanoma	3.9
Prostate	27.5
Bladder	7.6
Colorectal	11.2
NHL	3.7
Head and Neck	5.0
All Others	20.6
Total	100.0

Hispanic Subgroup Cancer Site Distribution, Florida Females 1989-2006

	Mexican	Puerto Rican	Cuban	South and Central	Other Hispanic	Hispanic NOS
	%	%	%	%	%	%
Stomach	2.43%	2.95%	1.67%	3.48%	1.34%	1.13%
Liver	2.11%	1.64%	1.35%	1.12%	0.55%	0.38%
Gall Bladder	0.60%	0.80%	0.76%	1.26%	0.32%	0.30%
Lung	10.19%	9.94%	9.26%	6.82%	9.11%	5.06%
Melanoma	0.69%	0.61%	0.71%	1.01%	2.37%	1.38%
Female Breast	22.96%	24.00%	23.71%	24.97%	31.00%	34.66%
Cervix	5.83%	3.65%	2.73%	7.03%	3.66%	3.51%
Ovary	4.13%	4.06%	3.93%	4.78%	3.68%	3.05%
Bladder	1.61%	1.94%	1.88%	0.93%	2.01%	2.29%
Colorectal	8.77%	12.45%	16.46%	8.63%	10.44%	13.03%
NHL	3.17%	5.19%	4.33%	4.35%	3.93%	3.98%
Head and Neck	1.84%	1.96%	2.30%	1.79%	2.16%	1.60%
All Others	35.67%	30.82%	30.90%	33.85%	29.43%	29.63%

Hispanic Subgroup Cancer Site Distribution, Florida Males 1989-2006

	Mexican	Puerto Rican	Cuban	South and Central	Other Hispanic	Hispanic NOS
	%	%	%	%	%	%
Stomach	3.5%	3.9%	2.1%	4.6%	1.7%	1.6%
Liver	2.8%	4.4%	1.7%	2.3%	1.3%	0.9%
Gall Bladder	0.3%	0.2%	0.3%	0.4%	0.1%	0.1%
Lung	15.9%	13.8%	17.8%	10.8%	9.1%	7.2%
Melanoma	1.0%	0.8%	0.9%	1.6%	1.6%	1.3%
Prostate	17.2%	22.8%	26.2%	24.0%	33.7%	38.6%
Bladder	3.6%	3.4%	5.8%	2.8%	6.7%	7.3%
Colorectal	10.1%	11.2%	12.1%	8.7%	11.6%	12.3%
NHL	5.7%	5.6%	4.1%	6.6%	4.9%	4.3%
Head and Neck	5.3%	6.6%	6.6%	4.7%	4.9%	4.4%
All Others	34.3%	27.1%	22.2%	33.2%	24.1%	21.6%

Proportional Incidence Ratios (PIR) by Cancer Site: Sub-Hispanic versus Non-Hispanic White Females, Florida 1989-2006

	Non Hispanic White	Mexican 3%			Puerto Rican 8%			Cuban 35%			South/Central 12%			Other 13%			NOS 29%		
		PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI
Stomach	1.00	2.72	2.09	3.55	3.02	2.63	3.48	1.48	1.36	1.63	4.30	3.87	4.79	1.60	1.35	1.89	1.34	1.19	1.52
Liver	1.00	5.04	3.79	6.71	3.98	3.29	4.81	3.09	2.79	3.42	3.01	2.48	3.63	1.40	1.07	1.83	0.97	0.79	1.20
Gall Bladder	1.00	2.88	1.68	4.94	3.39	2.57	4.47	2.80	2.45	3.21	6.67	5.58	7.99	1.65	1.17	2.33	1.49	1.18	1.90
Lung	1.00	0.75	0.66	0.85	0.65	0.60	0.70	0.57	0.55	0.59	0.51	0.47	0.55	0.67	0.63	0.71	0.36	0.34	0.38
Melanoma	1.00	0.18	0.11	0.29	0.19	0.13	0.25	0.25	0.22	0.29	0.24	0.20	0.30	0.58	0.51	0.66	0.35	0.31	0.39
Breast	1.00	0.81	0.75	0.87	0.83	0.80	0.87	0.86	0.84	0.88	0.81	0.78	0.84	1.05	1.02	1.08	1.17	1.15	1.19
Cervix	1.00	1.95	1.66	2.30	1.61	1.42	1.83	1.62	1.51	1.74	2.07	1.92	2.22	1.12	1.01	1.23	1.15	1.08	1.23
Ovary	1.00	1.05	0.86	1.29	1.07	0.94	1.20	1.08	1.02	1.15	1.17	1.07	1.29	0.92	0.83	1.02	0.76	0.71	0.82
Bladder	1.00	0.68	0.49	0.94	0.73	0.61	0.87	0.63	0.58	0.68	0.42	0.34	0.52	0.88	0.77	1.01	0.97	0.89	1.06
CRC	1.00	0.89	0.77	1.01	1.13	1.06	1.21	1.32	1.29	1.36	0.94	0.88	1.00	1.10	1.04	1.17	1.35	1.31	1.40
NHL	1.00	0.89	0.70	1.12	1.45	1.30	1.61	1.16	1.10	1.23	1.27	1.15	1.40	1.12	1.02	1.24	1.13	1.06	1.21
HN	1.00	0.77	0.57	1.04	0.79	0.67	0.94	0.94	0.87	1.02	0.73	0.63	0.85	0.89	0.78	1.02	0.65	0.59	0.72
Other	1.00	1.30	1.23	1.37	1.23	1.19	1.28	1.26	1.24	1.28	1.33	1.29	1.36	1.12	1.08	1.15	1.15	1.12	1.17

LCI: Lower Confidence Interval

UCI: Upper Confidence Interval

Proportional Incidence Ratios (PIR) by Cancer Site: Sub-Hispanic versus Non-Hispanic White Males, Florida 1989-2006

	Non Hispanic White	Mexican 3%			Puerto Rican 9%			Cuban 43%			South/Central 9%			Other 9%			NOS 27%		
		PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI	PIR	LCI	UCI
Stomach	1.00	2.42	1.98	2.95	2.58	2.30	2.89	1.31	1.23	1.41	3.29	2.97	3.63	1.16	0.97	1.37	1.09	0.98	1.21
Liver	1.00	2.86	2.30	3.57	4.45	4.00	4.95	1.78	1.65	1.93	2.29	1.99	2.65	1.27	1.04	1.54	0.95	0.84	1.09
Gall Bladder	1.00	3.12	1.63	5.98	1.97	1.21	3.21	2.07	1.70	2.53	4.12	2.92	5.82	0.98	0.49	1.95	1.11	0.76	1.61
Lung	1.00	1.04	0.95	1.13	0.82	0.77	0.87	1.01	0.99	1.03	0.68	0.64	0.73	0.56	0.52	0.60	0.43	0.41	0.45
Melanoma	1.00	0.20	0.14	0.29	0.19	0.14	0.24	0.24	0.21	0.26	0.30	0.26	0.36	0.35	0.29	0.41	0.29	0.26	0.32
Bladder	1.00	0.56	0.46	0.68	0.49	0.43	0.55	0.77	0.74	0.80	0.45	0.39	0.51	1.01	0.93	1.10	1.09	1.04	1.14
CRC	1.00	1.01	0.91	1.13	1.06	1.00	1.14	1.09	1.06	1.12	0.88	0.82	0.95	1.14	1.07	1.21	1.21	1.17	1.25
NHL	1.00	1.21	1.04	1.40	1.37	1.25	1.50	1.11	1.05	1.16	1.41	1.30	1.53	1.13	1.03	1.25	1.04	0.98	1.11
HN	1.00	0.98	0.84	1.15	1.18	1.08	1.28	1.30	1.26	1.35	0.79	0.71	0.87	0.88	0.80	0.98	0.81	0.76	0.85
Other	1.00	1.21	1.15	1.27	1.15	1.11	1.19	1.08	1.06	1.10	1.22	1.18	1.26	0.94	0.91	0.97	0.89	0.87	0.91
Prostate	1.00	0.79	0.73	0.85	0.91	0.87	0.95	0.96	0.94	0.97	1.08	1.04	1.13	1.40	1.36	1.44	1.53	1.51	1.56

LCI: Lower Confidence Interval

UCI: Upper Confidence Interval